## #SPRINT 1 TEAM ID:PNT2022TMID01929

#Importing required Libraries

```
import numpy#for numerical analysis import tensorflow#open source ml tool by google
```

from tensorflow.keras.datasets import mnist #mnist dataset from tensorflow.keras.models import Sequential# stack for layers from tensorflow.keras import layers#input,middle and output layers forcnn structure

from tensorflow.keras.layers import Dense,Flatten#dense and flatten layers from tensorflow.keras.layers import Conv2D#convolutional layers from tensorflow import keras#library for building neural networks built on tensorflow

from tensorflow.keras.optimizers import Adam#optimizers from keras.utils import np\_utils

#Loading dataset

```
Dataset is available in tensorflow dataset repository
```

```
(x_train,y_train),(x_test,y_test)=mnist.load_data()
```

Downloading data from https://storage.googleapis.com/tensorflow/tf keras-datasets/mnist.npz 11490434/11490434 [==============] - 0s 0us/step

automatically data is splitted for train, test -70:30 ratio

```
print(x_train.shape)
print(y_train.shape)
(60000, 28, 28)
(60000,)
```

Training Dataset has 60000 images & testing has 10000 images


```
print(x_test.shape)
print(y_test.shape)
(10000, 28, 28)
(10000,)
```

## Analyze the data

```
0, 01,
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 01,
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
0, 0, 0, 0, 0, 124, 253, 255, 63, 0, 0, 0, 0,
0, 0],
0, 0, 0, 0, 96, 244, 251, 253, 62, 0, 0, 0, 0,
0, 0],
0, 0, 0, 0, 127, 251, 251, 253, 62, 0, 0, 0, 0,
0, 0],
0, 0, 0, 68, 236, 251, 211, 31, 8, 0, 0, 0, 0,
0, 0],
0, 0, 60, 228, 251, 251, 94, 0, 0, 0, 0, 0, 0,
0, 0],
0, 0, 155, 253, 253, 189, 0, 0, 0, 0, 0, 0, 0,
0, 0],
0, 20, 253, 251, 235, 66, 0, 0, 0, 0, 0, 0, 0,
0, 0],
32, 205, 253, 251, 126, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
104, 251, 253, 184, 15, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 80,
240, 251, 193, 23, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 01,
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 32, 253,
253, 253, 159, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 151, 251,
```

```
0, 0],
[0, 0, 0, 0, 0, 0, 0, 0, 0, 48, 221, 251,
251, 172, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0, 0, 0, 0, 0, 0, 0, 0, 0, 234, 251, 251,
196, 12, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0, 0, 0, 0, 0, 0, 0, 0, 0, 253, 251, 251,
89, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0, 0, 0, 0, 0, 0, 0, 0, 159, 255, 253, 253,
31, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0, 0, 0, 0, 0, 0, 0, 48, 228, 253, 247, 140,
8, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0, 0, 0, 0, 0, 0, 0, 0, 64, 251, 253, 220, 0,
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0, 0, 0, 0, 0, 0, 0, 0, 64, 251, 253, 220, 0,
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[0, 0, 0, 0, 0, 0, 0, 0, 24, 193, 253, 220, 0,
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0]], dtype=uint8)
y_train[36]
6
image in 36th position in training dataset
import matplotlib.pyplot as plt
plt.imshow(x train[36])
<matplotlib.image.AxesImage at 0x7fa70fb3b550>
```

251, 251, 39, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,



#Reshaping the data

,As we are using Deep learning neural network, the input for this network to get trained on should be of higher dimensional. Our dataset is having three-dimensional images so we have to reshape them too higher dimensions

```
#(batch,height,width,channel)
```

```
x_train=x_train.reshape(60000,28,28,1).astype('float32')
x_test=x_test.reshape(10000,28,28,1).astype('float32')
```

## #Applying one hot encoding

One hot encoding to convert numerical values to classes where 0 to 9 are 10 separate classes if value is 5 class 5 is 1 else 0

```
no_of_classes=10
y_train=np_utils.to_categorical(y_train,no_of_classes)
y_test=np_utils.to_categorical(y_test,no_of_classes)
y_test[3]
array([1., 0., 0., 0., 0., 0., 0., 0., 0., 0.], dtype=float32)
```