```
"nbformat": 4,
 "nbformat minor": 0,
 "metadata": {
  "colab": {
   "provenance": []
  "kernelspec": {
   "name": "python3",
   "display name": "Python 3"
  "language_info": {
   "name": "python"
 "cells": [
   "cell_type": "code",
   "execution_count": 1,
   "metadata": {
     "id": "M9TDYjHFMfBL"
   "outputs": [],
   "source": [
     "import keras\n",
     "from keras.preprocessing.image import ImageDataGenerator"
  },
   "cell_type": "code",
   "source": [
    "#Define the parameters/arguments for ImageDataGenerator class\n",
     "train datagen=ImageDataGenerator(rescale=1./255,shear range=0.2,rotation
_range=180,zoom_range=0.2,horizontal_flip=True)\n",
     "\n".
     "test_datagen=ImageDataGenerator(rescale=1./255)"
    "metadata": {
    "id": "KEFqxyqwMqMu"
   "execution_count": 2,
   "outputs": []
  },
   "cell_type": "code",
    "source": [
     "#Applying ImageDataGenerator functionality to trainset\n",
     "x_train=train_datagen.flow_from_directory('/content/drive/MyDrive/Dataset/Dat
aset/train set',target size=(128,128),batch size=32,class mode='binary')"
   ],
```

```
"metadata": {
     "colab": {
      "base_uri": "https://localhost:8080/"
     "id": "D5S4LCT-Mu2L",
     "outputId": "a4113be0-c0b3-4a95-bf3e-ea77de8b744d"
    "execution count": 4,
   "outputs": [
      "output_type": "stream",
      "name": "stdout",
      "text": [
       "Found 436 images belonging to 2 classes.\n"
    }
   ]
  },
   "cell_type": "code",
   "source": [
     "#Applying ImageDataGenerator functionality to testset\n",
     "x_test=test_datagen.flow_from_directory('/content/drive/MyDrive/Dataset/Data
set/test_set',target_size=(128,128),batch_size=32,class_mode='binary')"
   ],
    "metadata": {
     "colab": {
      "base_uri": "https://localhost:8080/"
     "id": "rQakYllkMxQG",
     "outputId": "5d4f7c20-34c2-42ca-e0d8-a8fbfedf01c4"
   "execution count": 5,
    "outputs": [
      "output_type": "stream",
      "name": "stdout",
      "text": [
       "Found 121 images belonging to 2 classes.\n"
   ]
  },
    "cell_type": "code",
    "source": [
     "#import model building libraries\n",
     "#To define Linear initialisation import Sequential\n",
     "from keras.models import Sequential\n",
```

```
"#To add layers import Dense\n",
     "from keras.layers import Dense\n",
     "#To create Convolution kernel import Convolution2D\n",
     "from keras.layers import Convolution2D\n",
     "#import Maxpooling layer\n",
     "from keras.layers import MaxPooling2D\n",
     "#import flatten layer\n",
     "from keras.layers import Flatten\n",
     "import warnings\n",
     "warnings.filterwarnings('ignore')"
    "metadata": {
     "id": "tbh9PKR1M9H8"
   "execution_count": 6,
   "outputs": []
  },
    "cell_type": "code",
    "source": [
     "#initializing the model\n",
     "model=Sequential()"
   ],
   "metadata": {
     "id": "vINVG-FhM gF"
    "execution_count": 7,
   "outputs": []
    "cell_type": "code",
   "source": [
     "#add convolutional layer\n",
     "model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))\
n",
     "#add maxpooling layer\n",
     "model.add(MaxPooling2D(pool size=(2,2)))\n",
     "#add flatten layer \n",
     "model.add(Flatten())"
   ],
   "metadata": {
     "id": "UI-pbzGNNCQ5"
   "execution_count": 8,
   "outputs": []
  },
    "cell_type": "code",
    "source": [
     "#add hidden layer\n",
```

```
"model.add(Dense(150,activation='relu'))\n",
    "#add output layer\n",
    "model.add(Dense(1,activation='sigmoid'))"
   "metadata": {
    "id": "CHkc6tNmND Q"
   "execution count": 10,
   "outputs": []
  },
   "cell_type": "code",
   "source": [
    "#configure the learning process\n",
    "model.compile(loss='binary crossentropy',optimizer=\"adam\",metrics=[\"accur
acy\"])"
   "metadata": {
    "id": "T71QZpAVNH7P"
   "execution_count": 11,
   "outputs": []
  },
   "cell_type": "code",
   "source": [
    "#Training the model\n",
    "model.fit_generator(x_train,steps_per_epoch=14,epochs=10,validation_data=x
test, validation steps=4)"
   ],
   "metadata": {
    "colab": {
     "base uri": "https://localhost:8080/"
    "id": "aTbX1IqCN8Md",
    "outputId": "68023839-025c-4295-d02b-88409de396ba"
   "execution count": 12,
   "outputs": [
     "output_type": "stream",
     "name": "stdout",
     "text": [
      "Epoch 1/10\n",
      0.6812 - accuracy: 0.6399 - val_loss: 0.6765 - val_accuracy: 0.5950\n",
      "Epoch 2/10\n",
      accuracy: 0.6445 - val loss: 0.6765 - val accuracy: 0.5950\n",
      "Epoch 3/10\n",
```

```
accuracy: 0.6445 - val_loss: 0.6820 - val_accuracy: 0.5950\n",
    "Epoch 4/10\n",
    accuracy: 0.6445 - val_loss: 0.6794 - val_accuracy: 0.5950\n",
    "Epoch 5/10\n",
    accuracy: 0.6445 - val loss: 0.6793 - val accuracy: 0.5950\n",
    "Epoch 6/10\n",
    accuracy: 0.6445 - val loss: 0.6806 - val accuracy: 0.5950\n",
    "Epoch 7/10\n",
    accuracy: 0.6445 - val_loss: 0.6807 - val_accuracy: 0.5950\n",
    "Epoch 8/10\n".
    accuracy: 0.6445 - val_loss: 0.6815 - val_accuracy: 0.5950\n",
    "Epoch 9/10\n".
    accuracy: 0.6445 - val loss: 0.6797 - val accuracy: 0.5950\n",
    "Epoch 10/10\n",
    accuracy: 0.6445 - val loss: 0.6809 - val accuracy: 0.5950\n"
   },
   "output type": "execute result",
   "data": {
    "text/plain": [
     "<keras.callbacks.History at 0x7efcd64ba3d0>"
    ]
   "metadata": {}.
   "execution_count": 12
  ]
  "cell_type": "code",
  "source": [
  "model.save(\"forest1.h5\")"
  "metadata": {
  "id": "XijgvH8IQ9Qv"
  "execution_count": 13,
  "outputs": []
 },
  "cell type": "code",
```

```
"source": [],
"metadata": {
   "id": "IBDMxiLGQ9xY"
       },
"execution_count": null,
"outputs": []
}
                 ReplyForward
```