INVENTORY MANAGEMENT SYSTEM FOR RETAILERS

Domain: Cloud Application Development

Team id: PNT2022TMID05020

Installing IBM Cloud CLI

The IBM Cloud® Command Line Interface provides commands for managing resources in IBM Cloud. When you install the standalone IBM Cloud CLI, you get only the CLI itself without any recommended plug-ins or tools.

If you need to use a 32-bit version, or a previous version other than the latest for IBM Cloud Dedicated environments, see IBM Cloud CLI releases.

Installing with an installer

Use the following steps to install the latest stand-alone IBM Cloud CLI:

- Use a browser to access the official ibm-cloud-cli-releases GitHub repository, and select the installer of your OS to begin the download. The following operating systems are supported: macOS X 64-bit, Windows™ 64-bit, Linux™ x86 64-bit, and Linux™ LE 64-bit (ppc64le).
- Run the installer:
- For Mac and Windows[™], run the installer.

- For Linux[™], extract the package and run the install script.
- Log in to IBM Cloud:
- ibmcloud login
- Now, you're ready to manage IBM Cloud resources. Enter ibmcloud help to view the command descriptions.

Installing from the shell


- To install the latest CLI for your OS from the shell manually, use the following command for your OS:
- For Mac, copy and paste the following command to a terminal and run it:
- Curl -fsSL https://clis.cloud.ibm.com/install/osx | sh
- For Linux™, copy and paste the following command to a terminal and run it:
- Curl -fsSL https://clis.cloud.ibm.com/install/linux | sh
- For Windows[™], copy and paste the following command to a Windows[™] PowerShell terminal console and run it
- lex (New-Object Net.WebClient).DownloadString('https://clis.cloud.ibm.co m/install/powershell')
- If you encounter errors like The underlying connection was closed: An unexpected error occurred on a send, make sure you have .Net Framework 4.5 or later installed. Also try to enable TLS 1.2 protocol by running the following command:
- [Net.ServicePointManager]::SecurityProtocol = [Net.SecurityProtocolType]::Tls12

Installing to a custom directory

When you use installers or a shell script to install the IBM Cloud CLI, it is installed in your system directories. If you want to specify a different directory, use the following steps.

Note: you install the IBM Cloud CLI to a custom directory, the ibmcloud update command can't be used to update the CLI

- Use a browser to access the official ibm-cloud-cli-releases GitHub repository, and select the matching binary of your platform to begin the download. The following platforms are supported: macOS, linux32, linux64, ppc64le, win32, and win64.
- Extract the package to a directory that you specify.
- You can see the following extracted content:



For Windows™:
 IBM_Cloud_CLI
 --- LICENSE
 --- NOTICE
 --- ibmcloud-analytics.exe

└─ ibmcloud.exe

 Add to the PATH environment variable and enable shell autocompletion.

- Add the {YOUR_DIRECTORY}/IBM_CLOUD_CLI to the PATH environment variable.
- For shell autocompletion support (Mac and Linux™ only), see Enabling shell autocompletion for IBM Cloud CLI.

Updating the IBM Cloud CLI

You must use the latest version of the CLI. If you aren't using the latest version, run the following command to update your CLI:

ibmcloud update

To determine your IBM Cloud CLI version, run the following command:

ibmcloud -v

If you are running the current release, the following output is displayed:

Checking for updates...

No update required. Your CLI is

To get notified about new IBM Cloud CLI releases,

subscribe to the IBM Cloud CLI releases repository

Installers

Mac OS X 64 bit

Mac OS X M1/ARM (as-is)

Windows 64 bit

Windows 32 bit hu

Linux 64 bit

Linux 64 bit ARM (as-is)

Linux 32 bit

Power Linux 64 bit

System/390 Linux 64 bit

Binaries

Mac OS X 64 bit

Mac OS X M1/ARM (as-is)

Windows 64 bit

Windows 32 bit

Linux 64 bit

Linux 64 bit ARM (as-is)

Linux 32 bit

Power Linux 64 bit

System/390 Linux 64 bit

Bug Fixes

Upgrades sl plug-in to 1.0.9, removing panic when the LANG environment setting is missing