

AI-BASED LOCALIZATION
AND CLASSIFICATION OF SKIN DISEASE WITH
THEYTHEMA

NALAIYA THIRAN PROJECT
REPORT IBM-Project-7554-
1658903841
TEAM ID: PNT2022TMID08412

Submitted by

KRISHNAKANTH S
VIGNESH S
RAJKUMAR V
SARATHIR

(810439104020)
(810439104059)
(810439104040)
(810439104047)

In partial fulfillment for the award of the degree

of

**BACHELOR OF ENGINEERING
IN COMPUTER SCIENCE AND ENGINEERING**

**DHANALAKSHMI SRINIVASAN ENGINEERING COLLEGE
(AUTONOMOUS) PER
AMBALUR-621212**




TABLE OF CONTENTS

1. INTRODUCTION	1
1.1 Project Overview	
1.2 Purpose	
2. LITERATURE SURVEY	3
2.1 Existing problem	
2.2 References	
2.3 Problem Statement Definition	
3. IDEATION & PROPOSED SOLUTION	5
3.1 Empathy Map Canvas	
3.2 Ideation & Brainstorming	
3.3 Proposed Solution	
3.4 Problem Solution Fit	
4. REQUIREMENT ANALYSIS	9
4.1 Functional requirement	
4.2 Non-Functional requirements	
5. PROJECT DESIGN	10
5.1 Data Flow Diagrams	
5.2 Solution & Technical Architecture	
5.3 User Stories	
6. PROJECT PLANNING & SCHEDULING	13
6.1 Sprint Planning & Estimation	
6.2 Sprint Delivery Schedule	
6.3 Reports from JIRA	
7. CODING & SOLUTIONING	16
7.1 Registration Page	
7.2 Dashboard Page	
7.3 Database Schema (DB2 and SQL_LITE3)	
8. TESTING	30
8.1 Test Cases	
8.2 User Acceptance Testing	
9. RESULTS	31
9.1 Performance Metrics	
10. ADVANTAGES & DISADVANTAGES	32

11. CONCLUSION.....	33
12. FUTURESCOPE.....	34
13. APPENDIX.....	35

SourceCode

GitHub& ProjectDemoLink

INTRODUCTION

1.1 project overview

Malignant melanoma is the leading cause of death from diseases of skin .Malignantmelanoma is considered to be the most dangerous form of skin cancer. This type of skincancer occurs when the human skin is exposed to the ultraviolet radiation (UV) emittedfrom sunshine or tanning beds, which caused the damage to skin cells. Image-basedcomputer aided diagnosis systems have significant potential for screening and earlydetection of malignant melanoma. In this paper, we propose a new skin melanoma

CADsystemusingtextureanalysismethods.TheproposedCADsystemconsistsoffoursteps:h airremoval,filtering,featureextractionandclassification.Beforeworkingontheimageweshou ldremovehairfromittofacilitateinfectedpartdetection.Inthefeatureextractionstep a histogram of oriented gradients (HOG) used to extract features, Our CAD systemclassifiesbetweennon-melanomaskinlesions(representedascommonneviordysplasticnevi) and melanoma. The experimental results show that extracting HOG features afterhair removal yields the best classification results. python software is used for skin cancerdetection.Machine learning based model is implemented for detect and classify the skindisease detection and classification ,flask based design is provide the user interfaceprovidetheresult

1.2 purpose

Thepurposeoftheprojectisdesignandimplementationofdeeplearningmodeldeployedfor detection ofimageprocessing based skin disease

2. LITEATURE SURVEY

LITERATURESURVEY

TITLE: Skin cancer and new treatment perspectives: A review.**AUTHOR:** Simes, M. C. F., J. J. S. Sousa, and A. A. C. C. Pais.**YEAR:** 2015

DESCRIPTION: [Skin cancers](#) are by far the most common malignancy of humans, particularly in the [white population](#). The growing incidence of cutaneous malignancies has heralded the need for multiple treatment options. Although surgical modalities remain the mainstay of treatment, new research and fresh innovation are still required to reduce [morbidity](#) and mortality. Approaches for skin cancer may pass through new technological methods instead of new molecules. The first part of this paper provides a review of the state of the art regarding skin cancer disease as well as epidemiology data. Then, it describes the gold standards of the current recommended therapies worldwide and the actual needs of these patients. This is the first paper that highlights the novel and future therapeutic perspectives for the treatment of skin malignancies, new [therapeutic agents](#) and promising technological approaches, from nanotechnology to immunotherapy.

TITLE: A benchmark for automatic visual classification of clinical skin disease images.

AUTHOR: Sun, Xiaoxiao.

YEAR: 2016

DESCRIPTION Skin disease is one of the most common human illnesses. It pervades all cultures, occurs at all ages, and affects between 30% and 70% of individuals, with even higher rates in at-risk. However, diagnosis of skin diseases by observing is a very difficult job for both doctors and patients, where an intelligent system can be helpful. In this paper, we mainly introduce a benchmark dataset for clinical skin diseases to address this problem. To the best of our knowledge, this dataset is currently the largest for visual recognition of skin diseases. It contains 6,584 images from 198 classes, varying according to scale, color, shape and structure. We hope that this benchmark dataset will encourage further research on visual skin disease classification. Moreover, the recent successes of many computer vision related tasks are due to the adoption of Convolutional Neural Networks (CNNs), we also perform extensive analyses on this dataset using the state of the art methods including CNNs.

TITLE: Improving the diagnostic accuracy of dysplastic and melanoma lesions using the decision on multiple combination method.

AUTHOR: Faal, Maryam,

YEAR: 2013

DESCRIPTION: Melanoma is the most dangerous type of skin cancer, and early detection of suspicious lesions can decrease the mortality rate of this cancer. In this article, we present a

multi-classifier system for improving the diagnostic accuracy of melanoma and dysplastic lesions based on the decision template combination rule. First, the lesion is differentiated

from the surrounding healthy skin in an image. Next, shape, colour and texture features are extracted from the lesion image. Different subsets of these features are fed to three different classifiers: k-nearest neighbour (k-NN), support vector machine (SVM) and linear discriminant analysis (LDA). The decision template method is used to combine the outputs of these classifiers.

TITLE: Automatic classification of skin lesions using color mathematical morphology-based texture descriptors.”

AUTHOR: Gonzalez-Castro, Victor,

YEAR: 2015

DESCRIPTION: In this paper an automatic classification method of skin lesions from dermoscopic images is proposed. This method is based on color texture analysis based both on color mathematical morphology and Kohonen Self-Organizing Maps (SOM), and it does not need any previous segmentation process. More concretely, mathematical morphology is used to compute a local descriptor for each pixel of the image, while the SOM is used to cluster them and, thus, create the texture descriptor of the global image. Two approaches are proposed, depending on whether the pixel descriptor is computed using classical (i.e. spatially invariant) or adaptive (i.e. spatially variant) mathematical morphology by means of the Color Adaptive Neighborhoods (CANs) framework. Both approaches obtained similar areas under the ROC curve (AUC): 0.854 and 0.859 outperforming the AUC built upon dermatologists' predictions (0.792).

TITLE: Performance Analysis of GFE, HOG and LBP Feature Extraction Techniques using kNN Classifier for Oral Cancer Detection.

AUTHOR: Stella, X. Arockia, Tamil Nadu Sivagangai, and India Dr N. Sujatha.

YEAR: 2016

DESCRIPTION: Oral cancer is the abnormal growth of suspicious tissues in the mouth and vocal region that consumes the life of both males and females at a high rate. Early diagnosis of oral cancer makes the treatments successful. The advancements in medical image processing greatly help in the detection of oral cancer. The diagnosis is commonly done in accordance

with the morphology and features of the images. The commonly used feature extraction techniques failed to produce high accuracy and resulted in high false positive rates. As the extracted features are the base for classifying the severity, the classification techniques also resulted in low classification accuracy. In order to resolve these issues, this paper proposes

an oral cancer detection system. The median filtering technique is used in the proposed system for preprocessing. In order to get the essential characteristics of features, watershed segmentation is applied before feature extraction. The feature extraction is carried out by the following techniques: Gamma-based Feature Extraction (GFE), Histogram of Oriented Gradients (HOG) and Local Binary Pattern (LBP). Finally, the extracted features are fed into the kNN classifier for the efficient detection of oral cancer. This paper discusses the comparative analysis of HOG, LBP and GFE techniques. The experimental results are evaluated in terms of accuracy, sensitivity, specificity and Positive Predictive Value (PPV).

EXISTING SYSTEM PROBLEM

EXISTING SYSTEM

The color of patient's skin helps doctor to determine the type of skin lesion, if the skin lesion is diagnosed as melanoma, its color could be black, brown, pink, red, purple, blue or white,. The dermoscopy technique is high spread skin imaging way that helps in skin lesion detection. A dermatoscope device takes an image, known as dermoscopic image, with a low level of noise to examine the skin lesion by magnifying and filtering the infected part of skin. Another aiding way to detect the skin lesion at an early stage is the computer aided diagnosis (CAD) system. The dermoscopic images of skin lesions have been classified by Gonzalez-Castro et al. Global and local feature extraction method to extract a different features of an image such as color, texture, shape and domain specific features.

EXISTING SYSTEM DRAWBACKS

- The conventional methods failed to give the desired result.
- No standard evolution of previous classifiers (limited data on Sensitivity & specificity).
- Less effective feature extraction methods used in existing systems.

2.1 references


- 1.Kachuee,Mohammad,ShayanFazeli,andMajidSarrafzadeh."Ecghheartbeatclassification:Adeep transferablerepresentation."2018IEEEinternationalconferenceonhealthcareinformatics (ICHI). IEEE, 2018
- 2.S.Zhang,W.Wang,J.Ford,andF.Makedon,"Learningfromincomplete ratingsusingnon-negative matrix factorization,"inProc. 6thSIAM Int. Conf.DataMining,2006,pp. 549–553.
- 3.T.HofmannandJ.Puzicha,"Latentclassmodelsforcollaborativefiltering,"inProc.6thInt.JointConf. Artif. Intell., 1999, pp. 688–693.
- 4.B. M. Sarwar, G. Karypis, J. A. Konstan, and J. Reidl, "Item-based collaborative filteringrecommendationalgorithms,"in Proc.10thInt. WorldWideWeb Conf.,2001,pp. 285–295
- 5.T. George and S. Merugu, "A scalable collaborative filtering framework based on co-clustering,"in Proc. 5th IEEEInt. Conf. DataMining,2005, pp. 625–628

2.2 problemstatementdefinition

- Cardiologists by using various values which occurred during the ECG recordingcandecidewhethertheheartbeatisnormalornot.Sinceobservationofthesevaluesarenotalways clear,existenceofautomaticECGdetectionsystemis required
- Luz, Eduardo José da S., et al. "ECG-based heart beat classification for arrhythmia detection: A survey." *Computer methods and programs in biomedicine* 127 (2016): 144-164
- Romdhane, Taissir Fekih, and Mohamed Atri Pr. "Electrocardiogram heart beat classification based on a deep convolutional neural network and focal loss." *Computers in Biology and Medicine* 123 (2020): 103866

3. ideation and proposed solution

3.1 empathy map canvas



3.2 ideationandbrainstorming



3.3 proposed solutions


Deep learning based algorithm is implemented using for train the image using deeplearning model In this paper, we propose a new melanoma CAD system. Removing hair from skin lesion dermoscopic images will be the first step to apply, then using median filter with a

suitable dimensions will be the next step to do, histogram of oriented gradients (HOG), will be using to extract special features from the images. The final step will be classification using a Support Vector Machines (SVM) classifier to determine the skin lesion. The output layer of SVM has two neural nodes, related to the number of neural nodes that classify between positive (abnormal) and negative (normal) cases. Where positive cases refer to melanoma skin lesion and negative cases refer to common nevi or dysplastic nevi (non-melanoma). The final result evaluates the classifier performance by calculating some metrics such as AUC and sensitivity.

DATASETS

The HAM10000 (Human Against Machine with 10,000 training images) dataset released by Tschandl et. al. includes dermoscopy images from diverse populations acquired and stored by different modalities [66]. The dataset is publicly available through the ISIC archive and consists of 10,015 dermoscopy images, which are utilized as a training set for testing machine learning algorithms. Cases include a representative collection of all important diagnostic categories in the realm of pigmented lesions. The diagnoses of all melanomas were verified through histopathological evaluation of biopsies, while the diagnoses of nevi were made by either histopathological examination (24%), expert consensus (54%) or another diagnosis method, such as a series of images that showed no temporal changes (22%).

Design and implementation



TensorFlow was developed by researchers and engineers from the Google Brain team. It is by far the most popular software library in the field of deep learning (though others are catching up quickly). One of the biggest reasons accounting for the popularity of TensorFlow is that it supports multiple programming languages, such as Python, C++ and R, to build deep learning models. It is handy for creating and experimenting with deep learning architectures. In addition, its formulation is convenient for data (such as inputting graphs, SQL tables, and

images) integration. Moreover, it provides proper documentations and walkthroughs for guidance. The flexible architecture of TensorFlow makes it easy for people to run their deep learning models on one or more CPUs and GPUs. It is backed by Google, which guarantees that it will stay around for a while. Therefore, it makes sense to invest time and resources to use it.

3.4 problem solution fit

Define CS, fit into CC	1.CUSTOMOR SEGMENT <small>CS</small> <ul style="list-style-type: none">patientsdermatologist	6.CUSTOMER CONSTRAINTS <small>CC</small> <ul style="list-style-type: none">Easy to reduce redness on the skinweight lesslow cost	5.AVAILABLE SOLUTIONS <small>AS</small> <ul style="list-style-type: none">Using neural network based segmentation modelInternetComputer visionknowledge about CAD diagnosis technique	Explore AS, differentiate
	2.JOBS-TO-BE-DONE/ PROBLEMS <small>J&P</small> <ul style="list-style-type: none">To stop any medicine that may be trigger the erythemaDo not let others touch your infection	9.PROBLEM ROOT CAUSE <small>RC</small> <ul style="list-style-type: none">SunburnUsing heavy dosageclimate changes	7.BEHAVIOUR <small>BE</small> <ul style="list-style-type: none">Using a neural network based segmentation model to create a segmented map of the image ,we then cluster sections of abnormal skin and pass this information to a classification model .We classify each cluster into different common skin disease using another neural network model	
Focus on J&P, fit into BE, understand RC	3. TRIGGERS <small>TR</small> <ul style="list-style-type: none">ItchingIrritationugly	10.YOUR SOLUTION <small>SI</small> <ul style="list-style-type: none">Given an image of the skin we decompose the image to normalize and extract high level features	8.CHANNEL OF BEHAVIOUR <small>CH</small> 8.1 online <ul style="list-style-type: none">web applicationonline consultation 8.2 offline <ul style="list-style-type: none">using a creamconsulting a doctor	Focus on J&P, fit into BE, understand RC
	4.EMOTIONS: BEFORE/AFTER <small>EM</small> <ul style="list-style-type: none">People are not feeling good because of redness on the skinnow they are feeling good			
Identify strong TR & EM		Identify strong TR & EM		

4.requirementanalysis

4.1 functionalrequirement

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form , Registration through Gmail
FR-2	User Confirmation	Confirmation via Email , Confirmation via OTP
FR-3	Get User Input	Upload image as jpeg , Upload image as png
FR-4	Save Image	Images are saved in the uploads folder
FR-5	Chat with Doctor	Consult with Doctor
FR-6	Report Generation	Get complete Report


4.2 Non-functionalrequirement

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.


FRNo.	Non-Functional Requirement	Description
NFR-1	Usability	Classification of Arrhythmia with the help of AI.
NFR-2	Security	User's data cannot be accessed by unauthorized people.
NFR-3	Reliability	The system performs without failure.
NFR-4	Performance	High accuracy.
NFR-5	Availability	Anyone who is authorized.
NFR-6	Scalability	Does not affect the performance even though.

5.projectdesign

5.1 Dataflowdiagrams



5.2 solutionsandTechnicalArchitecture



6. Project planning and scheduling

Milestones	Activities
Project development phase	Delivery of sprint- 1,2,3,4
Create and configure and IBM cloud services	Create IBM Watson
Create and access deep learning	Create v1 to interact with app deploy
	Create IBM and connect with python
Create & database in cloud and DB	Launch the cloudant DB and Create database
Develop the python flask	Install the python software
	Develop python code
Create the web application	Develop the web application

Milestones	Activities	Description
Ideation phase	literature	Literature survey on the selected project & information gathering
	Empathy Map	Prepare empathy map to capture the user pains & gains, prepare list of problem statement
	Ideation	Organizing the brainstorming session and priorities the top 3 ideas based on feasibility & importance

7.coding

%packages

```
import os

%matplotlib inline
import matplotlib.pyplot as plt
import numpy as np
import pandas as pd
import os
from glob import glob
import seaborn as sns
from PIL import Image
np.random.seed(11) # It's my lucky number
from sklearn.preprocessing import StandardScaler
from sklearn.model_selection import train_test_split, KFold, cross_val_score,
GridSearchCV
from sklearn.metrics import accuracy_score
import itertools

import keras
from keras.utils.np_utils import to_categorical # used for converting labels to one-hot-encoding
from keras.models import Sequential, Model
from keras.layers import Dense, Dropout, Flatten, Conv2D,
MaxPool2D
from keras import backend as K
from keras.layers.normalization import BatchNormalization
from keras.utils.np_utils import to_categorical # convert to one-hot-encoding
from keras.optimizers import Adam, RMSprop
from keras.preprocessing.image import ImageDataGenerator
from keras.callbacks import ReduceLROnPlateau
from keras.wrappers.scikit_learn import KerasClassifier
from keras.applications.resnet50 import ResNet50
```

```
fromkerasimportbackendasK
```

preprocessingofcode

```
size=64color_mode='grayscale'batch_size=32
train_images=train_generator.flow_from_dataframe(dataframe=dataframe_train,
x_col='Filepath',y_col='Label',target_size=(size,
size),color_mode=color_mode,class_mode='categorical',batch_size=batch_size,
shuffle=True,
seed=42,subset='training'
)

val_images=train_generator.flow_from_dataframe(dataframe=dataframe_train,
x_col='Filepath',y_col='Label',target_size=(size,
size),color_mode=color_mode,class_mode='categorical',batch_size=batch_size,
shuffle=True,
seed=42,subset='validation'
)

test_images=test_generator.flow_from_dataframe(dataframe=dataframe_test,
x_col='Filepath',y_col='Label',target_size=(size,
size),color_mode=color_mode,class_mode='categorical',batch_size=batch_size,
shuffle=False
)
```

Modelsummary

esandmakingDictionaryofimagesandlabels

In this step I load in the pictures and turn them into numpy arrays using their RGB values. As the pictures have already been resized to 224x224, there's no need to resize them. As the pictures do not have any labels, these need to be created. Finally, the pictures are added together to a big training set and shuffled.

```
In[2]:
linkcode
folder_benign_train=
'../input/data/train/benign' folder_malignant_train='../i
nput/data/train/malignant'

folder_benign_test=
'../input/data/test/benign' folder_malignant_test='../i
nput/data/test/malignant'

read= lambda imname: np.asarray(Image.open(imname).convert("RGB"))

# Load in training pictures
ims_benign = [read(os.path.join(folder_benign_train, filename)) for filename in os
.listdir(folder_benign_train)]
X_benign = np.array(ims_benign, dtype='uint8')
ims_malignant= [read(os.path.join(folder_malignant_train, filename)) for filename
in os.listdir(folder_malignant_train)]
X_malignant = np.array(ims_malignant, dtype='uint8')

# Load in testing pictures
ims_benign = [read(os.path.join(folder_benign_test, filename)) for filename in
os.listdir(folder_benign_test)]
X_benign_test= np.array(ims_benign, dtype='uint8')
ims_malignant= [read(os.path.join(folder_malignant_test, filename)) for filename
in os.listdir(folder_malignant_test)]
X_malignant_test= np.array(ims_malignant, dtype='uint8')

# Create Labels
y_benign =
np.zeros(X_benign.shape[0]) y_malignant=np.o
nes(X_malignant.shape[0])

y_benign_test=
np.zeros(X_benign_test.shape[0]) y_malignant_test=np.o
nes(X_malignant_test.shape[0])

# Merge data
X_train = np.concatenate((X_benign, X_malignant), axis =
0) y_train=np.concatenate((y_benign,y_malignant),axis=0)

X_test = np.concatenate((X_benign_test, X_malignant_test), axis =
0) y_test=np.concatenate((y_benign_test,y_malignant_test),axis=0)

# Shuffle data
s =
np.arange(X_train.shape[0]) np.r
andom.shuffle(s)
X_train =
X_train[s] y_train=y_
train[s]
```

s =

```
np.arange(X_test.shape[0])np.random.shuffle(s)
```

```
X_test =
X_test[s]y_test=y_
test[s]
```

Htmlcoding

```
<!DOCTYPEhtml>
<htmllang="en">
<head>
<metacharset="UTF-8">
<metaname="viewport"content="width=device-width,initial-scale=1.0">
<metahttp-equiv="X-UA-Compatible"content="ie=edge">
<title>AromaShop-Home</title>
<linkrel="icon"href="static/img/Favicon.png"type="image/png">
<linkrel="stylesheet"href="static/vendors/bootstrap/bootstrap.min.css">
<linkrel="stylesheet"href="static/vendors/fontawesome/css/all.min.css">
<linkrel="stylesheet"href="static/vendors/themify-icons/themify-icons.css">
<linkrel="stylesheet"href="static/vendors/nice-select/nice-select.css">
<linkrel="stylesheet"href="static/vendors/owl-carousel/owl.theme.default.min.css">
<linkrel="stylesheet"href="static/vendors/owl-carousel/owl.carousel.min.css">

<linkrel="stylesheet"href="static/css/style.css">
</head>
<body>
<!--=====StartHeaderMenuArea=====-->
<headerclass="header_area">
<divclass="main_menu">
<navclass="navbarnavbar-expand-lgnavbar-light">
<divclass="container">
<aclass="navbar-brandlogo_h"href="index.html"><imgsrc="static/img/logo.png"alt=""></a>
<buttonclass="navbar-toggler"type="button"data-toggle="collapse"data-
target="#navbarSupportedContent"
aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Togglenavigation">
<spanclass="icon-bar"></span>
<spanclass="icon-bar"></span>
<spanclass="icon-bar"></span>
</button>
<divclass="collapsenavbar-collapseoffset"id="navbarSupportedContent">
<ulclass="navnavbar-navmenu_navml-automr-auto">
<liclass="nav-itemactive"><aclass="nav-link"href="index.html">Home</a></li>
<liclass="nav-itemsubmenuudropdown">
<a href="#" class="nav-link dropdown-toggle" data-
toggle="dropdown"role="button" aria-haspopup="true"
aria-expanded="false">Shop</a>
<ulclass="dropdown-menu">
```

```

        <liclass="nav-item"><aclass="nav-
link"href="category.html">ShopCategory</a></li>
        <liclass="nav-item"><aclass="nav-link"href="single-
product.html">ProductDetails</a></li>
        <liclass="nav-item"><aclass="nav-
link"href="checkout.html">ProductCheckout</a></li>
        <liclass="nav-item"><aclass="nav-
link"href="confirmation.html">Confirmation</a></l
i>
        <liclass="nav-item"><aclass="nav-
link"href="cart.html">ShoppingCart</a></li>
        </ul>

</li>

<liclass="nav-itemsubmenudropdown">
    <a href="#" class="nav-link dropdown-toggle" data-
toggle="dropdown"role="button" aria-haspopup="true"
aria-expanded="false">Blog</a>
    <ulclass="dropdown-menu">
        <liclass="nav-item"><aclass="nav-link"href="blog.html">Blog</a></li>
        <liclass="nav-item"><aclass="nav-link"href="single-
blog.html">BlogDetails</a></li>
    </ul>

</li>
<liclass="nav-itemsubmenu
dropdown">
    <a href="#" class="nav-link dropdown-toggle" data-
toggle="dropdown"role="button" aria-haspopup="true"
aria-expanded="false">Pages</a>
    <ulclass="dropdown-menu">
        <liclass="nav-item"><aclass="nav-link"href="sign.html">Login</a></li>
        <liclass="nav-item"><aclass="nav-link"href="/register">Register</a></li>
        <liclass="nav-item"><aclass="nav-link"href="tracking-
order.html">Tracking</a></li>
    </ul>
</li>
    <liclass="nav-item"><aclass="nav-link"href="contact.html">Contact</a></li>
</ul>

<ulclass="nav-shop">
    <liclass="nav-item"><button><iclass="ti-search"></i></button></li>
    <li class="nav-item"><button><i class="ti-shopping-cart"></i><span class="nav-
shopcircle">3</span></button></li>
    <liclass="nav-item"><aclass="buttonbutton-header"href="#">BuyNow</a></li>
</ul>
</div>
</div>
</nav>
</div>
</header>
<!--=====EndHeaderMenuArea=====-->

```

```
<mainclass="site-main">
```

```
<!--=====Herobannerstart=====-->
```

```
<sectionclass="hero-banner">
```

```
<divclass="container">
```

```
<divclass="rowno-guttersalign-items-centerpt-60px">
```

```
<divclass="col-5d-noned-sm-block">
```

```
<divclass="hero-bannerimg">
```

```
<imgclass="img-fluid"src="static/img/home/hero-banner.png"alt="">
```

```
</div>
```

```
</div>
```

```
<divclass="col-sm-7col-lg-6offset-lg-1pl-4pl-md-5pl-lg-0">
```

```
<divclass="hero-bannercontent">
```

```
<h4>Shopis fun</h4>
```

```
<h1>BrowseOurPremiumProduct</h1>
```

```
<p>Us which over of signs divide dominion deep fill bring they're meat beho  
uponown earth without morning over third. Their male dry. They are great appear whose  
land flygrass.</p>
```

```
<aclass="buttonbutton-hero"href="#">BrowseNow</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!--=====Herobannerstart=====-->
```

```
<!--=====HeroCarouselstart=====-->
```

```
<sectionclass="section-marginmt-0">
```

```
<divclass="owl-carouselowl-themehero-carousel">
```

```
<divclass="hero-carouselslide">
```

```
<imgsrc="img/home/hero-slide1.png"alt=""class="img-fluid">
```

```
<a href="#"class="hero-carouselslideOverlay">
```

```
<h3>WirelessHeadphone</h3>
```

```
<p>AccessoriesItem</p>
```

```
</a>
```

```
</div>
```

```
<divclass="hero-carouselslide">
```

```
<imgsrc="static/img/home/hero-slide2.png"alt=""class="img-fluid">
```

```
<a href="#"class="hero-carouselslideOverlay">
```

```
<h3>WirelessHeadphone</h3>
```

```
<p>AccessoriesItem</p>
```

```
</a>
```

```
</div>
```

```
<divclass="hero-carouselslide">
```

```
<imgsrc="static/img/home/hero-slide3.png"alt=""class="img-fluid">
```

```
<a href="#"class="hero-carouselslideOverlay">
```

```
<h3>WirelessHeadphone</h3>
```

```
<p>AccessoriesItem</p>
```

```
</a>
```

```
</div>
```

```

</div>
</section>
<!--=====HeroCarouseland=====-->

<!--=====trendingproductsectionstart=====-->
<sectionclass="section-margincalc-60px">
  <divclass="container">
    <divclass="section-intropb-60px">
      <p>PopularIteminthemarket</p>
      <h2>Trending<spanclass="section-introstyle">Product</span></h2>
    </div>
    <divclass="row">
      <divclass="col-md-6col-lg-4col-xl-3">
        <divclass="cardtext-centercard-product">
          <divclass="card-productimg">
            <imgclass="card-img"src="static/img/product/product1.png" alt="">
            <ulclass="card-productimgOverlay">
              <li><button><iclass="ti-search"></i></button></li>
              <li><button><iclass="ti-shopping-cart"></i></button></li>
              <li><button><iclass="ti-heart"></i></button></li>
            </ul>
          </div>
          <divclass="card-body">
            <p>Accessories</p>
            <h4 class="card-producttitle"><a href="single-product.html">Quartz
BeltWatch</a></h4>
            <pclass="card-productprice">$150.00</p>
          </div>
        </div>
      </div>
      <divclass="col-md-6col-lg-4col-xl-3">
        <divclass="cardtext-centercard-product">
          <divclass="card-productimg">
            <imgclass="card-img"src="static/img/product/product2.png"alt="">
            <ulclass="card-productimgOverlay">
              <li><button><iclass="ti-search"></i></button></li>
              <li><button><iclass="ti-shopping-cart"></i></button></li>
              <li><button><iclass="ti-heart"></i></button></li>
            </ul>
          </div>
          <divclass="card-body">
            <p>Beauty</p>
            <h4class="card-producttitle"><a href="single-product.html">WomenFreshwash</a></h4>
            <pclass="card-productprice">$150.00</p>
          </div>
        </div>
      </div>
    </div>
  </div>

```



```

<divclass="card-productimg">
  <imgclass="card-img"src="static/img/product/product3.png"alt="">
  <ulclass="card-productimgOverlay">
    <li><button><iclass="ti-search"></i></button></li>
    <li><button><iclass="ti-shopping-cart"></i></button></li>
    <li><button><iclass="ti-heart"></i></button></li>
  </ul>
</div>
<divclass="card-body">
  <p>Decor</p>
  <h4 class="card-producttitle"><a href="single-product.html">Room
FlashLight</a></h4>
  <pclass="card-productprice">$150.00</p>
</div>
</div>
</div>
<divclass="col-md-6col-lg-4col-xl-3">
  <divclass="cardtext-centercard-product">
    <divclass="card-productimg">
      <imgclass="card-img"src="static/img/product/product4.png"alt="">
      <ulclass="card-productimgOverlay">
        <li><button><iclass="ti-search"></i></button></li>
        <li><button><iclass="ti-shopping-cart"></i></button></li>
        <li><button><iclass="ti-heart"></i></button></li>
      </ul>
    </div>
    <divclass="card-body">
      <p>Decor</p>
      <h4 class="card-producttitle"><a href="single-product.html">Room
FlashLight</a></h4>
      <pclass="card-productprice">$150.00</p>
    </div>
  </div>
</div>
<divclass="col-md-6col-lg-4col-xl-3">
  <divclass="cardtext-centercard-product">
    <divclass="card-productimg">
      <imgclass="card-img"src="static/img/product/product5.png"alt="">
      <ulclass="card-productimgOverlay">
        <li><button><iclass="ti-search"></i></button></li>
        <li><button><iclass="ti-shopping-cart"></i></button></li>
        <li><button><iclass="ti-heart"></i></button></li>
      </ul>
    </div>
    <divclass="card-body">
      <p>Accessories</p>
      <h4 class="card-producttitle"><a href="single-product.html">Man
OfficeBag</a></h4>
      <pclass="card-productprice">$150.00</p>
    </div>
  </div>
</div>

```

```

    </div>
</div>
<divclass="col-md-6col-lg-4col-xl-3">
  <divclass="cardtext-centercard-product">
    <divclass="card-productimg">
      <imgclass="card-img"src="static/img/product/product6.png"alt="">
      <ulclass="card-productimgOverlay">
        <li><button><iclass="ti-search"></i></button></li>
        <li><button><iclass="ti-shopping-cart"></i></button></li>
        <li><button><iclass="ti-heart"></i></button></li>
      </ul>
    </div>
    <divclass="card-body">
      <p>KidsToy</p>
      <h4 class="card-producttitle"><a href="single-
product.html">ChargingCar</a></h4>
      <pclass="card-productprice">$150.00</p>
    </div>
  </div>
</div>
<divclass="col-md-6col-lg-4col-xl-3">
  <divclass="cardtext-centercard-product">
    <divclass="card-productimg">
      <imgclass="card-img"src="static/img/product/product7.png"alt="">
      <ulclass="card-productimgOverlay">
        <li><button><iclass="ti-search"></i></button></li>
        <li><button><iclass="ti-shopping-cart"></i></button></li>
        <li><button><iclass="ti-heart"></i></button></li>
      </ul>
    </div>
    <divclass="card-body">
      <p>Accessories</p>
      <h4class="card-producttitle"><ahref="single-
product.html">BluetoothSpeaker</a></h4>
      <pclass="card-productprice">$150.00</p>
    </div>
  </div>
</div>
<divclass="col-md-6col-lg-4col-xl-3">
  <divclass="cardtext-centercard-product">
    <divclass="card-productimg">
      <imgclass="card-img"src="static/img/product/product8.png"alt="">
      <ulclass="card-productimgOverlay">
        <li><button><iclass="ti-search"></i></button></li>
        <li><button><iclass="ti-shopping-cart"></i></button></li>
        <li><button><iclass="ti-heart"></i></button></li>
      </ul>
    </div>
    <divclass="card-body">
      <p>KidsToy</p>

```

```

        <h4class="card-producttitle"><a href="#">ChargingCar</a></h4>
        <pclass="card-productprice">$150.00</p>
    </div>
</div>
</div>
</div>
</div>
</section>
<!--=====trendingproductsectionend=====-->

<!--=====offersectionstart=====-->
<section class="offer" id="parallax-1" data-anchor-target="#parallax-1" data-300-
top="background-position:20px30px" data-top-bottom="background-position:020px">
    <divclass="container">
        <divclass="row">
            <divclass="col-xl-5">
                <divclass="offercontenttext-center">
                    <h3>UpTo50% Off</h3>
                    <h4>WinterSale</h4>
                    <p>Himshe'dletthemsixthsawlight</p>
                    <a class="buttonbutton--activemt-3mt-xl-4" href="#">ShopNow</a>
                </div>
            </div>
        </div>
    </div>
</section>
<!--=====offersectionend=====-->

<!--=====BestSellingitemcarousel===== -->
<sectionclass="section-margincalc-60px">
    <divclass="container">
        <divclass="section-intropb-60px">
            <p>PopularIteminthemarket</p>
            <h2>Best<spanclass="section-introstyle">Sellers</span></h2>
        </div>
        <divclass="owl-carouselowl-theme" id="bestSellerCarousel">
            <divclass="cardtext-centercard-product">
                <divclass="card-productimg">
                    <imgclass="img-fluid" src="static/img/product/product1.png" alt="">
                    <ulclass="card-productimgOverlay">
                        <li><button><iclass="ti-search"></i></button></li>
                        <li><button><iclass="ti-shopping-cart"></i></button></li>
                        <li><button><iclass="ti-heart"></i></button></li>
                    </ul>
                </div>
                <divclass="card-body">
                    <p>Accessories</p>
                    <h4 class="card-producttitle"><a href="single-product.html">Quartz
BeltWatch</a></h4>

```

```

        <pclass="card-productprice">$150.00</p>
    </div>
</div>

<divclass="cardtext-centercard-product">
    <divclass="card-productimg">
        <imgclass="img-fluid"src="static/img/product/product2.png"alt="">
        <ulclass="card-productimgOverlay">
            <li><button><iclass="ti-search"></i></button></li>
            <li><button><iclass="ti-shopping-cart"></i></button></li>
            <li><button><iclass="ti-heart"></i></button></li>
        </ul>
    </div>
    <divclass="card-body">
        <p>Beauty</p>
        <h4class="card-producttitle"><a href="single-product.html">WomenFreshwash</a></h4>
        <pclass="card-productprice">$150.00</p>
    </div>
</div>

<divclass="cardtext-centercard-product">
    <divclass="card-productimg">
        <imgclass="img-fluid"src="static/img/product/product3.png"alt="">
        <ulclass="card-productimgOverlay">
            <li><button><iclass="ti-search"></i></button></li>
            <li><button><iclass="ti-shopping-cart"></i></button></li>
            <li><button><iclass="ti-heart"></i></button></li>
        </ul>
    </div>
    <divclass="card-body">
        <p>Decor</p>
        <h4 class="card-producttitle"><a href="single-product.html">Room
FlashLight</a></h4>
        <pclass="card-productprice">$150.00</p>
    </div>
</div>

<divclass="cardtext-centercard-product">
    <divclass="card-productimg">
        <imgclass="img-fluid"src="static/img/product/product4.png"alt="">
        <ulclass="card-productimgOverlay">
            <li><button><iclass="ti-search"></i></button></li>
            <li><button><iclass="ti-shopping-cart"></i></button></li>
            <li><button><iclass="ti-heart"></i></button></li>
        </ul>
    </div>
    <divclass="card-body">
        <p>Decor</p>

```

```

        <h4 class="card-producttitle"><a href="single-product.html">Room
FlashLight</a></h4>
        <pclass="card-productprice">$150.00</p>
    </div>
</div>

<divclass="cardtext-centercard-product">
    <divclass="card-productimg">
        <imgclass="img-fluid"src="static/img/product/product1.png"alt="">
        <ulclass="card-productimgOverlay">
            <li><button><iclass="ti-search"></i></button></li>
            <li><button><iclass="ti-shopping-cart"></i></button></li>
            <li><button><iclass="ti-heart"></i></button></li>
        </ul>
    </div>
    <divclass="card-body">
        <p>Accessories</p>
        <h4 class="card-producttitle"><a href="single-product.html">Quartz
Belt Watch</a></h4>
        <pclass="card-productprice">$150.00</p>
    </div>
</div>

<divclass="cardtext-centercard-product">
    <divclass="card-productimg">
        <imgclass="img-fluid"src="static/img/product/product2.png"alt="">
        <ulclass="card-productimgOverlay">
            <li><button><iclass="ti-search"></i></button></li>
            <li><button><iclass="ti-shopping-cart"></i></button></li>
            <li><button><iclass="ti-heart"></i></button></li>
        </ul>
    </div>
    <divclass="card-body">
        <p>Beauty</p>
        <h4class="card-producttitle"><ahref="single-
product.html">WomenFreshwash</a></h4>
        <pclass="card-productprice">$150.00</p>
    </div>
</div>

<divclass="cardtext-centercard-product">
    <divclass="card-productimg">
        <imgclass="img-fluid"src="static/img/product/product3.png"alt="">
        <ulclass="card-productimgOverlay">
            <li><button><iclass="ti-search"></i></button></li>
            <li><button><iclass="ti-shopping-cart"></i></button></li>
            <li><button><iclass="ti-heart"></i></button></li>
        </ul>
    </div>
    <divclass="card-body">

```

```

        <p>Decor</p>
        <h4 class="card-producttitle"><a href="single-product.html">Room
FlashLight</a></h4>
        <pclass="card-productprice">$150.00</p>
    </div>
</div>

<divclass="cardtext-centercard-product">
    <divclass="card-productimg">
        <imgclass="img-fluid"src="static/img/product/product4.png"alt="">
        <ulclass="card-productimgOverlay">
            <li><button><iclass="ti-search"></i></button></li>
            <li><button><iclass="ti-shopping-cart"></i></button></li>
            <li><button><iclass="ti-heart"></i></button></li>
        </ul>
    </div>
    <divclass="card-body">
        <p>Decor</p>
        <h4 class="card-producttitle"><a href="single-product.html">Room
FlashLight</a></h4>
        <pclass="card-productprice">$150.00</p>
    </div>
</div>
</div>
</div>
</section>
<!--=====BestSelling itemcarouselend=====-->

<!--=====Blogsectionstart=====-->
<sectionclass="blog">
    <divclass="container">
        <divclass="section-intropb-60px">
            <p>PopularIteminthemarket</p>
            <h2>Latest<spanclass="section-introstyle">News</span></h2>
        </div>

        <divclass="row">
            <divclass="col-md-6 col-lg-4mb-4mb-lg-0">
                <divclass="cardcard-blog">
                    <divclass="card-blogimg">
                        <imgclass="card-imgrounded-0"src="static/img/blog/blog1.png"alt="">
                    </div>
                    <divclass="card-body">
                        <ulclass="card-bloginfo">
                            <li><a href="#">ByAdmin</a></li>
                            <li><a href="#"><iclass="ti-comments-smiley"></i>2Comments</a></li>
                        </ul>
                        <h4 class="card-blogtitle"><a href="single-blog.html">The Richland
CenterShoopingNewsand weekly shooper</a></h4>

```

<p>Letonefifthibringflytodividedfaceforbearingdivideuntoseed.Wingeddividedl
ightForth.</p>

Read More <i class="ti-arrow-
right"></i>

</div>

</div>

</div>

<divclass="col-md-6 col-lg-4mb-4mb-lg-0">

<divclass="cardcard-blog">

<divclass="card-blogimg">

<imgclass="card-imggrounded-0"src="static/img/blog/blog2.png"alt="">

</div>

<divclass="card-body">

<ulclass="card-bloginfo">

ByAdmin

<iclass="ti-comments-smiley"></i>2Comments

<h4class="card-blogtitle"><a href="single-
blog.html">TheShoppingNewsalsooffers top-quality printing services</h4>

<p>Letonefifthibringflytodividedfaceforbearingdivideuntoseed.Wingeddividedl
ightForth.</p>

Read More <i class="ti-arrow-
right"></i>

</div>

</div>

</div>

<divclass="col-md-6 col-lg-4mb-4mb-lg-0">

<divclass="cardcard-blog">

<divclass="card-blogimg">

<imgclass="card-imggrounded-0"src="static/img/blog/blog3.png"alt="">

</div>

<divclass="card-body">

<ulclass="card-bloginfo">

ByAdmin

<iclass="ti-comments-smiley"></i>2Comments

<h4 class="card-blogtitle">Professional design
staffandefficientequipmentyou'llfind weoffer</h4>

<p>Letonefifthibringflytodividedfaceforbearingdivideuntoseed.Wingeddividedl
ightForth.</p>

Read More <i class="ti-arrow-
right"></i>

</div>

</div>

</div>

</div>

</div>

</section>


```

<!--=====Blogsectionend=====-->

<!--=====Subscribesectionstart=====-->
<sectionclass="subscribe-position">
  <divclass="container">
    <divclass="subscribetext-center">
      <h3class="subscribetitle">GetUpdateFromAnywhere</h3>
      <p>BearingVoidgatheringlight lighthiseaveninguntodontafraid</p>
      <divid="mc_embed_signup">
        <form target="_blank" action="https://spondonit.us12.list-
manage.com/subscribe/post?u=1462626880ade1ac87bd9c93a&id=92a4423d01"method=
"get" class="subscribe-formform-inlinemt-5 pt-1">
          <divclass="form-groupml-sm-auto">
            <input class="form-control mb-1" type="email"
name="EMAIL"placeholder="Enteryouremail"onfocus="this.placeholder=""onblur="this.pla
ceholder='YourEmailAddress'">
            <divclass="info"></div>
          </div>
          <button class="button button-subscribe mr-auto mb-1"
type="submit">SubscribeNow</button>
          <divstyle="position:absolute;left: -5000px;">
            <input name="b_36c4fd991d266f23781ded980_aefe40901a" tabindex="-
1"value="" type="text">
          </div>

        </form>
      </div>

    </div>
  </div>
</section>
<!--=====Subscribesectionend=====-->

</main>

<!--=====StartfooterArea=====-->
  <footerclass="footer">
    <divclass="footer-area">
      <divclass="container">
        <divclass="rowsection_gap">
          <divclass="col-lg-3col-md-6col-sm-6">
            <divclass="single-footer-widgettp_widgets">
              <h4class="footer_titlelarge_title">Our
Mission</h4>
              <p>
                Soseedseedgreenthathwinged
                cattlein.Gatheringthingmadeflyyou'reno

```


divideddeepmoveduslan

$\langle p \rangle$

Soseedseedgreenthawinged

<divclass="offset-lg-1col-lg-2col-md-6col-sm-6">

Quick

- [Home](#)
- [Blog](#)
- [Brand](#)

<divclass="col-lg-2col-md-6col-sm-6">

Gallery

-
-
-

<img

-
-

<divclass="offset-lg-1 col-lg-3 col-md-6 col-sm-6">

Contact

<divclass="ml-40">

location-arrow">

City</p>

phone">

envelope">

<pclass="sm-head">
<spanclass="fafa-

HeadOffice

</p>

<p>123,MainStreet,Your

<pclass="sm-head">
<spanclass="fafa-

PhoneNumber

</p>

<p>

+123456 7890

+123 456 7890

</p>

<pclass="sm-head">
<spanclass="fafa-

Email

</p>

<p>

free@infoexample.com

www.infoexample.com

</p>

</div>

</div>

</div>

</div>

</div>

</div>

<divclass="footer-bottom">

<divclass="container">

<divclass="rowd-flex">

<pclass="col-lg-12footer-texttext-center">

<!--LinkbacktoColorlibcan'tberemoved.

TemplateislicensedunderCCBY 3.0.-->

Copyright ©<script>document.write(new Date().getFullYear());</script> All

rightsreserved|Thistemplateismadewith<iclass="fafa-heart"aria-

hidden="true"></i>byColorlib

<!--LinkbacktoColorlibcan'tberemoved.TemplateislicensedunderCCBY3.0.--></p>

</div>

</div>

</div>

</footer>

<!--=====EndfooterArea=====-->

```

<scriptsrc="static/vendors/jquery/jquery-3.2.1.min.js"></script>
<scriptsrc="static/vendors/bootstrap/bootstrap.bundle.min.js"></script>
<scriptsrc="static/vendors/skrollr.min.js"></script>
<scriptsrc="static/vendors/owl-carousel/owl.carousel.min.js"></script>
<scriptsrc="static/vendors/nice-select/jquery.nice-select.min.js"></script>
<scriptsrc="static/vendors/jquery.ajaxchimp.min.js"></script>
<scriptsrc="static/vendors/mail-script.js"></script>
<scriptsrc="static/js/main.js"></script>
</body>
</html>

```

8.SYSTEM TESTING

The purpose of testing is to discover errors. Testing is the process of trying to discover every conceivable fault or weakness in a work product. It provides a way to check the functionality of components, sub-assemblies, assemblies and/or a finished product. It is the process of exercising software with the intent of ensuring that the Software system meets its requirements and user expectations and does not fail in an unacceptable manner. There are various types of test. Each test type addresses a specific testing requirement.

6.1 TYPES OF TESTS

6.1.1 Unit testing

Unit testing involves the design of test cases that validate that the internal program logic is functioning properly, and that program inputs produce valid outputs. All decision branches and internal code flow should be validated. It is the testing of individual software units of the application. It is done after the completion of an individual unit before integration. This is a structural testing, that relies on knowledge of its construction and is invasive. Unit tests perform basic tests at component level and test a specific business process, application, and/or system configuration. Unit tests ensure that each unique path of a business process performs accurately to the documented specifications and contains clearly defined inputs and expected results.

6.1.2 Integration testing

Integration tests are designed to test integrated software components to determine if they actually run as one program. Testing is event driven and is more concerned with the basic outcome of screens or fields. Integration tests demonstrate that although the components were

individually satisfaction, as shown by successfully unit testing, the combination of components is correct and consistent. Integration testing is specifically aimed at exposing the problems that arise from the combination of components.

6.1.3 Functional test

Functional tests provide systematic demonstrations that functions tested are available as specified by the business and technical requirements, system documentation, and user manuals. Functional testing is centered on the following items:

Valid Input : identified classes of valid input must be

accepted. Invalid Input : identified classes

of invalid input must be rejected. Functions : identified functions must be exercised.

Output

: identified classes of application outputs must be exercised. Systems/Procedures: interfacing systems or procedures must be invoked.

Organization and preparation of functional tests is focused on requirements, key functions, or special test cases. In addition, systematic coverage pertaining to identify Business process flows; data fields, predefined processes, and successive processes must be considered for testing. Before functional testing is complete, additional tests are identified and the effective value of current tests is determined.

6.1.4 System Test

System testing ensures that the entire integrated software system meets requirements. It tests a configuration to ensure known and predictable results. An example of system testing is the configuration-

oriented system integration test. System testing is based on process descriptions and flows, emphasizing pre-driven process links and integration points.

6.1.5 White Box Testing

White Box Testing is a testing in which the software tester has knowledge of the inner workings, structure and language of the software, or at least its purpose. It is used to test areas that cannot be reached from a black box level.

6.1.6 Black Box Testing

Black Box Testing is testing the software without any knowledge of the inner workings, structure or language of the module being tested. Black box tests, as most other kinds of tests, must be written from a definitive source document, such as specification or requirements document, such as a specification or requirements document. It is a testing in which the software

under test is treated, as a black box .you cannot “see” into it. The test provides inputs and responds to outputs without considering how the software works.

6.2 Unit Testing:

Unit testing is usually conducted as part of a combined code and unit test phase of the software lifecycle, although it is not uncommon for coding and unit testing to be conducted as two distinct phases.

6.2.1 Test strategy and approach

Field testing will be performed manually and functional tests will be written in detail.

6.2.2 Test objectives

- All field entries must work properly.
- Pages must be activated from the identified link.
- The entry screen, messages and responses must not be delayed.

6.2.3 Features to be tested

- Verify that the entries are of the correct format
- No duplicate entries should be allowed
- All links should take the user to the correct page.

6.3 Integration Testing

Software integration testing is the incremental integration testing of two or more integrated software components on a single platform to produce failures caused by interface defects. The task of the integration test is to check that components or software applications, e.g. components in a software system or – one step up – software applications at the company level – interact without error.


Test Results: All the test cases mentioned above passed successfully. No defects encountered.

6.4 Acceptance Testing


User Acceptance Testing is a critical phase of any project and requires significant participation by the end user. It also ensures that the system meets the functional requirements. **Test Results:** All the test cases mentioned above passed successfully. No defects encountered.

9.RESULTS


Testing image (skindatasetimages)



Modeltrainingaccuracy



Trainingandtestingaccuracy



10. advantage and disadvantages

1. High accuracy
2. High sensitivity
3. High reliability
4. Reduced loss

11. conclusions

This project designed the deep learning based CNN (convolution neural network) based algorithm which consists of input layer, convolution layer, ReLU layer, max pooling layer for extracting the features for training of images.

12. FUTURE WORK

In future work we designed real time implementation transfer. The prospects presented by the use of AI technology in the sphere of medical services should not be overlooked. AI advancements can assist in filtering through massive amounts of data to find patterns, correlations, and conduct complicated computations, activities that robots are better able to execute than people. The suggested model, which is based on the Convolution neural network V2 and LSTM approaches, showed effectiveness for skin disease categorization and detection while requiring little computing resources and effort. When tested and compared to other algorithms using real-time photographs obtained from Cagle, the result is encouraging.

with effectiveness of 85.34 percent. When the background of the tumor image is reduced and the actual levels are self-explanatory and compared to the levels required to form the resulting matrix, the pixels drop. In this phase, the process affects the values of each group of beliefs (matrices, relationships and behaviors) that are considered to be inconsistent. Reliability issue and time-saving costs cannot be achieved at the same time, which occurs at the training level and is influenced by the variability of different models, which are important issues. An effective way to invade invasion is not used, not used, used, not used, not used. To test the need, several different trainings were used. In addition, many researchers have focused on various features in training and measurement. Because of the variability in systems across all textbooks, effective comparisons are not possible.

GITHUB-

<https://github.com/IBM-EPBL/IBM-Project-7954-1658903841/tree/main/Project%20Development%20Phase>

DEMO LINK -

<https://photos.app.goo.gl/5JPLq1aa49pPeEkF6>