

## DEVELOPING PYTHON SCRIPT

### LOCATION DATA:

```
import wiotp.sdk.device

import time

import random

myConfig={
"identity": (
"orgId": "gagtey",
"typeId": "GPS",
"deviceId":"12345"},
"auth": {
"token": "12345678"
}}

def myCommandCallback (cmd):

print ("Message received from IBM IoT Platform: %s" % cmd.data['command']) m-
cmd.data['command']

client= wiotp.sdk.device.DeviceClient (config=myConfig, logHandlers=None)

client.connect()

def pub (data):

client.publishEvent (eventId="status", msgFormat="json", data=myData, qos=0,
print("Published data Successfully: %s", myData)

while True:

myData={'name': 'Train1', 'lat': 17.6387448, 'lon': 78.4754336)

pub (myData)

time.sleep (3)

#myData('name': 'Train2', 'lat': 17.6387448, 'lon': 78.4754336)
```

```

#pub (myData)
#time.sleep (3)
myData={'name': 'Train1', 'lat': 17.6341908, 'lon': 78.4744722)
pub (myData)
time.sleep(3)
myData={'name': 'Train1', 'lat': 17.6340889, lon': 78.4745052)
pub (myData)
time.sleep(3)
myData={'name': 'Train1', 'lat': 17.6248626, 'lon': 78.4720259)
pub (myData)
time.sleep (3)
myData={'name': 'Train1', 'lat': 17.6188577, 'lon': 78.4698726)
pub (myData)
time.sleep (3)
myData={'name': 'Train1', 'lat': 17.6132382, 'lon': 78.4707318)
pub (myData)
time.sleep (3)
client.commandCallback = myCommandCallback
client.disconnect()

```

## **QR SCANNER CODE:**

```

Import cv2
import numpy as np
import time
Import pyzbar.pyzbar as pyzbar
from ibmcloudant.cloudant_v1 import CloudantV1
from ibmcloudant import CouchDbSessionAuthenticator
from ibm_cloud_sdk_core.authenticators import BasicAuthenticator
authenticator= BasicAuthenticator ('apikey-v2-
16u3crmdpdkghhxefdikvpssoh5fwezrmuup5fv5g3ubz', 'b0ab119f45d3e6255eabb978

```

service Cloudant V1 (authenticator-authenticator) service.set\_service\_url('https://apikey-v2-16u3crmdpkgghxefdikvpssoh5fwezrmuup5fv5g3ubz:b0ab119f45d3e6255eabb978e7e2f0

```

cap= cv2.VideoCapture (0)
font cv2.FONT_HERSHEY_PLAIN
while True:
    frame cap.read()
    decodedobjects pyzbar.decode (frame)
    for obj in decodedObjects:
        #print ("Data", obj.data)
        a=obj.data.decode('UTF-8')
        cv2.putText (frame, "Ticket", (50, 50), font, 2,
            (255, 0, 0), 3)
        #print (a)
        try: response = service.get_document (
            db='booking', doc_id = a
        ).get_result()
        print (response) time.sleep(5)
        except Exception as e:
            print ("Not a Valid Ticket")
            time.sleep (5)
        cv2.imshow("Frame", frame)
        if cv2.waitKey(1) & 0xFF==ord('q'):
            break
    cap.release()
    cv2.destroyAllWindows ()
    client.disconnect()

```