

Delivery plan sprint-2

Live child crying to gmail alert:

Gamil is installed on gadget to track its current child crying can be tracked on android app and via gmail request sent from parent phone to safety gadget. Outputs of live cilhd crying.

2) Panic Alert Systems:

Panic alert system on gadget is triggered during panic situation, automatic sms are triggered to parental phone. The alert is also updated to the cloud for purpose of app monitoring. Outputs of panic alert system.

3) Stay Connected Feature:

Stay connected feature is used to trigger sms and pre-defined SMS anytime from gadget to parental phone by just child crying and also parent can make SMS and call to the gadget anytime.

4) Health Monitoring System:

Health monitoring system is implemented using crying sensor, temperature sensor which is updated to the cloud and also can be monitored via app. The current value of sensors can be obtained using SMS request sent to gadget from parent phone. Outputs of health monitoring system.

5) Gadget Plugged or Unplugged Monitoring:

Gadget plug or unplugged is monitored using contact switch installed on smart gadget, as soon as the device is unplugged, an alert is provided to parent phone via SMS and it is also updated to cloud for app monitoring.

6) Boundary monitoring system:

This is used to track the safety gadget using the binding gadget by implementing signal strength concept as soon as the safety gadget moves far away from the pir listener gadget then an alert is provided to itself. Listener device and broad cast device .

7. Overview of safety gadget the circuit connection with sensors. The temperature sensor, pulse sensor, BLE module, GSM module and sensor module are shown. 6. Limitation The system is dependent on communication signal/network