


# Creation of Database In Cloudant DB:



```
Command Prompt
Downloading ibmcloudant-0.3.0.tar.gz (97 kB)
----- 97.8/97.8 kB 311.7 kB/s eta 0:00:00
Preparing metadata (setup.py) ... done
Collecting ibm_cloud_sdk_core==3.16.0
  Downloading ibm_cloud_sdk_core-3.16.0-py3-none-any.whl (83 kB)
----- 83.7/83.7 kB 2.3 MB/s eta 0:00:00
Requirement already satisfied: requests<3.0,>=2.20 in d:\python\lib\site-packages (from ibmcloudant) (2.28.1)
Collecting python_dateutil<3.0.0,>=2.5.3
  Downloading python_dateutil-2.8.2-py2.py3-none-any.whl (247 kB)
----- 247.7/247.7 kB 1.5 MB/s eta 0:00:00
Collecting PyJWT<3.0.0,>=2.0.1
  Downloading PyJWT-2.6.0-py3-none-any.whl (20 kB)
Requirement already satisfied: urllib3<2.0.0,>=1.26.0 in d:\python\lib\site-packages (from ibm_cloud_sdk_core==3.16.0->ibmcloudant) (1.26.12)
Collecting six>=1.5
  Downloading six-1.16.0-py2.py3-none-any.whl (11 kB)
Requirement already satisfied: charset-normalizer<3,>=2 in d:\python\lib\site-packages (from requests<3.0,>=2.20->ibmcloudant) (2.1.1)
Requirement already satisfied: idna<4,>=2.5 in d:\python\lib\site-packages (from requests<3.0,>=2.20->ibmcloudant) (3.4)
Requirement already satisfied: certifi>=2017.4.17 in d:\python\lib\site-packages (from requests<3.0,>=2.20->ibmcloudant) (2022.9.24)
Installing collected packages: six, PyJWT, python_dateutil, ibm_cloud_sdk_core, ibmcloudant
  DEPRECATION: ibmcloudant is being installed using the legacy 'setup.py install' method, because it does not have a 'pyproject.toml' and the 'wheel' package is not installed. pip 23.1 will enforce this behaviour change. A possible replacement is to enable the '--use-pep517' option. Discussion can be found at https://github.com/pypa/pip/issues/8559
  Running setup.py install for ibmcloudant ... done
Successfully installed PyJWT-2.6.0 ibm_cloud_sdk_core-3.16.0 ibmcloudant-0.3.0 python_dateutil-2.8.2 six-1.16.0

C:\Users\Koliyar Nikhil Durai>
```