

PROJECT DEVELOPMENT PHASE

SPRINT-1 SOURCE CODE

Date	15 November 2022
Team ID	PNT2022TMID32512
Project Name	Digital Naturalist – AI Enabled Tools for Biodiversity Researchers.
Maximum Marks	8 Marks

Index.php

<!-- Code by Brave Coder - <https://youtube.com/BraveCoder> -->

<?php

session_start();

```
if (isset($_SESSION['SESSION_EMAIL'])) {  
    header("Location: welcome.php"); die();  
}
```

```
include 'config.php';  
$msg = "";
```

```
if (isset($_GET['verification'])) {
```

```
if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE  
code='{$_GET['verification']}'")) > 0) {
```

```
$query = mysqli_query($conn, "UPDATE users SET code=" WHERE code='{$_GET['verification']}'");
```

```
if ($query) {
```

```
$msg = "<div class='alert alert-success'>Account verification has been successfully completed.</div>";
```

```
}
```

```
} else {
```

```
    header("Location: index.php");
```

```
}
```

```
}
```

```
if (isset($_POST['submit'])) {
```

```
$email = mysqli_real_escape_string($conn, $_POST['email']);
```

```
$password = mysqli_real_escape_string($conn, md5($_POST['password']));
```

```
$sql = "SELECT * FROM users WHERE email='{ $email}' AND  
password='{ $password}'"; $result = mysqli_query($conn, $sql);
```

```
if (mysqli_num_rows($result) === 1) { $row  
= mysqli_fetch_assoc($result);
```

```
if (empty($row['code'])) {
```

```
$_SESSION['SESSION_EMAIL']      =      $email;  
header("Location: welcome.php");  
} else {
```

```
$msg = "<div class='alert alert-info'>First verify your account and try again.</div>";  
}
```

```
} else {
```

```
$msg = "<div class='alert alert-danger'>Email or password do not match.</div>";  
}  
}  
?>
```

```
<!DOCTYPE html>
```

```
<html lang="zxx">
```

```
<head>
```

```
<title>D-Naturalist</title>
```

```
<!-- Meta tag Keywords -->
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<meta charset="UTF-8" />
```

```
<meta name="keywords" content="Login Form" />
```

```
<!-- //Meta tag Keywords -->
```

```
<link      href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"  
rel="stylesheet">
```

```
<!--/Style-CSS -->
```

```
<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />
```

<!--//Style-CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

<div class="workinghny-form-grid">

<div class="main-mockup">

<div class="alert-close">

</div>

<div class="w3l_form align-self">

<div class="left_grid_info">

</div>

</div>

<div class="content-wthree">

<h2>Login Now</h2>

<?php echo \$msg; ?>

<form action="" method="post">

<input type="email" class="email" name="email" placeholder="Enter Your Email" required>

<input type="password" class="password" name="password" placeholder="Enter Your Password" style="margin-bottom: 2px;" required>

<p>Forgot Password?</p>

<button name="submit" name="submit" class="btn" type="submit">Login</button>

```
</form>

<div class="social-icons">

<p>Create Account! <a href="register.php">Register</a>.</p>

</div>

</div>

</div>

</div>

<!-- //form -->
```

```
</div>
```

```
</section>
```

```
<!-- //form section start -->
```

```
<script src="js/jquery.min.js"></script>
<script>
$(document).ready(function (c) {
    $('.alert-close').on('click', function (c) {
        $('.main-mockup').fadeOut('slow', function (c) {
            $('.mainmockup').remove();
        });
    });
});
```

```
});
```

```
</script></body>
```

```
</html>
```

logout.php

```
<?php
```

```
session_start(); session_unset(); session_destroy();
```

```
header("Location: index.php");
```

```
?>
```

Register.php

```
<!-- Cod byBraveCoder-https://youtube.com/BraveCoder --> <?php
```

```
//Import PHPMailer classes into the global namespace
```

```
//These must be at the top of your script, not inside a function use PHPMailer\PHPMailer\PHPMailer;  
use PHPMailer\PHPMailer\SMTP; use PHPMailer\PHPMailer\Exception;
```

```
session_start();
```

```
if (isset($_SESSION['SESSION_EMAIL'])) {  
    header("Location: welcome.php"); die();  
}
```

```
//Load Composer's autoloader require 'vendor/autoload.php';
```

```
include 'config.php';  
$msg = "";
```

```
if (isset($_POST['submit'])) {
```

```
$name = mysqli_real_escape_string($conn, $_POST['name']);
```

```
$email = mysqli_real_escape_string($conn, $_POST['email']);
```

```
$password = mysqli_real_escape_string($conn, md5($_POST['password']));
```

```
$confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
```

```
$code = mysqli_real_escape_string($conn, md5(rand()));
```

```
if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{ $email }'))  
    > 0) {
```

```
$msg = "<div class='alert alert-danger'>{ $email } - This email address has been already exists.</div>"; }  
else {
```

```

        if ($password === $confirm_password) {

$mysql = "INSERT INTO users (name, email, password, code) VALUES ('{$name}', '{$email}',
 '{$password}', '{$code}')";

$result = mysqli_query($conn, $mysql);


if ($result) {

echo "<div style='display: none;'>";

//Create an instance; passing `true` enables exceptions

$mail = new PHPMailer(true);


        try {

            //Server settings

            $mail->SMTPDebug = SMTP::DEBUG_SERVER;           //Enable verbose debug
output

            $mail->isSMTP();                                   //Send using SMTP

            $mail->Host      = 'smtp.gmail.com';               //Set the SMTP server to send through

            $mail->SMTPAuth  = true;                           //Enable SMTP authentication

            $mail->Username  = 'biodiversityresearchers@gmail.com'; //SMTP
username

            $mail->Password  = 'bzfbnhugqobvvbcj';             //SMTP password

            $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS; //Enable implicit TLS encryption

            $mail->Port      = 465; //TCP port to connect to; use 587 if you have set `SMTPSecure =
PHPMailer::ENCRYPTION_STARTTLS`


//Recipients

$mail->setFrom('biodiversityresearchers@gmail.com');

$mail->addAddress($email);


            //Content

            $mail->isHTML(true);                               //Set email format to HTML

            $mail->Subject = 'no reply';

            $mail->Body = 'Here is the verification link <b><a
href="http://localhost/login/?verification='.$code.'"> verification Link</a></b>';

```

```

$mail->send(); echo
'Message has been sent'; }
catch (Exception $e) {
echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";

}      echo
"</div>";
$msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";

} else {

$msg = "<div class='alert alert-danger'>Something wrong went.</div>";

}

} else {

$msg = "<div class='alert alert-danger'>Password and Confirm Password do not
match</div>";

}
}
}
?>

```

```

<!DOCTYPE html>

```

```

<html lang="zxx">

```

```

<head>

```

```

<title>D-Naturalist</title>

```

```

<!-- Meta tag Keywords -->

```

```

<meta name="viewport" content="width=device-width, initial-scale=1">

```

```

<meta charset="UTF-8" />

```

```

<meta name="keywords" content="Login Form" />

```

```

<!-- //Meta tag Keywords -->

```

```

<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">

```

```

<!--/Style-CSS -->

```

```

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />

```

<!--//Style-CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

<div class="workinghny-form-grid">

<div class="main-mockup">

<div class="alert-close">

</div>

<div class="w3l_form align-self">

<div class="left_grid_info">

</div>

</div>

<div class="content-wthree">

<h2>Register Now</h2>

<?php echo \$msg; ?>

<form action="" method="post">

<input type="text" class="name" name="name" placeholder="Enter Your Name" value="<?php if (isset(\$_POST['submit'])) { echo \$name; } ?>" required>

<input type="email" class="email" name="email" placeholder="Enter Your Email" value="<?php if (isset(\$_POST['submit'])) { echo \$email; } ?>" required>

<input type="password" class="password" name="password" placeholder="Enter Your Password" required>


```

<input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>

<button name="submit" class="btn" type="submit">Register</button>

</form>

<div class="social-icons">

<p>Have an account! <a href="index.php">Login</a>.</p>

</div>

</div>

</div>

</div>
<!-- //form -->

</div>

</section>

<!-- //form section start -->

<script src="js/jquery.min.js"></script>

<script>

$(document).ready(function (c) {

$('.alert-close').on('click', function (c) {

$('.main-mockup').fadeOut('slow', function (c) {

$('.main-mockup').remove();

});

});

});

});

</script>

</body>

</html>

```

Welcome.php

```
<?php

session_start();

if (!isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: index.php"); die();
}

include 'config.php';

$query = mysqli_query($conn, "SELECT * FROM users WHERE
email='{$_SESSION['SESSION_EMAIL']}'");

if (mysqli_num_rows($query) > 0) {
    $row = mysqli_fetch_assoc($query);
    echo "Welcome " . $row['name'] . " <a href='logout.php'>Logout</a>";
}
?>
```

Forget Password.php

```
<!-- Code by Brave Coder - https://youtube.com/BraveCoder -->

<?php session_start();

if (isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: welcome.php"); die();
}
```

```

//Import PHPMailer classes into the global namespace //These
must be at the top of your script, not inside a function use
PHPMailer\PHPMailer\PHPMailer;                                use
PHPMailer\PHPMailer\SMTP; use
PHPMailer\PHPMailer\Exception;

//Load Composer's autoloader require 'vendor/autoload.php';

include 'config.php';

$msg = "";

if (isset($_POST['submit'])) {
    $email = mysqli_real_escape_string($conn, $_POST['email']); $code
    = mysqli_real_escape_string($conn, md5(rand()));

    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{ $email }'")) > 0)
    {
        $query = mysqli_query($conn, "UPDATE users SET code='{ $code }' WHERE email='{ $email }'");

        if ($query) {
            echo "<div style='display: none;'>";

            //Create an instance; passing `true` enables exceptions
            $mail = new PHPMailer(true);

            try {
                //Server settings

                $mail->SMTPDebug = SMTP::DEBUG_SERVER;                //Enable verbose debug
output
                $mail->isSMTP();                //Send using SMTP

                $mail->Host      = 'smtp.gmail.com';                //Set the SMTP server to send through

                $mail->SMTPAuth  = true;                //Enable SMTP authentication

```

```

$mail->Username = 'biodiversityresearchers@gmail.com';           //SMTP username

$mail->Password = 'bzfbnhugqobvvbcj';                           //SMTP password

$mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;                 //Enable implicit TLS
encryption

    $mail->Port = 465; //TCP port to connect to; use 587 if you have set `SMTPSecure =
    PHPMailer::ENCRYPTION_STARTTLS`

    //Recipients

    $mail->setFrom('biodiversityresearchers@gmail.com');

    $mail->addAddress($email);

    //Content

    $mail->isHTML(true);                                         //Set email format to HTML

    $mail->Subject = 'no reply';

    $mail->Body = 'Here is the verification link <b><a
href="http://localhost/login/changepassword.php?reset='.$code.'">Reset Password</a></b>';

    $mail->send();

    echo 'Message has been sent'; }

    catch (Exception $e) {

    echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";

    }      echo

    "</div>";

    $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";

    }

    } else {

    $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";

    }

    }

```

?>

<!DOCTYPE html>

<html lang="zxx">

<head>

<title>D-Naturalist</title>

<!-- Meta tag Keywords -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta charset="UTF-8" />

<meta name="keywords" content="Login Form" />

<!-- //Meta tag Keywords -->

<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap" rel="stylesheet">

<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />

<!--//Style-CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

```
<div class="workinghny-form-grid">
```

```
    <div class="main-mockup">
```

```
        <div class="alert-close">
```

```
            <span class="fa fa-close"></span>
```

```
        </div>
```

```
    <div class="w3l_form align-self">
```

```
        <div class="left_grid_info">
```

```
            
```

```
        </div>
```

```
    </div>
```

```
    <div class="content-wthree">
```

```
        <h2>Forgot Password</h2>
```

```
        <?php echo $msg; ?>
```

```
        <form action="" method="post">
```

```
            <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>
```

```
            <button name="submit" class="btn" type="submit">Send Reset Link</button>
```

```
        </form>
```

```
    <div class="social-icons">
```

```
        <p>Back to! <a href="index.php">Login</a>.</p>
```

```
    </div>
```

```
    </div>
```

```
    </div>
```

```
    </div>
```

```
    <!-- //form -->
```

```
    </div>
```

```
</section>
```

```
<!-- //form section start -->
```

```
<script src="js/jquery.min.js"></script>
```

```
<script>
```

```
$(document).ready(function (c) {
```

```
    $('alert-close').on('click', function (c) {
```

```
        $('.main-mockup').fadeOut('slow', function (c) {
```

```
            $('.main-mockup').remove();
```

```
        });
```

```
    });
```

```
});
```

```
</script>
```

```
</body>
```

```
</html>
```

Change password.php

```
<?php
```

```
$msg = "";
```

```
include 'config.php';
```

```
if (isset($_GET['reset'])) {
```

```
if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE  
code='{$_GET['reset']}'") > 0) { if (isset($_POST['submit'])) {
```

```
$password = mysqli_real_escape_string($conn, md5($_POST['password']));
```

```
$confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
```

```
if ($password === $confirm_password) {
```

```
$query = mysqli_query($conn, "UPDATE users SET password='{ $password}', code=" WHERE  
code='{ $_GET['reset']}'");
```

```
if ($query) {
```

```
header("Location: index.php");
```

```
}
```

```
} else {
```

```
$msg = "<div class='alert alert-danger'>Password and Confirm Password do not match.</div>";
```

```
}
```

```
}
```

```
} else {
```

```
$msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";
```

```
}
```

```
} else { header("Location: forgot-  
password.php");
```

```
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="zxx">
```

```
<head>
```

```
<title>D-Naturalist</title>
```

```
<!-- Meta tag Keywords -->
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<meta charset="UTF-8" />
```

```
<meta name="keywords" content="Login Form" />
```


<!-- //Meta tag Keywords -->

<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap" rel="stylesheet">

<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />

<!--//Style-CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

<div class="workinghny-form-grid">

<div class="main-mockup">

<div class="alert-close">

</div>

<div class="w3l_form align-self">

<div class="left_grid_info">

</div>

</div>

<div class="content-wthree">

<h2>Change Password</h2>

<p>Lorem ipsum dolor sit amet consectetur adipisicing elit. </p>

<?php echo \$msg; ?>

<form action="" method="post">

<input type="password" class="password" name="password" placeholder="Enter Your Password" required>

<input type="password" class="confirm-password" name="confirm-password" placeholder="Enter Your Confirm Password" required>

<button name="submit" class="btn" type="submit">Change Password</button>

</form>

<div class="social-icons">

<p>Back to! Login.</p>

</div>

</div>

</div>

</div>

<!-- //form -->

</div>

</section>

<!-- //form section start -->

<script src="js/jquery.min.js"></script>

<script>

\$(document).ready(function (c) {

\$('.alert-close').on('click', function (c) {

\$('.main-mockup').fadeOut('slow', function (c) {

\$('.main-mockup').remove();

});

});

});

</script>

```
</body>
```

```
</html>
```

Style.css

```
html { scroll-behavior:  
smooth; }
```

```
body, html { margin: 0; padding:  
0; font-family: 'Poppins', sans-  
serif;  
}
```

```
* { box-sizing: border-  
box;  
}
```

```
.d-grid { display: grid;  
}
```

```
.d-flex { display: flex; display:  
-webkit-flex; }
```

```
.text-center { text-  
align: center;  
}
```

```
.text-left { text-align: left; }
```

```
.text-right { text-align: right; }
```

```
button, input, select {  
-webkit-appearance: none; outline:  
none; font-family: 'Poppins', sans-  
serif;  
}
```

```
button, .btn,  
select { cursor:  
pointer; }
```

```
a { text-decoration:  
none; }
```

```
img { max-width:  
100%; }
```

```
ul {  
margin: 0;  
padding: 0  
}
```

h1, h2, h3,

h4, h5, h6,

p {

margin: 0;

padding: 0

}

p { color: #666;

font-size: 16px;

line-height: 25px;

opacity: .6;

}

.p-relative { position: relative;

}

.p-absolute { position:

absolute;

}

.p-fixed { position: fixed;

}

.p-sticky { position: sticky;

}

.btn, button,

.actionbg, input {

border-radius: 4px;

-webkit-border-radius: 4px;

```
-moz-border-radius: 4px;  
-o-border-radius: 4px;  
-ms-border-radius: 4px;  
}
```

```
.btn:hover, button:hover {  
  
transition: 0.5s ease;  
  
-webkit-transition: 0.5s ease; -o-transition: 0.5s ease;  
-ms-transition: 0.5s ease;  
-moz-transition: 0.5s ease;  
}
```

```
/*-- wrapper start --*/  
.wrapper { width: 100%;  
padding-right: 15px;  
padding-left: 15px;  
marginright: auto; margin-  
left:  
auto;  
}
```

```
@media (min-width: 576px)  
{  
  
.wrapper { max-width:  
540px;  
}  
}
```

```
@media (min-width: 768px)  
{
```

```
.wrapper { max-width:
    720px;
}
}
```

```
@media (min-width: 992px)
{
    .wrapper { max-width:
        960px;
    }
}
```

```
@media (min-width: 1200px) {
.wrapper    {    max-width:
        1140px;
    }
}
```

```
.wrapper-full { width: 100%;
padding-right: 15px; padding-left:
15px; margin-right: auto; margin-left:
auto;
}
```

```
/*-- //wrapper start --*/
```

```
/*-- form styling --*/ .w3l-mockup-
form { position: relative; min-height:
100vh; z-index: 0; background:
rgba(99, 194, 110, 0.1); padding: 40px
40px;
```

```
}
```

```
.container { max-width: 890px;  
margin: 0 auto; }
```

```
.w3l_form { padding: 0px; flex-basis: 50%; -  
webkit-flex-basis: 50%; background: #6acdf0;  
padding: 100px 50px; border-top-left-radius: 8px;  
border-bottom-left-radius: 8px; display: flex;  
justify-content: center; align-items: center;  
}
```

```
.content-wthree { flex-basis: 60%;  
-webkit-flex-basis: 60%; box-sizing: border-box;  
padding: 3em 3.5em; background: #fff; box-  
shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1);  
border-top-right-radius: 8px; border-bottom-right-  
radius: 8px;  
}
```

```
.w3l-workinghny-form .logo { text-align: center;  
}
```

```
.w3l-mockup-form .main-mockup { position:  
relative;  
display: -webkit-box; display: moz-  
box; display: -ms-flexbox; display:  
-webkit-flex; display:  
flex; margin:  
40px 0;  
}
```



```
.w3l-mockup-form .alert-close { cursor:
    pointer;
height: 35px; width: 35px; line-
height: 35px; position:
absolute; right: -5px; top: -5px;
background: #6acdf0;
    border-radius: 50px; color: #fff;
text-align: center;
}
```

```
.w3l-mockup-form form { margintop:
    30px; margin-bottom: 30px;
}
```

```
.social-icons {
    text-align: center;
}
```

```
.w3l-mockup-form h1 {
text-align: center;
font-size: 40px; font-
weight: 500; color:
#3b3663;
}
```

```
.w3l-mockup-form h2 {
display: inline-block; font-
size: 25px; line-height:
35px; margin-bottom: 5px;
font-weight: 600; color:
```

```
#3b3663;
```

```
}
```

```
.w3l-mockup-form
```

```
input { outline: none;
```

```
margin-bottom: 15px;
```

```
font-size: 16px; color:
```

```
#999;
```

```
text-align: left;
```

```
padding: 14px 20px;
```

```
width: 100%; display:
```

```
inline-block; box-
```

```
sizing: border-box;
```

```
border: none;
```

```
outline: none; background: transparent;
```

```
border: 1px solid
```

```
#e5e5e5; transition: 0.3s all ease; }
```

```
.w3l-mockup-form input:focus { border-color:
```

```
#6acdf0;
```

```
}
```

```
.w3l-mockup-form button {
```

```
font-size: 18px; color: #fff; width:
```

```
100%; background: #6acdf0;
```

```
border: none; padding: 14px 15px;
```

```
font-weight: 500; transition: .3s
```

```
ease;
```

```
-webkit-transition: .3s ease;
```

```
-moz-transition: .3s ease;
```

-ms-transition: .3s ease;

-o-transition: .3s ease;

}

.w3l-mockup-form button:hover { background:

#6acdf0;

}

.w3l-mockup-form .social-icons ul

li {

list-style: none; display: inline-block;

}

.w3l-mockup-form .social-icons ul li a { padding:

8px;

}

.w3l-mockup-form .social-icons ul li a:hover {

opacity: 0.8; transition: 0.5s ease;

-webkit-transition: 0.5s ease;

-o-transition: 0.5s ease;

-ms-transition: 0.5s ease;

-moz-transition: 0.5s ease;

}

.w3l-mockup-form .social-icons ul span.fa { color:

#696687;

font-size: 18px; opacity: .8;

}

```
.w3l-mockup-form .social-icons ul li a.facebook span  
{ color: #3b5998;  
}
```

```
.w3l-mockup-form .social-icons ul li a.twitter span { color:  
#1da1f2;  
}
```

```
.w3l-mockup-form .social-icons ul li a.pinterest span { color:  
#e60023;  
}
```

```
.copyright p { text-align:  
center; font-size:  
17px; line-height: 26px; color:  
#607863;  
opacity: 1;  
}
```

```
p.copy-footer-29 a { color:  
#517856;  
}
```

```
p.copy-footer-29 a:hover {  
color: #6acdf0; transition: 0.5s  
ease;  
-webkit-transition: 0.5s ease;  
-o-transition: 0.5s ease;  
-ms-transition: 0.5s ease;  
-moz-transition: 0.5s ease;
```

```
}
```

```
.alert { padding: 1rem; border-  
radius:
```

```
5px;
```

```
color: white; margin: 1rem 0;
```

```
}
```

```
.alert-success { background-  
color: #6acdf0;
```

```
}
```

```
.alert-danger { background-  
color: #fc5555;
```

```
}
```

```
.alert-info {  
background-color: #2E9AFE;
```

```
}
```

```
.alert-warning { background-  
color: #ff9966;
```

```
}
```

```
/*-- responsive design --*/
```

```
@media (max-width:736px) { .w3l-  
mockup-form .main-mockup { flex-  
direction: column;
```

```
}
```

```
.w3l_form { order: 2; padding:
50px;
border-radius: 0; border-bottom-
left-radius: 8px; border-bottom-
right-radius: 8px;
}
```

```
.content-wthree { order: 1;
border-radius: 0; border-top-
left-radius: 8px; border-top-
right-radius: 8px;
}
}
```

```
@media (max-width:568px) {
.w3l-mockup-form h1 { fontsize:
30px;
}
```

```
.w3l-mockup-form .mainmockup
{ margin: 30px 0;
}
```

```
.content-wthree { padding:
2.5em;
}
}
```

```
@media (max-width: 415px) { .w3l-mockup-form
{ padding:
```

```
    40px 30px;  
}
```

```
}
```

```
@media  
(maxwidth:384px) {  
.w3l-mockup-form {  
padding: 30px 15px;  
}
```

```
.content-wthree { padding:  
2em;  
}
```

```
.w3l-mockup-form h1 { font-size:  
28px;  
}
```

```
.w3l-mockup-form h2 {  
font-size: 22px; line-  
height: 32px;  
}
```

```
.copyright p { font-size:  
16px;  
}  
}
```

```
/*-- //responsive design --*/
```

```
/*-- //form styling --*/
```

Login.sql

```
-- phpMyAdmin SQL Dump
```

```
-- version 5.1.1
```

```
-- https://www.phpmyadmin.net/
```

```
--
```

```
-- Host: 127.0.0.1
```

```
-- Generation Time: Aug 14, 2021 at 07:07 PM
```

```
-- Server version: 10.4.20-MariaDB
```

```
-- PHP Version: 8.0.9
```

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
```

```
START TRANSACTION;
```

```
SET time_zone = "+00:00";
```

```
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
```

```
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
```

```
/*!40101 SET NAMES utf8mb4 */;
```

```
--
```

```
-- Database: `login`
```

```
--
```

```
-- -----
```

```
--
```



```
-- Table structure for table `users`

--

CREATE TABLE `users` (
  `id` int(11) NOT NULL,
  `name` varchar(255) NOT NULL,
  `email` varchar(255) NOT NULL,
  `password` varchar(255) NOT NULL,
  `code` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

--

-- Indexes for dumped tables

--

-- Indexes for table `users`

--

ALTER TABLE `users`

  ADD PRIMARY KEY (`id`);

--

-- AUTO_INCREMENT for dumped tables

--

--

-- AUTO_INCREMENT for table `users`

--

ALTER TABLE `users`
```

```
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT; COMMIT;
```

```
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
```

```
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```