

ASSIGNMENT -4 : DOCKER DESKTOP (Kubernetes)

Assignment Date	9/11/2022
Student Name	Arun T S
Student Roll no	921319104024
Marks	2 marks


Question 1:

Pull an image from docker hub and run it on docker playground.

docker pull registry

docker run -d -p 9000:9000 --privileged -v
/var/run/docker.sock:/var/run/docker.sock registry


The screenshot displays the Docker Playground interface. On the left sidebar, there is a digital clock showing 03:38:03, a 'CLOSE SESSION' button, and a list of instances with one instance named 'node1' at IP 192.168.0.28. The main panel shows details for the container 'cdiuhke3_cdiuofm0qau000fq8s20'. It lists the IP as 192.168.0.28, memory usage as 2.29% (91.5MiB / 3.906GiB), and CPU usage as 0.68%. An SSH terminal is open, showing the execution of 'docker pull registry' and 'docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock registry'. The terminal output shows the pull of the 'registry:latest' image and the successful execution of the container. A 'Go to Settings to activate Windows' watermark is visible in the bottom right corner of the terminal area.



Question 2:


Create a docker file for the job portal app or hello world app and deploy it in docker desktop app.

```
docker - Notepad
File Edit Format View Help
FROM python:3.8
WORKDIR /app
ADD . /app
COPY requirements.txt /app
RUN python3 -m pip install -r requirements.txt
EXPOSE 5000
CMD ["python", "app.py"]
```



Question 3:

Create an IBM container registry and deploy helloworld app or job portal app.



Question 4:

Create a kubernetes cluster in IBM cloud and deploy helloworld image or job portal image and also expose the same app to run in nodeport.

```
apiVersion:
v1kind:
Service
metadata:
  name: hello-world-
deploymentspec:
  ports:
  - port: 5000
    targetPort:
      5000selector: app:
      hello-world
---
apiVersion:
apps/v1kind:
Deployment
metadata:
  name: hello-world-
deploymentspec:
  replic
  as: 1
  select
  or:
    matchLabels: app:
      hello-
worldtemplate:
  meta
  da
  ta
  :
  la
  be
  ls
  :
    app: hello-
worldspec:
  containers:
  - name: hello-world
    image: au.icr.io/hello-world-app/hello-
worldimagePullPolicy: Always
  ports:
  - containerPort: 5000
```

Clusters /

mycluster-free

Normal

Expires in 29 days

Add tags

Help

Kubernetes dashboard

Actions...

Overview

Worker nodes

Worker pools

DevOps New

Expires in 29 days:

Be sure to back up your data, your cluster will be deleted in 29 days. To access the full capabilities of the service, try out a [standard cluster](#).

Node status

1 of 1

Normal

Details

Add-on status

0 of 0

Normal

Details

Master status

Normal

Docs

Ingress status

Unknown

Docs

Details

Cluster ID

cd11j33f0a6mchav5kig

Version

1.24.7_1542

Infrastructure

Classic

Zones

Milan 01

Created

04/11/2022, 01:12

Resource group

Default

Image security enforcement

Enable

kubernetes

default

Search

Workloads > Pods > hello-world-deployment-6c75b9c898-p4ntv > Logs

Workloads

Cron Jobs

Daemon Sets

Deployments

Jobs

Pods

Replica Sets

Replication Controllers

Stateful Sets

Service

Ingresses

Ingress Classes

Services

Logs from hello-world in hello-world-dep...

* Serving Flask app 'app'

* Debug mode: off

WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.

* Running on all addresses (0.0.0.0)

* Running on http://127.0.0.1:5000

* Running on http://172.30.82.142:5000

Press CTRL+C to quit