

PROJECT REPORT

Team ID	PNT2022TMID32480
Project Name	A new hint to transportation - Analysis of the NYC bike share system

Table of contents

1. INTRODUCTION

- 1.1 Project Overview
- 1.2 Purpose

2. LITERATURE SURVEY

- 2.1 Existing Solution
- 2.2 References
- 2.3 Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

- 3.1 Empathy Map Canvas
- 3.2 Ideation & Brainstorming
- 3.3 Proposed Solution
- 3.4 Problem Solution fit

4. REQUIREMENT ANALYSIS

- 4.1 Functional requirement
- 4.2 Non-Functional requirements

5. PROJECT DESIGN

- 5.1 Data Flow Diagrams
- 5.2 Solution & Technical Architecture
- 5.3 User Stories

6. PROJECT PLANNING & SCHEDULING

- 6.1 Sprint Planning & Estimation
- 6.2 Sprint Delivery Schedule

7. WORKING WITH THE DATASET & DATA VISUALIZATION

- 7.1 Understanding the Dataset
- 7.2 Loading the Dataset
- 7.3 Visualization Chart

8. CREATING THE DASHBOARD

9. ADVANTAGES & DISADVANTAGES

10. CONCLUSION

11. FUTURE SCOPE

12. SOURCE CODE 13. GITHUB LINK

1. INTRODUCTION

1.1 Project Overview

Bike share programs have risen in popularity in recent years and have been promoted as a lower carbon alternative to other forms of transit. Interest in bicycle sharing has been growing exponentially over the past decade, resulting in a proliferation of bike share systems in 712 cities across the world, encompassing 806,000 bicycles and 37,500 stations. This can be largely attributed to the successful incorporation of information technology in docking stations and mobile devices as well as improved logistics such as bicycle rebalancing to ensure responsive supply management. Cities often hope bike sharing will bring many benefits such as extending the reach of transit, substituting motorized trips, and encouraging noncyclists to try cycling.

The premise of bicycle sharing is that it is a short-term bike rental system, based on varying timed memberships. Members of the bike share network have access to stations, consisting of a pay-station and multiple bike docks, across the system where bikes can be checked out from one station and returned to another nearest to their destination. The appeal of membership is 24/7 access to an automated bike rental network and utility of bikes in completing “last-kilometer connections” without the worry of storage or maintenance. The price system is set to encourage shorter trips (less than 30 minutes in time), with additional fees for any time used over that maximum. There is evidence that bike share users switch to bike share from motorized transport, such as bus and auto, creating the potential for significant reductions in transportation related greenhouse gas or CO₂e emissions. However, there is significant heterogeneity between different cities, showing that there is not a guaranteed CO₂e reduction benefit from instituting bike share, especially if the trips would not have been made otherwise or are substituting walking and private bicycle trips.

1.2 Purpose

The purpose of this analysis is to create an operating report of Citi Bike for the year 2018. From this analysis, the following data visualizations will be created.

- 1.Total Number of Trips
 - 2.What is Customer and subscriber with gender
 - 3.Find the top bike used with respect to trip duration?
 - 4.Calculating the number of bikes used by respective age groups.
 - 5.Top 10 Start Station Names with respect to Customer age group
-

2. LITERATURE SURVEY

2.1 Existing Problem

Spinlister -Spinlister is an online hub for renting bikes from individuals or bike rental shops.

Zagster - Life is better on a bike! They are bringing bike share to communities across the USA.

Motivate International - Motivate is a global full-service bike share operator and technology innovator.

Spin - Spin is a station less bike and electric scooter sharing service.

2.2 References

<https://craft.co/citi-bike/competitors>

Ines et al., Science Direct-Social and Behavioral Sciences 111 (2014) 518 – 527

“Bicycle sharing systems demand”

Elias et al., Science Direct Journal of Transport Geography 91 (2021) 102971”What do trip data reveal about bike-sharing system users? “

FRANCESCO et al., IEEE Access 2020 “Bike Sharing and Urban Mobility in a Post-Pandemic”

“A long-term perspective on the COVID-19: The bike sharing system resilience under the epidemic environment” Journal of Transport & Health ,2021

Nguyen ThiHoai Thu, Chu Thi Phuong Dung, Vietnam 2017 International Conference on Advanced Technologies for Communications - Multi-source Data Analysis for Bike Sharing Systems


2.3 Problem statement Definition

In busy cities like New York the people are facing difficulties in analyzing the demand for bikes during peak hours.

The main objective of this project is to predict bike patterns that will be extremely helpful for people to plan their travel.

3. IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas




3.2 Ideation and Brainstorming

3

Group Ideas

Take turns sharing your ideas while clustering similar or related notes as you go. Once all sticky notes have been grouped, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you can break it up into smaller sub-groups.

20 minutes





Brainstorm

Write down any ideas that come to mind that address your problem statement.

10 minutes

TIP

Don't waste a single idea, even if it seems silly or unlikely. It may lead to a great idea!

AJAY HERMAST

Saves time with direct bike-friendly routes

Feels the breeze

Saves money

Explores the city

AJAY J

Increases use of public transit

Eases transit congestion

Encourages bike-friendly infrastructure

Converts New cyclists

MUTHU P

Citizens demand minimal maintenance

City bikes tend to more affordable than other bike types

Alternative to motorized transport

City bike is great for the environment

SHUNMUGAM L

Citizens can't connect bike lanes and routes to other modes

City bikes are less accessible to some districts

You can find nearest city bike using app


Citizens can't get access to the new bike routes via the route

3.3 Proposed Solution

S.NO	Parameter Description
1	<p>Problem Statement (Problem to be solved)</p> <ol style="list-style-type: none">1. Bike share programs have risen in popularity in recent years and have been promoted as a lower carbon alternative to other forms of transit.2. The premise of bicycle sharing is that it is a short-term bike rental system, based on varying timed memberships3. The trips would not have been made otherwise or are substituting walking and private bicycle trips
2	<p>Idea / Solution description</p> <ol style="list-style-type: none">1. The planning process for the Citi Bike program established an open door policy, encouraging input early and often from the citizens of New York City.2. Low-income people are less likely than middle- and upper-income people to have a credit card.3. Sites should ensure maximum visibility and access.4. Sites must not impede the use of any existing facilities, such as bus stops or fire hydrants.
3	<p>Novelty / Uniqueness</p> <ol style="list-style-type: none">1. Transport flexibility2. Reductions to vehicle emissions3. Health benefits4. Reduced congestion and fuel consumption5. Financial savings for individuals.

4	<p>Social Impact / Customer Satisfaction</p> <ol style="list-style-type: none"> 1. Transportation 2. Recreation of cycling 3. Enjoyable sport 4. Low cost
5	<p>Business Model (Revenue Model)</p> <ol style="list-style-type: none"> 1. Zero deaths since it launched. 2. Lack of public subsidies 3. Battery-powered bikes 4. The model is trained using open
6	<p>Scalability of the Solution</p> <ol style="list-style-type: none"> 1. Improved customer engagement 2. Reduce customer acquisition cost 3. Economical development 4. Immediate response for customer queries

1.1 Problem Solution Fit



2. REQUIREMENT ANALYSIS

2.1 Functional Requirement

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Gmail Registration through LinkedIn
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	Collection of Data	Utilizing the NYC Citi Bike assists in gathering information on the various trips that various users of Citi Bike take. These data were then organised into datasets and made available for further study and visualisation.
FR-4	Analysis of Data	Preprocessing and filtering the provided data in accordance with the sub-requirements task's is part of the analysis process. Data analysis and visualisation are both aided by the use of machine learning algorithms to glean more insights from the data..
FR-5	Display (Visualization) of Data	Various visualisations are used depending on the sub-task being handled. These visualisations are then combined and shown on a dashboard, which is a tool for giving customers business information. Finding the top 10 Start stations according to customer age group and showing the most popular bikes according to trip time are a few of the various sub-tasks included in this requirement.


2.2 Non-Functional Requirement

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	The dashboard gives users access to an operational report that is simple to read and useful for understanding market trends and company insights. Data can be examined from various angles and in more depth by using an interactive dashboard to drill down and filter operating information.

NFR-2	Security	Based on the Citi Bike utilisation data and its analysis, several important business decisions will be made, which will be appropriately secured. Data and visualisation reports are only available to a certain group of clients/users.
NFR-3	Reliability	This research offers a trustworthy and effective way to understand how well this bike-sharing programme performed in 2018. Utilizing the IBM Cognos Platform ensures operational report production, upkeep, and accessibility with industry-standard reliability (dashboard).
NFR-4	Performance	The effectiveness of a bike-sharing system in terms of both its spatial and operational efficiency. In order to increase the operational effectiveness of the bike-sharing system, it is critical to assess the state of bike lanes from the viewpoint of public bike riders. The characteristics of bike stations and the distance between bike stations and other amenities are examined by the bike-sharing system dashboard. The evaluation findings can be used to enhance the public bike-sharing service.
NFR-5	Availability	The bicycle-sharing programme is a form of shared transportation in which people can rent bicycles at a reasonable cost for a limited amount of time. CitiBike offers two different kinds of docking systems: docking systems, which allow customers to borrow a bike from one dock and return it to another port within the system; and dockless systems, which are node-free and depend on smart technology. Both forms can use smartphone online mapping to find close-by ports and bikes that are available.
NFR-6	Scalability	Urban inhabitants can immediately get access to bike-sharing programmes, which may make the transportation system more dependable. The programme can be expanded to include locations that are now unreachable by this type of transportation, as well as cities other than New York City, if the necessary data is available and obtained. This research will eventually be able to give a more in-depth picture of how bike-sharing functions in emergency situations as additional data becomes available, particularly in other cities with comparable extensive bike-sharing systems.

3. PROJECT DESIGN

3.1 Data Flow Diagram



User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
-----------	-------------------------------	-------------------	-------------------	---------------------	----------	---------

Customer, Analysts, Organizations, Government	Collection of user data	USN-1	Lyft citi bike's official website provides the data to help with analysis, development, visualization etc. Data is collected from these published files.	I can access the data on Lyft citi bike's official website	High	Sprint-1
	Analysing the user data	USN-2	This data is used as input for creating various types of visualizations and analysis is done and a dashboard is created	I can view the analysis of the citi bike	High	Sprint-1
	Dashboard	USN-3	The dashboard is used to display the top bike used with respect to trip duration, top 10 Start Station Names with respect to customer age group, to find the customer and subscriber with gender, to find total number of trips & calculating the number of bikes used by respective age groups.	I can register & access the dashboard with login	High	Sprint-2

3.2 Solution & Technical Architecture





Table-1 : Components & Technologies:

S.No	Component	Description	Technology
	User Interface	1. Display the visualization of the analysed data 2. Display the inferences from the analysed data	HTML, CSS, JavaScript and IBM Cognos

	Application Logic-1	Display details	HTML
	Database	Data Type, Configurations etc.	MySQL
	Cloud Database	Database Service on Cloud	IBM DB2, IBM Cloudant etc.
	File Storage	File storage requirements	IBM Block Storage or Other Storage Service or Local Filesystem
	External API-1	To map the Citi Bike ride in NYC	IBM Map API, etc.
	External API-2	Analysis of the data	Google Colab, Jupyter Notebook
	Machine Learning Model	To plot graphs and predict values	Regression models
	Infrastructure (Server / Cloud)	Application Deployment on Local System / Cloud Local Server Configuration: Local Syst Cloud Server Configuration : IBM Cloud	Local, Cloud Foundry, Kubernetes, etc.

3.3 User Stories

User journey

by [Adaptive Studio](#) with [Kissmetrics](#) and [UX](#)

People
2-8
 Time
30 min
 Difficulty
Beginner

Creating a user journey is a quick way to help you and your team gain a deeper understanding of who you're designing for, and the stakeholders in your project. The illustrations you add here should be representative of the observations and research you've done about your users.

1 Phases	AWARENESS	RECORD	REPAIR	FORGET
1. Phases: Describe your journey to help you understand your users better.				
2 Steps	2. Steps: Describe the actions your users will take to complete their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>	3. Record: Describe the actions your users will take to complete their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>	4. Repair: Describe the actions your users will take to complete their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>	5. Forget: Describe the actions your users will take to complete their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>
3 Feelings	3. Feelings: Describe the feelings your users will have during their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>	4. Record: Describe the feelings your users will have during their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>	5. Repair: Describe the feelings your users will have during their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>	6. Forget: Describe the feelings your users will have during their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>
4 Pain points	4. Pain points: Describe the pain points your users will experience during their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>	5. Record: Describe the pain points your users will experience during their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>	6. Repair: Describe the pain points your users will experience during their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>	7. Forget: Describe the pain points your users will experience during their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>
5 Solutions	5. Solutions: Describe the solutions your users will find during their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>	6. Record: Describe the solutions your users will find during their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>	7. Repair: Describe the solutions your users will find during their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>	8. Forget: Describe the solutions your users will find during their journey. <div> 1. User sees a sign for the NYC Bike. 2. User finds out about NYC Bike. </div>

[Share your feedback](#)

4. PROJECT PLANNING & SCHEDULING

4.1 Sprint Planning & Estimation

Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint1	Data preparation	USN-1	As an analyst.I can extract the Citi-bike dataset for the year 2018	5	High	Akash M, Akash T
Sprint1		USN-2	As an analyst,I upload the dataset into cognos platform.	6	High	Akalya L, Anusuya S
Sprint1	Data Cleaning	USN-3	As an analyst, I remove the null and duplicate values	4	Medium	Akash M, Akash T
Sprint1		USN-4	As an analyst, I identify patterns and relationships between the various attributes	5	High	Akalya L, Anusuya S
Sprint2	Feature Engineering	USN-5	I made computations on the different attribute to find the new attribute value.	4	Medium	Akash M, Akash T
Sprint2		USN-6	I have dropped few attributes from the data set which are not needed.	6	High	Akalya L, Anusuya S
Sprint2	Visualization	USN-7	As an analyst, I visualize the data and infer the knowledge in cognos platform.	10	High	Akash M, Akash T
Sprint -3		USN-8	As an analyst, I made visualization charts of the data using python	10	High	Akalya L, Anusuya S
Sprint -3	Dashboard	USN-9	As an analyst, I create a dashboard with the created visualizations to supplement business insights during the decision-making process at Citi dataset.	10	High	Akash M, Akash T
Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint4	Prediction	USN-10	To predict the most common user type ie customers and subscribers using various machine learning algorithms.	10	High	Akalya L, Anusuya S
Sprint4	Registration	USN-11	As a user, I can register and login in the application	10	High	Akash M, Akash T, Akalya L, Anusuya S

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

4.2 Sprint Delivery Schedule



5. WORKING WITH THE DATASET & DATA VISUALISATION

5.1 Understanding the dataset


	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
1	tripduration	starttime	stoptime	start station	stop station	start latitude	stop latitude	start longitude	stop longitude	bikeid	usertype	birth year	gender						
2	693	01-06-2013 00:00:01	01-06-2013 00:11:36	444 Broadway	434 9 Ave & W	40.74235	-73.9892	-74.0037	-74.0037	19678	Subscriber	1983	1						
3	2059	01-06-2013 00:00:01	01-06-2013 00:11:36	406 Hicks St &	406 Hicks St &	40.69513	-73.996	-73.996	-73.996	16649	Subscriber	1984	1						
4	1521	01-06-2013 00:00:01	01-06-2013 00:11:36	2008 Little West	310 State St &	40.70569	-74.0168	-73.9893	-73.9893	15567	Subscriber	1983	1						
5	2038	01-06-2013 00:00:01	01-06-2013 00:11:36	485 W 37 St &	406 Hicks St &	40.75038	-73.9834	-73.9834	-73.9834	18445	Customer	NULL	0						
6	2057	01-06-2013 00:00:01	01-06-2013 00:11:36	285 Broadway	532 S 5 St & S	40.73455	-73.9907	-73.9907	-73.9907	15603	Subscriber	1991	1						
7	369	01-06-2013 00:00:01	01-06-2013 00:11:36	509 9 Ave & W	521 8 Ave & W	40.7455	-74.002	-73.9944	-73.9944	16100	Subscriber	1981	1						
8	1829	01-06-2013 00:00:01	01-06-2013 00:11:36	265 Stanton St	436 Hancock St	40.72229	-73.9915	-73.9915	-73.9915	15234	Subscriber	1984	1						
9	829	01-06-2013 00:00:01	01-06-2013 00:11:36	404 9 Ave & W	303 Mercer St	40.74058	-74.0055	-73.9995	-73.9995	16400	Subscriber	1987	1						
10	1316	01-06-2013 00:00:01	01-06-2013 00:11:36	423 W 54 St &	314 Cadman P	40.70585	-73.9869	-73.9869	-73.9869	19781	Subscriber	1960	1						
11	1456	01-06-2013 00:00:01	01-06-2013 00:11:36	502 Henry St &	532 S 5 St & S	40.71422	-73.9813	-73.9609	-73.9609	18886	Customer	NULL	0						
12	386	01-06-2013 00:00:01	01-06-2013 00:11:36	241 Delkato Av	365 Fulton St &	40.68981	-73.9749	-73.9615	-73.9615	19039	Subscriber	1981	1						
13	924	01-06-2013 00:00:01	01-06-2013 00:11:36	486 Broadway	521 8 Ave & W	40.7462	-73.9886	-73.9944	-73.9944	16608	Customer	NULL	0						
14	1233	01-06-2013 00:00:01	01-06-2013 00:11:36	527 E 33 St &	296 Division St	40.74402	-73.9761	-73.997	-73.997	14761	Subscriber	1987	1						
15	512	01-06-2013 00:00:01	01-06-2013 00:11:36	309 Murray St	300 Shevcheni	40.71498	-74.013	-73.9902	-73.9902	19080	Subscriber	1979	2						
16	505	01-06-2013 00:00:01	01-06-2013 00:11:36	309 Murray St	347 Greenwich	40.71498	-74.013	-74.0086	-74.0086	16798	Subscriber	1984	1						
17	833	01-06-2013 00:00:01	01-06-2013 00:11:36	503 E 20 St & F	503 E 20 St & F	40.73827	-73.9875	-73.9875	-73.9875	19072	Customer	NULL	0						
18	1818	01-06-2013 00:00:01	01-06-2013 00:11:36	257 Lispenard	500 Broadway	40.71939	-74.0025	-73.9834	-73.9834	20349	Customer	NULL	0						

Dataset Link: [Dataset](#)


- 1.Trip Duration: How long a trip lasted in seconds
- 2.Start Date and Time: EX->01-06-2013 00:00:01
- 3.Stop Date and Time: EX->01-06-2013 00:11:36
- 4.Start Station ID: Unique identifier for each station
- 5.Start Station Name
- 6.Start Station Latitude: Coordinates
7. Start Station Longitude: Coordinates
- 8.End Station ID: Unique identifier for each station
- 9.End Station Name
- 10.End Station Latitude
- 11.End Station Longitude
- 12.Bike ID: Unique identifier for each bike
- 13.User Type (Customer = 24-hour pass or 3-day pass user; Subscriber = Annual Member): Customers are usually tourists, subscribers are usually NYC residents
- 14.Year of Birth: Self-entered, not validated by an ID Gender (Zero=unknown; 1=male; 2=female): Usually unknown for customers since they often sign up at a kiosk

7.2 Loading the dataset


Open Cognos Analytics and click upload data




Select the dataset to be uploaded



The excel file is getting uploaded in Cognos Analytics




The dataset can be accessed in My Content in Cognos Analytics




7.3 Visualization Charts


Number of Trips:



Customer and Subscriber with Gender:



Bike Usage:



Age group differentiation by bike:


A table titled "age group and bikeid". The table has two columns: "age group" and "bikeid". The rows show the following data:

age group	bikeid
21-30	5,309
31-40	5,754
41-50	5,758
>50	5,754
Summary	5,754

Top 10 Start Station Names with Respect to Customer Age Group:



6. CREATING THE DASHBOARD



7. ADVANTAGES AND DISADVANTAGES

The benefits of bike sharing schemes include transport flexibility, reductions to vehicle emissions, health benefits, reduced congestion and fuel consumption, and financial savings for individuals.

One can easily analyze and understand trends in bike sharing patterns with the created dashboard. With no prior skills and knowledge about the tools that we use for analysis, anyone (literate or illiterate) can easily infer the knowledge that we represent in various charts or graphs or maps. So that it would be helpful to users and companies to make appropriate decisions in the future.

8. CONCLUSION

Based on the quantitative as well as visual analysis of the New York bike share system, a number of interesting insights were gained.

One obvious conclusion was that there is a strong seasonal variation in the system usage with maximum usage in summer and minimum usage in winter. This was initially hypothesized because of the harshness of New York's harsh winters and the treacherous riding conditions that exist during that time. However, despite the adverse weather conditions, there is a strong core demographic that consistently uses the system. This conclusion is based on that fact that even during the months of January and February which are the peak winter months, there are more than two hundred thousand trips in the system.

New York has a strong public transit system, and the bike share system seems to complement it quite well with a majority of the highest used stations located either close to subway lines or the commuter rail stations in the city.

Based on the locations of the stations and the duration of trips, it can be hypothesized that bike shares are replacing last mile trips that would otherwise be done either on foot or on public transit. This is particularly true in case of New York where a combination of dense public transit network, the road congestion during

peak hours and the average trip distance as calculated create a situation where the only potential trips that the bike share system is replacing currently are those that would otherwise have been undertaken either on foot or on public bus.

9. FUTURE SCOPE

NYC is a very crowded and happening place which leads to lots of pollution. And in this busy world people are always worried about transportation this bike sharing system reduces that stress. With increase in population pollution also increases. So it is in our hands to reduce pollution and to make a better future for our younger generations. We can analyze which station needs more bikes and any area needs new station to be installed. The survey outcomes indicates the needs for improved techniques in bike sharing analytics. There exists a lot of scope in this research area.

10. SOURCE CODE

```
#!/usr/bin/env python3

# SPRINT **3**

#!/usr/bin/env python3

import pandas as pd
import numpy as np
import seaborn as sns
import matplotlib.pyplot as plt
import plotly.express as px
from datetime import datetime
from pprint import pprint

from pydrive.auth import GoogleAuth
from pydrive.drive import GoogleDrive
from google.colab import auth
from oauth2client.client import GoogleCredentials

#!/usr/bin/env python3

path = "/content/dataset.csv"
```



```
df = pd.read_csv(path)
print(df)
```

```
##0/0 0/0
```

```
df.head()
```

```
##0/0 0/0
```

```
df.describe()
```

```
##0/0 0/0
```

```
df.info()
```

```
##0/0 0/0
```

```
df.isnull().sum()
```

```
##0/0 0/0
```

```
df[df['starttime'].isnull()]
```

```
##0/0 0/0
```

```
df[df['starttime'].isnull()]
```

```
##0/0 0/0
```

```
df[df['stoptime'].isnull()]
```

```
##0/0 0/0
```

```
df = df[:-1]
```

```
##0/0 0/0
```

```
df.isnull().sum()
```

```
##0/0 0/0
```

```
print(type(df["start station latitude"]|0))
print(df["start station latitude"]|0)
```

```
##0/0 0/0
```

```
df['start station name'].unique()
```

```
##0/0 0/0
```

```
def camel_case(city):
    try:
        city = city.split(' ')
```

```

    city = ' '.join([x.lower().capitalize() for x in city])
    if city == 'Unknown':
        return np.nan
    else:
        return city
    except:
        return np.nan

# Apply camel_case function to City column
df['start station name'] = df['start station name'].apply(camel_case)
df['start station name'].value_counts()

##%%

df.count()

##%%

df["tripduration"] = pd.to_numeric(df["tripduration"])
res = df.iloc[52323]
print(res["tripduration"])

##%%

df_filtered = df[df['tripduration'] != "tripduration"]
df_filtered["tripduration"] = pd.to_numeric(df_filtered["tripduration"])

df = df_filtered
type(df["tripduration"][0])

##%%

##%%

type(df["start station latitude"][0])

##%%

type(df["end station longitude"][0])

##%%

type(df["bikeid"][0])

##%%

type(df["birth year"][0])

##%%

type(df["gender"][0])

##%%

```

```

path = "/content/cleaned_dataset.csv"
edadf = pd.read_csv(path)
print(edadf)

# %%

temp = edadf

# %%

temp.head()

# %%

temp.describe()

# %%

temp.info()

# %%

temp["starttime"] = pd.to_datetime(temp["starttime"])
temp["stoptime"] = pd.to_datetime(temp["stoptime"])
temp.info()
temp["Hour"] = temp["stoptime"].dt.hour - temp["starttime"].dt.hour
temp.head()

df["gender"].value_counts()

# %%

temp.shape

# %%

temp['Age'] = 2022 - temp['birth year']
temp.head()

# %%

Age_Groups = ["<20", "20-29", "30-39", "40-49", "50-59", "60+"]
Age_Groups_Limits = [0, 20, 30, 40, 50, 60, np.inf]
Age_Min = 0
Age_Max = 100
temp["Age_group"] = pd.cut(temp["Age"], Age_Groups_Limits, labels=Age_Groups)
temp.head()

# %%

trips_df = pd.DataFrame()

```

```

trips_df = temp.groupby(['start station name','end station name']).size().reset_index(name = 'Number of
Trips')
trips_df = trips_df.sort_values('Number of Trips',ascending = False)
trips_df["start station name"] = trips_df["start station name"].astype(str)
trips_df["end station name"] = trips_df["end station name"].astype(str)
trips_df["Routes"] = trips_df["start station name"] + " to " + trips_df["end station name"]
trips_df = trips_df[:50]
trips_df = trips_df.reset_index()
trips_df

# %matplotlib inline

px.pie(values = temp['gender'].value_counts(),
names =temp['gender'].value_counts().index,
title = "Gender Variation")

# %matplotlib inline

px.bar(x=temp["start station name"].value_counts().index,
y=temp["start station name"].value_counts().values,
labels={'x':'Start Station Name','y':"Count"})

# %matplotlib inline

px.bar(x=temp["end station name"].value_counts().index,
y=temp["end station name"].value_counts().values,
labels={'x':'End Station Name','y':"Count"})

# %matplotlib inline

px.bar(x=temp["Hour"].value_counts().index,
y=temp["Hour"].value_counts().values,
title = "Hour usage of Citi Bikes",
labels={'x':'Time','y':"Number of people using bike"})

```

GITHUB LINK

<https://github.com/IBM-EPBL/IBM-Project-12910-1659499606/blob/fb7ef5c06fb4d4aa9156726f7829f2e864929129/Final%20deliverables/NYC%20BIKE%20SHARING%20source%20code.ipynb>