



ADHIYAMAAN COLLEGE OF ENGINEERING

DR. M.G.R NAGAR, HOSUR-635130

A MINI PROJECT REPORT

ANALYTICS FOR HOSPITAL'S HEALTH-CARE DATA

TEAM ID:PNT2022TMD07957

Submitted by

JAYAKEERTHANA R (AC19UCS040)

DHANUSHYA M (AC19UCS024)

GAYATHRI S (AC19UCS030)

NAVEENKUMAR S (AC19UCS077)

In partial fulfilment for the award of the degree

of

BACHELOR OF ENGINEERING

In

COMPUTER SCIENCE AND ENGINEERING

ADHIYAMAAN COLLEGE OF ENGINEERING

DR. M.G.R NAGAR, HOSUR-635130

ANNA UNIVERSITY: CHENNAI 600025

ANNA UNIVERSITY: CHENNAI 600 025

BONAFIDE CERTIFICATE

Certified that this mini project report "Personal Expense Tracker Application" is thebonafide work of "" who carried out the project under my supervision.

SIGNATURE

Dr.G.FATHIMA, M.E.,ph.D. D.M.LILLY FLORENCE, M. Tech HEAD OF THE DEPARTMENT .,ph.D. PROFESSOR, PROFESSOR, Department of CSE, Department of CSE, Adhiyamaan College of Engineering Adhiyamaan College of Engineering (Autonomous) (Autonomous) Dr. M.G.R. Nagar, Dr. M.G.R. Nagar, Hosur – 635 130. Hosur – 635 130. Submitted for the Mini project VIVA-VOCE Examination held on_____

Adhiyamaan College of Engineering (Autonomous), Hosur-635 130.

SIGNATURE

TABLE OF CONTENT

CHAPTER NO.	TITLE				
	INTRODUCTION				
1	1.1Project Overview				
	1.2Purpose				
2	LITERATURE SURVEY				
	2.1 Existing problem				
	2.2 References				
	2.3 Problem Statement Definition				
3	IDEATION & PROPOSED SOLUTION				
	3.1 Empathy Map Canvas				
	3.2 Ideation & Brainstorming				
	3.3 Proposed Solution				
	3.4 Problem Solution fit				
4	REQUIREMENT ANALYSIS				
	4.1 Functional requirement				
	4.2 Non-Functional requirements				
5	PROJECT DESIGN				
	5.1 Data Flow Diagrams				
	5.2 Solution & Technical Architecture				
	5.3 User Stories				
6	PROJECT PLANNING & SCHEDULING				
	6.1 Sprint Planning & Estimation				

6.2 Sprint Delivery Schedule

6.3 Reports from JIRA

7	CODING & SOLUTIONING
	7.1 Feature 1
	7.2 Feature 2
8	TESTING
	8.1 Test Cases
	8.2 User Acceptance Testing
9	RESULTS
	9.1 Performance Metrics
10	ADVANTAGES & DISADVANTAGES
11	CONCLUSION
12	FUTURE SCOPE
13	APPENDIX
	Source Code
	GitHub & Project Demo Link

INTRODUCTION

1.1 PROJECT OVERVIEW

Healthcare management has various use cases for using data science, patient length of stay is one critical parameter to observe and predict if one wants to improve the efficiency of the healthcare management in a hospital.

This parameter helps hospitals to identify patients of high LOS-risk (patients who will stay longer) at the time of admission. Once identified, patients with high LOS risk can have their treatment plan optimized to minimize LOS and lower the chance of staff/visitor infection. Also, prior knowledge of LOS can aid in logistics such as room and bed allocation planning.

Suppose you have been hired as Data Scientist of Health Man - a not for profit organization dedicated to manage the functioning of Hospitals in a professional and optimal manner

1.2 PURPOSE

The goal is to accurately predict the Length of Stay for each patient on case by case basis so that the Hospitals can use this information for optimal resource allocation and better functioning. The length of stay is divided into 11 different classes ranging from 0-10 days to more than 100 days.

- a) Length of stay for each Case of Patients.
- b) Stay by patient ID using Column Chart.
- c) Severity of illness by Patient-ID using Tree Map.
- d) Age, Department wise patient using Table.
- e) Room availability by Pie Chart.
- f) Dashboard Creation.
- g) Department wise no. of Admissions by Waterfall Chart.

LITERATURE SURVEY

2.1 EXISTING SOLUTION

A dashboard solution for a private practice enables private practitioners and clinicians to optimize resource allocation and improve the standards of the quality of care they deliver. Typically, it includes KPIs such as patient satisfaction and average time spent per consultation and aims to find ways to drive patient engagement and increase profitability.

USES

- -Helps to view patient's information within a fraction of seconds.
- -Personal care.

Advantage: saves time, can minimize spreading of infections to others, personalized care.

Disadvantage: The main disadvantage is Heterogenous data.

2.2 REFERENCES

1. Smart Healthcare System using big Data analytics(2022).

In this paper, it gives a review on Big Data technologies, big data analytics, its implementation and challenges in making a smart healthcare system.

Tools: Apache Hadoop, Tableau.

Technology:Big Data analytics

Advantages:-Automation of hospital administrative process.

-Acurate calculation of health insurance rates.

Disadvantages:-Lots of big data is unstructured.

-High cost to store more data.

2.Development of the health information analytics Dashboard using big data analytics(2020).

In this paper, they have created a dashboard that contains health information of the patients.

Technology:Big Data analytics

Advantage:-Health information dashboard can improve the ability of health service facilities.

3. Concurrence of big data analytics and healthcare(2018)

The application of big data analytics in healthcare has immense potential for improving the quality of care, reducing waste and error and reducing the cost of care.

Technology:Big Data analytics

Advantage:-Big data analytics helps in understanding and targeting customers.

-It helps in optimizing business processes.

Disadvantage: -It needs to be analyzed for longer duration to leverage its benefits.

4. Systematic perspective on the applications of big Data analytics in healthcare management (2018).

The exponential growth in the data collected in the form of electronic healthrecords, wear able sensors has bought revolution. Software integration platform and messaging system.

Technology: Big Data analytics

Advantage:-Increase productivity.

-Reducing cost.

Disadvantage:-Speedy updates in big data can mismatch real figure.

2.3 PROBLEM STATEMENT DEFINITION



Customer Problem Statement

A well articulated customer problem statement allows us to find the ideal solution for the challenges our customers face. Throughout the process you will also be able to empathize with your customer which helps you understand how they perceive your service.

Problem Statements:

Problem Statement (PS)	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Hospital Management	Predict how long the patient will stay in the hospital.	It is difficult to predict the stay of patients all the time.	It takes a lot of time to do it manually.	Frustrated to wait till the complete.
PS-2	Hospital Management	Predict how long the patient will stay in the hospital.	It is difficult to predict the stay of patients all the time.	It requires a lot of staffs.	Dependent on them all the time.


IDEATION & PROPOSED SOLUTION

3.1 EMPATHY MAP CANVAS

Empathy map canvas:

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes.

It is a useful tool to helps teams better understand their users. Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.



3.2 Brainstorm & Idea Prioritization Template:

Brainstorming provides a free and open environment that encourages everyone within a team to participate in the creative thinking process that leads to problem solving. Prioritizing volume over value, out-of-the-box ideas are welcome and built upon, and all participants are encouraged to collaborate, helping each other develop a rich amount of creative solutions. Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.

Step-1: Team Gathering, Collaboration and Select the Problem Statement



Step-2: Brainstorm, Idea Listing and Grouping




Brainstorm


Write down any ideas that come to mind that address your problem statement.












Step 3: idea prioritization



Feasibility


Regardless of their importance, which tasks are more feasible than others? (Cost, time, effort, complicitly, etc.

3.3 PROPOSED SOLUTION

S.NO	Parameter	Description
1.	Problem Statement (Problem to be solved)	To predict (LOS) how long the patient will stay in the Hospital.
2.	Idea / Solution description	• Healthcare management has various use cases for using data science, patient length of stay is one critical parameter to observe and predict if one wants to improve the efficiency of the healthcare management in a hospital. • This parameter helps hospitals to identify patients of high LOSrisk (patients who will stay longer) at the time of admission. Once identified, patients with high LOS risk can have their treatment plan optimized to minimize LOS and lower the chance of staff/visitor infection.
3.	Novelty / Uniqueness	In this project, we will create a dashboard that contain prediction about how long the patient will stay in the hospital.
4.	Social Impact / Customer Satisfaction	Access to primary healthcareLess casualty.
5.	Business Model (Revenue Model)	 Pharmacy companies will sell their medical products to generate more revenue. Insurance companies will sell their health policies to needed people.
6.	Scalability of the Solution	Prior knowledge of LOS can aid in logistics such as room and bed allocation planning.

3.4 PROBLEM SOLUTION FIT

The Problem-Solution Fit simply means that you have found a problem with your customer and thatthe solution you have realized for it actually solves the customer's problem. It helps entrepreneurs, marketers and corporate innovators identify behavioral patterns and recognize what would work and why.



PURPOSE OF SOLUTON FIT:

• Solve complex problems in a way that fits the state of your customers.

- Succeed faster and increase your solution adoption by tapping into existing mediums and channels of behavior.
- Sharpen your communication and marketing strategy with the right triggers and messaging.
- Increase touch-points with your company by finding the right problembehavior fit andbuilding trust by solving frequent annoyances, or urgent or costly problems.
- Understand the existing situation in order to improve it for your target group.

REQUIREMENT ANALYSIS

4.1 FUNCTIONAL REQUIREMENTS

FR	Functional	Sub Requirement (story/sub-task)
no	requirement (epic)	_
FR-	Registration process of	Adding Patients: The
1	SRS(Software	Hospital Management
	Requirements	enables the staff at the front
	Specification)	desk to include new patients
		in the system.
FR-	Check Out of SRS:	Deleting Patient ID: The staff
2		in the administration section
		of the ward can delete the
		patient ID from the system
		when the patient checkout
		from the hospital.
FR-	Report Generation of	Information of the Patient:
3	SRS:	The Hospital Management
		System generates a report
		on every patient regarding
		various information like
		patients name, Phone
		number, bed number, the
		doctor's name whom its
		assigns, ward name, and
		more.

FR-	Database of SRS:	Mandatory Patient	
4		Information: Every patient	
		has some necessary data like	
		phone number, their first and	
		last name, personal health	
		number, postal code,	
		country, address, city,	
		'patient's ID number, etc.	

4.2 NON-FUNCTIONAL REQUIREMENTS


NFR No	Non-Functional	Description
	Requirement	
NFR-1	Security	 ◆Patient Identification: The system needs the patient to recognize herself or himself using the phone. ◆ Logon ID: Any users who make use of the system need to hold a Logon ID and password. ◆ Modifications: Any modifications like insert, delete, update, etc. for the database can be synchronized quickly and executed only by the ward administrator.
NFR-2	Performance	• Response Time: The system provides acknowledgment in just one second once the 'patient's
NFR-3	Capacity	information is checked. The system needs to

		support at least 1000 people at once.	
		Maintainability	
		• Back-Up: The system	
		offers efficiency for data	
		backup.	
		• Errors: The system	
		will track every	
		mistake as well as keep a	
		log of it.	
NFR-4	Errors	Availability: The	
		system is available	
		all the time	

PROJECT DESIGN

5.1 DATA FLOW DIAGRAMS

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.




5.2 SOLUTION & TECHNICAL ARCHITECTURE


Solution architecture is a complex process – with many sub-processes – that bridges the gap between business problems and technology solutions.

Its goals are to:

• Find the best tech solution to solve existing business problems.

- Describe the structure, characteristics, behavior, and other aspects of the software to project stakeholders.
- Define features, development phases, and solution requirements.
- Provide specifications according to which the solution is defined, managed, and delivered.





5.3 USER STORIES

Use the below template to list all the user stories for the product.

User Type	Functiona l Requirem ent (Epic)	User Story Number	User Story / Task	Acceptanc e criteria	criteria y	
Patient	Patient_na me	USN-1	The preferred name of the patient	Name of the patient	High	Sprint-1
Patient	Patient _id	USN-2	Patient identification is the process of correctly matching a patient to appropriately intended interventions and communicating information about the patient	matching a patient identificati on	High	Sprint-1
Patient	Patient_ro om	USN-3	The space where patients receive care and treatment from medical staff	patient receive care and treatment	High	Sprint-1
Patient Patient	Appointm ent report	USN-4	Including patient name, clinic location treatment appointment date and booking date Hospital and to	Appointme nt date and booking date Which	High High	Sprint-1 Sprint-2

	allocated		efficiently which patient to where	patient to where		
Patient	Maintain patient info	USN-6	Patient problem medication progress notes problem medications		High	Sprint-2
Patient	Updating patient info	USN-7	Improving health care quality safety and patient	proving Health care quality ality safety		Sprint-3
Patient	Changes to patient info	USN-8	Change patient details	hange patient Patient		Sprint-3
Patient	payment confirmati on	USN-9	-9 A transaction document that can be part of receipt		High	Sprint-3
Patient	Perform billing	USN-10	claims for in patient and out patient services provided by hospitals		High	Sprint-4
Patient	Patient info	USN-11			High	Sprint-4
Patient	Health condition	USN-12	Medical records	information that refers individual's	High	Sprint-4

PROJECT PLANNING & SCHEDULING

6.1 SPRINT PLANNING AND ESTIMATION



6.2 SPRINT DELIVERY SCHEDULE

sprint	Functional	User	User	Story	Priority	Team
	Requirement	Story	Story /	points		members
	(Epic)	Number	Task			
	Patient_name	USN-1	The	2	high	Jayakeerthana R
Sprint1			preferred			
			name of the			
			patient			
	Patient _id	USN-2	Patient	1	high	Dhanushya M
			identification			
	Patient_room	USN-3	The space	1	high	Gayathri S
			for patients			
	Appointment	USN-4	name,clinic	2	high	Naveenkumar S
	report		location			
			treatment			
			appointment			

Sprint 2	Bed allocated	USN-5	Hospital and to efficiently which patient to where	2	high	Jayakeerthana R
	Maintain patient info	USN-6	Patient demographics progress notes problem medications	2	high	Dhanushya M

	Updating	USN-7	Improving	2	high	Gayathri S
Sprint 3	patient		health care			
	info		quality safety			
			and patient			
	Changes	USN-8	change	2	high	Naveenkumar S
	to patient		patient details			
	info					
	Payment	USN-9	A transaction	2	high	Jayakeerthana R
	confirmat		document			
	ion		that can be			
			part of			
			receipt			

Sprint 4	Perform	USN-10	To bill the	2	high	Dhanushya M
	billing		claims for in			
			patient and			
			out patient			
			services			
			provided by			
			hospitals			
	Patient	USN-11	Patient	2	high	Gayathri S
	info		during			
			consultations			
			health disease			
	Health	USN-12	Medical	2	high	Naveenkumar S
	condition		records			

CODING & SOLUTIONING

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="utf-8">
 <meta content="width=device-width, initial-scale=1.0" name="viewport">
 <title>IBM Nalaiyathiran Project</title>
 <meta content="" name="description">
 <meta content="" name="keywords">
 <!-- Favicons -->
 <link href="assets/img/anonymus.png" rel="anonymus">
 <link href="assets/img/anonymus.png" rel="anonymus">
 <!-- Google Fonts -->
 link
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,6"
00,600i,700,700i|Jost:300,300i,400,400i,500,500i,600,600i,700,700i|Poppins:30
0,300i,400,400i,500,500i,600,600i,700,700i" rel="stylesheet">
```

```
<!-- Vendor CSS Files -->
 <link href="assets/vendor/aos/aos.css" rel="stylesheet">
 k href="assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
 k href="assets/vendor/bootstrap-icons/bootstrap-icons.css"
rel="stylesheet">
 k href="assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
 k href="assets/vendor/glightbox/css/glightbox.min.css" rel="stylesheet">
 k href="assets/vendor/remixicon/remixicon.css" rel="stylesheet">
 k href="assets/vendor/swiper/swiper-bundle.min.css" rel="stylesheet">
 <!-- Template Main CSS File -->
 <link href="assets/css/style.css" rel="stylesheet">
</head>
<body>
 <!-- ===== Header ===== -->
 <header id="header" class="fixed-top ">
  <div class="container d-flex align-items-center">
   <h1 class="logo me-auto"><a href="index.html">IBM Project</a></h1>
   <!-- Uncomment below if you prefer to use an image logo -->
   <!-- <a href="index.html" class="logo me-auto"><img
src="assets/img/logo.png" alt="" class="img-fluid"></a>-->
```

```
<nav id="navbar" class="navbar">
    \langle ul \rangle
     <a class="nav-link scrollto active" href="#hero">Home</a>
     <a class="nav-link scrollto" href="#Project">Project Idea</a>
     <a class="nav-link scrollto" href="#Dashboard">Cognos
Dashboard</a>
     <a class="nav-link scrollto" href="#Report">Report</a>
     <a class="nav-link scrollto" href="#Story">Story</a>
     <a class="nav-link scrollto" href="#Prediction">Prediction</a>
     <a class="nav-link scrollto" href="#team">Team</a>
     <a class="nav-link scrollto" href="#Contact">Contact</a>
    <i class="bi bi-list mobile-nav-toggle"></i>
   </nav><!-- .navbar -->
  </div>
 </header><!-- End Header -->
 <!-- ===== Hero Section ====== -->
 <section id="hero" class="d-flex align-items-center">
  <div class="container">
   <div class="row">
    <div class="col-lg-6 d-flex flex-column justify-content-center pt-4 pt-lg-0"</pre>
order-2 order-lg-1" data-aos="fade-up" data-aos-delay="200">
```

```
<h1>Analytics for Hospital's Health Care Data</h1>
```

<h2>Being a developing country, India has gone through many issues especially during the pandemic period. The most unforgettable era for India is the second wave of the covid-19 pandemic. Data analytics in health care sector can help us to face any situations in the future</h2>

```
<div class="d-flex justify-content-center justify-content-lg-start">
       <a href="#Project" class="btn-get-started scrollto">Get Started</a>
      </div>
     </div>
     <div class="col-lg-6 order-1 order-lg-2 cover-pic-medical-data-analytics"</pre>
data-aos="zoom-in" data-aos-delay="200">
      <img src="assets/img/cover-pic-medical-data-analytics.png" class="img-</pre>
fluid animated" alt="">
     </div>
   </div>
  </div>
 </section><!-- End Hero -->
 <main id="main">
  <!-- ===== Clients Section ====== -->
  <section id="clients" class="clients section-bg">
   <div class="container">
     <div class="row" data-aos="zoom-in">
```

```
<div class="col-lg-2 col-md-4 col-6 d-flex align-items-center justify-
content-center">
       <img src="assets/img/clients/sns.png" class="img-fluid" alt="">
      </div>
      <div class="col-lg-2 col-md-4 col-6 d-flex align-items-center justify-</pre>
content-center">
       <img src="assets/img/clients/DT.png" class="img-fluid" alt="">
      </div>
      <div class="col-lg-2 col-md-4 col-6 d-flex align-items-center justify-
content-center">
       <img src="assets/img/clients/doctor.png" class="img-fluid" alt="">
      </div>
      <div class="col-lg-2 col-md-4 col-6 d-flex align-items-center justify-</pre>
content-center">
       <img src="assets/img/clients/analytics.png" class="img-fluid" alt="">
      </div>
      <div class="col-lg-2 col-md-4 col-6 d-flex align-items-center justify-
content-center">
       <img src="assets/img/clients/naive.png" class="img-fluid" alt="">
      </div>
```

```
<div class="col-lg-2 col-md-4 col-6 d-flex align-items-center justify-</pre>
content-center">
       <img src="assets/img/clients/Team.png" class="img-fluid" alt="">
     </div>
    </div>
   </div>
  </section><!-- End Cliens Section -->
  <!-- ====== Project Idea Section ======= -->
  <section id="Project" class="about">
   <div class="container" data-aos="fade-up">
    <div class="section-title">
     <h2>Project Idea</h2>
    </div>
    <div class="row content">
     <div class="col-lg-6">
       >
        Main Idea of this Project is:
       <ul>
        <i class="ri-check-double-line"></i>Data Collection
```

```
<i class="ri-check-double-line"></i>Data Cleaning
        <i class="ri-check-double-line"></i>Data Exploration
        <i class="ri-check-double-line"></i>Visualization
        <i class="ri-check-double-line"></i> Story Creation
        <i class="ri-check-double-line"></i> Prediction
        <i class="ri-check-double-line"></i> Report Creation 
      </div>
     <div class="col-lg-6 pt-4 pt-lg-0">
      <div class="pic"><img src="assets/img/Data Analytics.png"</pre>
class="img-fluid" alt=""></div>
     </div>
    </div>
   </div>
  </section><!-- End Project Idea Section -->
  <!-- ===== Dashboard Section ====== -->
  <section id="Dashboard" class="Dashboard section-bg">
   <div class="container" data-aos="fade-up">
    <div class="section-title">
```

```
<h2>Dashboard</h2>
This Dashboard is created in Cognos Analytics
</div>
<iframe
```

src="https://us3.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef =.my_folders%2FSprint%2B3%2BDashboard%2B2&closeWindowOnLas tView=true&ui_appbar=false&ui_navbar=false&shareMode=em bedded&action=view&mode=dashboard&subView=model00000 18488cd6a1f_00000002" width="1500" height="1000" frameborder="0" gesture="media" allow="encrypted-media" allowfullscreen=""></iframe>

allowfullscreen=""></iframe>

```
</div>
 </section>
  <!-- ====== Report Section ====== -->
  <!-- ===== Story Section ====== -->
  <section id="Story" class="Story section-bg">
   <div class="container" data-aos="fade-up">
   <div class="section-title">
    <h2>Story</h2>
    This Story is created in Cognos Analytics
   </div>
   <iframe
src="https://us3.ca.analytics.ibm.com/bi/?perspective=story&pathRef=.my
_folders%2FSprint%2B4%2BStory&closeWindowOnLastView=true&am
p;ui_appbar=false&ui_navbar=false&shareMode=embedded&ac
tion=view&sceneId=model00000184850abab4_00000002&sceneTim
e=0" width="1500" height="1000" frameborder="0" gesture="media"
allow="encrypted-media" allowfullscreen=""></iframe>
 </section>
  <!-- ===== Story Section ====== -->
  <!-- ===== Goal Section ====== -->
  <section id="cta" class="cta">
   <div class="container" data-aos="zoom-in">
    <div class="row">
```

```
<div class="col-lg-9 text-center text-lg-start">
<h3>Goal</h3>
```

The goal is to accurately predict the Length of Stay for each patient on case by case basis so that the Hospitals can use this information for optimal resource allocation and better functioning. The length of stay is divided into 11 different classes ranging from 0-10 days to more than 100 days.

```
</div>
      <div class="col-lg-3 cta-btn-container text-center">
       <a class="cta-btn align-middle" href="#">Description</a>
     </div>
    </div>
   </div>
  </section><!-- End Goal Section -->
  <!-- ====== Prediction Section ======= -->
  <section id="Prediction" class="Prediction section-bg">
   <div class="container" data-aos="fade-up">
   <div class="section-title">
    <h2>Prediction</h2>
    This Prediction was done in google colab by using Naive Bayes
Algorithm
   </div>
   <button class="btn text-light bg-dark button1">
    <a class="" href="./Prediction.html">Predit the length of stay (LoS)</a>
   </button>
```

```
</div>
 </section>
  <!-- ===== Report Section ====== -->
  <!-- ===== Team Section ====== -->
  <section id="team" class="team section-bg">
   <div class="container" data-aos="fade-up">
    <div class="section-title">
     <h2>Team</h2>
     Team Work is so essential for this whole project without them this
project will be just few lines of unexcecutable codes
    </div>
    <div class="row">
     <div class="col-lg-6">
      <div class="member d-flex align-items-start" data-aos="zoom-in" data-
aos-delay="100">
        <div class="member-info">
         <h4>JAYAKEERTHANA R</h4>
         <span>Team Leader</span>
```

```
Vorked on Model Creation, Cognos Analytics, Colab
       </div>
      </div>
     </div>
     <div class="col-lg-6 mt-4 mt-lg-0">
      <div class="member d-flex align-items-start" data-aos="zoom-in" data-
aos-delay="200">
       <div class="member-info">
        <h4>DHANUSHYA M</h4>
        <span>Team Member 1</span>
        Vorked on Idea Creation, Cognos Analytics, Documentation
       </div>
      </div>
     </div>
     <div class="col-lg-6 mt-4">
      <div class="member d-flex align-items-start" data-aos="zoom-in" data-
aos-delay="300">
       <div class="member-info">
        <h4>GAYATHRI S</h4>
        <span>Team member 2</span>
        Vorked on Story Creation , Predictive Analysis , Colab , Cognos
Analytics
       </div>
```

```
</div>
     </div>
     <div class="col-lg-6 mt-4">
      <div class="member d-flex align-items-start" data-aos="zoom-in" data-
aos-delay="400">
       <div class="member-info">
         <h4>NAVEENKUMAR S</h4>
         <span>Team Member 3</span>
         Worked on Literature Survey , Delivery Plan , Technical
Stack
       </div>
      </div>
     </div>
    </div>
   </div>
  </section><!-- End Team Section -->
  <!-- ===== Frequently Asked Questions Section ====== -->
  <section id="faq" class="faq section-bg">
   <div class="container" data-aos="fade-up">
```

```
<div class="section-title">
      <h2>Frequently Asked Questions</h2>
      Data Analytics in Hospital Data is very challenging task since a
minor error in data can risk people life so there are some of the questions listed
below
    </div>
    <div class="faq-list">
      \langle ul \rangle
       data-aos="fade-up" data-aos-delay="100">
        <i class="bx bx-help-circle icon-help"></i> <a data-bs-
toggle="collapse" class="collapse" data-bs-target="#faq-list-1">How does Data
analytics helps us in Hospital Data? <i class="bx bx-chevron-down icon-
show"></i><i class="bx bx-chevron-up icon-close"></i></a>
        <div id="faq-list-1" class="collapse show" data-bs-parent=".faq-list">
         >
          During Covid 19 we faced a lot of trouble because of wrong
prediction analysis which was made manually, if Data Analytics was used then
there will be pre prediction which can reduce the mortality rate and avoids last
minute chaos
         </div>
       data-aos="fade-up" data-aos-delay="200">
```

```
<i class="bx bx-help-circle icon-help"></i> <a data-bs-
toggle="collapse" data-bs-target="#faq-list-2" class="collapsed">Will it makes
major error in prediction and Visualization <i class="bx bx-chevron-down icon-
show"></i><i class="bx bx-chevron-up icon-close"></i></a>
        <div id="faq-list-2" class="collapse" data-bs-parent=".faq-list">
         >
          IBM Cognos has low level of error in prediction and visualization
this can help us to make accurate results
         </div>
       data-aos="fade-up" data-aos-delay="300">
        <i class="bx bx-help-circle icon-help"></i> <a data-bs-
toggle="collapse" data-bs-target="#faq-list-3" class="collapsed">How it will
help people? <i class="bx bx-chevron-down icon-show"></i><i class="bx bx-
chevron-up icon-close"></i></a>
        <div id="faq-list-3" class="collapse" data-bs-parent=".faq-list">
         >
          This project can help people to make analysis so that resource
allocation can be done easily and better than the manual method
         </div>
```

data-aos="fade-up" data-aos-delay="400">

<i class="bx bx-help-circle icon-help"></i> <a data-bstoggle="collapse" data-bs-target="#faq-list-4" class="collapsed">Why we use
IBM cognos? <i class="bx bx-chevron-down icon-show"></i><i class="bx bx-chevron-up icon-close"></i>

```
<div id="faq-list-4" class="collapse" data-bs-parent=".faq-list">
```

IBM Cognos can help us to make visualization faster than we do in python IDE, also it has a AI feature to predict and produce insights from the visualizations made

```
</div>
    </div>
 </div>
</section><!-- End Frequently Asked Questions Section -->
<!-- ===== Contact Section ====== -->
<section id="contact" class="contact">
 <div class="container" data-aos="fade-up">
  <div class="section-title">
   <h2>Contact</h2>
```

```
</div>
    <div class="row">
     <div class="col-lg-5 d-flex align-items-stretch">
       <div class="info">
        <div class="address">
         <i class="bi bi-geo-alt"></i>
         <h4>Location:</h4>
         Computer Science and Engineering , Adhiyamaan College of
Engineering, Hosur
        </div>
        <div class="email">
         <i class="bi bi-envelope"></i>
         <h4>Email:</h4>
         jayakeerthana816@gmail.com
        </div>
     </div>
     <div class="col-lg-7 mt-5 mt-lg-0 d-flex align-items-stretch">
      <form action="forms/contact.php" method="post" role="form"</pre>
class="php-email-form">
        <div class="row">
```

```
<div class="form-group col-md-6">
          <label for="name">Your Name</label>
          <input type="text" name="name" class="form-control" id="name"</pre>
required>
         </div>
         <div class="form-group col-md-6">
          <label for="name">Your Email</label>
          <input type="email" class="form-control" name="email" id="email"</pre>
required>
         </div>
        </div>
        <div class="form-group">
         <label for="name">Subject</label>
         <input type="text" class="form-control" name="subject" id="subject"</pre>
required>
        </div>
        <div class="form-group">
         <label for="name">Message</label>
         <textarea class="form-control" name="message" rows="10"
required></textarea>
        </div>
        <div class="my-3">
         <div class="loading">Loading</div>
         <div class="error-message"></div>
         <div class="sent-message">Your message has been sent. Thank
you!</div>
```

```
</div>
        <div class="text-center"><button type="submit">Send
Message</button></div>
       </form>
     </div>
    </div>
   </div>
  </section><!-- End Contact Section -->
 </main><!-- End #main -->
 <!-- ===== Footer ====== -->
 <footer id="footer">
  <div class="footer-newsletter">
   <div class="container">
    <div class="row justify-content-center">
     <div class="col-lg-6">
       <h4>Join Us</h4>
       Health is Wealth , Technology can change the World
       <form action="" method="post">
        <input type="email" name="email"><input type="submit" value="Join</pre>
Us ...">
```

```
</form>
     </div>
    </div>
   </div>
  </div>
  <div class="footer-top">
   <div class="container">
    <div class="row">
     <div class="col-lg-3 col-md-6 footer-contact">
      <h3>JAYAKEERTHANA R</h3>
      Computer Science and Engineering , Adhiyamaan College of
Engineering, Hosur<br/><br>
       <strong>Email:</strong>jayakeerthana816@gmail.com<br>
      </div>
     <div class="col-lg-3 col-md-6 footer-links">
      <h4>Go to</h4>
      <u1>
       <i class="bx bx-chevron-right"></i> <a href="#">Home</a>
       <i class="bx bx-chevron-right"></i> <a href="#">Project</a>
Idea</a>
```

```
<i class="bx bx-chevron-right"></i> <a href="#">Cognos</a>
Dashboard</a>
       <i class="bx bx-chevron-right"></i> <a href="#">Report</a>
       <i class="bx bx-chevron-right"></i> <a href="#">Story</a>
       <i class="bx bx-chevron-right"></i> <a href="#">team</a>
      </div>
     <div class="col-lg-3 col-md-6 footer-links">
      <h4>Project Idea</h4>
      <111>
       <i class="bx bx-chevron-right"></i> <a href="#">Data</a>
Collection</a>
       <i class="bx bx-chevron-right"></i> <a href="#">Data</a>
Exploration</a>
       <i class="bx bx-chevron-right"></i> <a
href="#">Visualization</a>
       <i class="bx bx-chevron-right"></i> <a
href="#">Prediction</a>
       <i class="bx bx-chevron-right"></i> <a href="#">Dashboard</a>
Creation</a>
       <i class="bx bx-chevron-right"></i> <a href="#">Report
Creation</a>
       <i class="bx bx-chevron-right"></i> <a href="#">Story</a>
Creation</a>
      </div>
```

```
<h4>Our Social Networks</h4>
       <div class="social-links mt-3">
        <a href="#" class="twitter"><i class="bx bxl-twitter"></i></a>
        <a href="#" class="facebook"></i><i class="bx bxl-facebook"></i></a>
        <a href="#" class="instagram"></i class="bx bxl-instagram"></i></a>
        <a href="#" class="google-plus"><i class="bx bxl-skype"></i></a>
        <a href="#" class="linkedin"></i>class="bx bxl-linkedin"></i>
       </div>
     </div>
    </div>
   </div>
  </div>
  <div class="container footer-bottom clearfix">
   <div class="copyright">
    © Belongs to <strong><span>Dharshan</span></strong>. Please
Don't Copy
   </div>
   </div>
  </div>
 </footer><!-- End Footer -->
```

<div class="col-lg-3 col-md-6 footer-links">

```
<div id="preloader"></div>
 <a href="#" class="back-to-top d-flex align-items-center justify-content-
center"><i class="bi bi-arrow-up-short"></i></a>
 <!-- Vendor JS Files -->
 <script src="assets/vendor/aos/aos.js"></script>
 <script src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
 <script src="assets/vendor/glightbox/js/glightbox.min.js"></script>
 <script src="assets/vendor/isotope-layout/isotope.pkgd.min.js"></script>
 <script src="assets/vendor/swiper/swiper-bundle.min.js"></script>
 <script src="assets/vendor/waypoints/noframework.waypoints.js"></script>
 <script src="assets/vendor/php-email-form/validate.js"></script>
 <!-- Template Main JS File -->
 <script src="assets/js/main.js"></script>
</body>
</html>
LOS.pynb
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
np.set_printoptions(suppress=True)
import warnings
```

warnings.filterwarnings('ignore') **from** google.colab **import** drive drive.mount('/content/drive')

```
#load data
d1 = pd.read_csv('/content/drive/My Drive/Healthcare_Data/sample_sub.csv')
d2 = pd.read csv('/content/drive/My
Drive/Healthcare Data/train_data_dictionary.csv')
test = pd.read_csv('/content/drive/My Drive/Healthcare_Data/test_data.csv')
train = pd.read_csv('/content/drive/My Drive/Healthcare_Data/train_data.csv')
train.head()
train.info()
train.Stay.unique()
# NA values in train dataset:
train.isnull().sum().sort_values(ascending = False)
# NA values in test dataset :
test.isnull().sum().sort_values(ascending = False)
# Dimension of train dataset
train.shape
# Dimension of test dataset
test.shape
# Number of distinct observations in test dataset
for i in test.columns:
  print(i, ':', test[i].nunique())
#Replacing NA values in Bed Grade Column for both Train and Test datssets
train['Bed Grade'].fillna(train['Bed Grade'].mode()[0], inplace = True)
test['Bed Grade'].fillna(test['Bed Grade'].mode()[0], inplace = True)
#Replacing NA values in Column for both Train and Test datssets
train['City_Code_Patient'].fillna(train['City_Code_Patient'].mode()[0], inplace =
True)
test['City_Code_Patient'].fillna(test['City_Code_Patient'].mode()[0], inplace =
True)
# Label Encoding Stay column in train dataset
from sklearn.preprocessing import LabelEncoder
le = LabelEncoder()
train['Stay'] = le.fit_transform(train['Stay'].astype('str'))
train.head()
#Imputing dummy Stay column in test datset to concatenate with train dataset
test['Stay'] = -1
df = pd.concat([train, test])
df.shape
#Label Encoding all the columns in Train and test datasets
for i in ['Hospital_type_code', 'Hospital_region_code', 'Department',
```

```
'Ward Type', 'Ward Facility Code', 'Type of Admission', 'Severity of
Illness', 'Age']:
  le = LabelEncoder()
  df[i] = le.fit\_transform(df[i].astype(str))
#Spearating Train and Test Datasets
train = df[df['Stay']!=-1]
test = df[df['Stay'] = -1]
def get countid enocde(train, test, cols, name):
 temp = train.groupby(cols)['case_id'].count().reset_index().rename(columns =
{'case id': name})
 temp2 = test.groupby(cols)['case_id'].count().reset_index().rename(columns =
{'case id': name})
 train = pd.merge(train, temp, how='left', on= cols)
 test = pd.merge(test,temp2, how='left', on= cols)
 train[name] = train[name].astype('float')
 test[name] = test[name].astype('float')
 train[name].fillna(np.median(temp[name]), inplace = True)
 test[name].fillna(np.median(temp2[name]), inplace = True)
 return train, test
train, test = get_countid_enocde(train, test, ['patientid'], name =
'count id patient')
train, test = get_countid_enocde(train, test,
                     ['patientid', 'Hospital region code'], name =
'count_id_patient_hospitalCode')
train, test = get countid enocde(train, test,
                     ['patientid', 'Ward_Facility_Code'], name =
'count_id_patient_wardfacilityCode')
# Droping duplicate columns
test1 = test.drop(['Stay', 'patientid', 'Hospital_region_code',
'Ward_Facility_Code'], axis =1)
train1 = train.drop(['case_id', 'patientid', 'Hospital_region_code',
'Ward_Facility_Code'], axis =1)
                                                                                 I
# Splitting train data for Naive Bayes and XGBoost
X1 = train1.drop('Stay', axis = 1)
y1 = train1['Stay']
from sklearn.model_selection import train_test_split
```

```
X_train, X_test, y_train, y_test = train_test_split(X1, y1, test_size =0.20, random_state =100)
```

MODEL

```
from sklearn.naive_bayes import GaussianNB
target = y_train.values
features = X train.values
classifier nb = GaussianNB()
model_nb = classifier_nb.fit(features, target)
prediction nb = model nb.predict(X test)
from sklearn.metrics import accuracy_score
acc_score_nb = accuracy_score(prediction_nb,y_test)
print("Acurracy:", acc_score_nb*100)
# Segregation of features and target variable
X = train.drop('Stay', axis = 1)
y = train['Stay']
print(X.columns)
z = test.drop('Stay', axis = 1)
print(z.columns)
# Data Scaling
from sklearn import preprocessing
X scale = preprocessing.scale(X)
X_scale.shape
X_train, X_test, y_train, y_test = train_test_split(X_scale, y, test_size =0.20,
random_state = 100)
import keras
from keras.models import Sequential
from keras.layers import Dense
import tensorflow as tf
from keras.utils import to_categorical
#Sparse Matrix
a = to_categorical(y_train)
b = to categorical(y test)
model = Sequential()
```

I

```
model.add(Dense(64, activation='relu', input shape = (254750, 20)))
model.add(Dense(128, activation='relu'))
model.add(Dense(256, activation='relu'))
model.add(Dense(512, activation='relu'))
model.add(Dense(512, activation='relu'))
model.add(Dense(11, activation='softmax'))
model.summary()
model.compile(optimizer= 'SGD',
        loss='categorical crossentropy',
        metrics=['accuracy'])
PREDICTION
pred nb = classifier nb.predict(test1.iloc[:,1:])
result_nb = pd.DataFrame(pred_nb, columns=['Stay'])
result_nb['case_id'] = test1['case_id']
result_nb = result_nb[['case_id', 'Stay']]
result_nb['Stay'] = result_nb['Stay'].replace({0:'0-10', 1: '11-20', 2: '21-30',
3:'31-40', 4: '41-50', 5: '51-60', 6: '61-70', 7: '71-80', 8: '81-90', 9: '91-100', 10:
'More than 100 Days'})
result nb.head()
test_scale = preprocessing.scale(z)
test_scale.shape
print(result_nb.groupby('Stay')['case_id'].nunique())
```

TESTING

8.1 TEST CASE


SECTION	TOTAL CASES	NOT TESTED	FAIL	PASS
Print Engine	7	0	0	7
Client Application	51	0	0	51
Security	2	0	0	2
Outsource Shipping	3	0	0	3
Excepting reporting	9	0	0	
Final report out put	4	0	0	4
Version control	2	0	0	2


8.2 USER ACCEPTANCE TESTING


Resolution	Severity 1	Severity 2	Severity 3	Severity 4	subtotal
By Design	5	5	4	0	14
Duplicate	0	0	0	0	0
External	7	8	6	0	21
Fixed	11	4	0	6	21
Not reproduced	1	3	0	0	4
Skipped	0	0	0	0	0
Won't fix	0	0	0	0	0
Total	24	20	10	6	60


RESULTS

DASHBOARD










. .

REPORT



WEBPAGE



FINAL OUTPUT

Stay

0-10	2598
11-20	26827
21-30	72206
31-40	15639
41-50	469
51-60	13651
61-70	92

71-80 955

81-90 296

91-100 2

More than 100 Days 4322

Name: case_id, dtype: int64

CHAPTER 10

ADVANTAGES & DISADVANTAGES

ADVANTAGES:

- Helps an organization to make a better decision
- Increase the efficiency of the work
- The analytics keeps you updated of your customer behavioral changes.
- Personalization of hospital details.
- Improving quality of service and health care.

DISADVANTAGES:

- Lack of alignment within teams
- Lack of commitment and patience
- Low quality of data
- Privacy Concerns
- Complexity and Bias

CHAPTER 11

CONCLUSION

Data analytics in health care is vital. It helps health care organizations to evaluate and develop Number of patients by ward, Age wise patients with department details, Various types of visualizations to analyze the hospital's datasets and hence predict outbreaks in illness, Data analytics can also lower costs for health care organizations and boost business intelligence.

CHAPTER 12

FUTURE SCOPE

While every fact of the industry stands to be changed by data analytics in healthcare, data has significantly improved healthcare in three areas: conducting medical studies, understanding the cost of medical tests and health insurance, and making preventative recommendations to patients. Hospital Healthcare data analytics helps in analyzing the patient details via hospital that the availability of doctors and number of beds to the patients and hence, it reduce the man power and time of the respective Hospital.

CHAPTER 13

APPENDIX

GITHUB LINK:

https://github.com/IBM-EPBL/IBM-Project-8340-1658915735