## **Assignment 3**

## Artificial Intelligence

Assignment Date	3-10-2022
Student Name	Shrinee Venisha J
Register Number	921319104180

- 1.Create a Bucket in IBM object storage.
- 2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.
- 3.Upload a css page to the object storage and use the same page in your HTML code.
- 4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.
- 5. Create Watson assistant service with 10 steps and use 3 conditions in it.

## Load that script in HTML page.

```
from google.colab import drive
drive.mount('/content/drive')
```

**1**s

cd /content/drive/MyDrive/CNN

pwd

##unzipping the zip file

!unzip Flowers-Dataset.zip

## Image Augmentation

from tensorflow.keras.preprocessing.image import ImageDataGenerator

train\_datagen=ImageDataGenerator(rescale=1./255,zoom\_range=0.2,horizontal \_flip=True,vertical\_flip=True)

test\_datagen=ImageDataGenerator(rescale=1./255)

```
x_train=train_datagen.flow_from_directory(r"/content/drive/MyDrive/CNN/flo
wers",target_size=(64,64),class_mode="categorical",batch_size=24)
x_test=test_datagen.flow_from_directory(r"/content/drive/MyDrive/CNN/flowe
rs",target_size=(64,64),class_mode="categorical",batch_size=24)
x_train.class_indices
## Creating The Model
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import
Convolution2D, MaxPooling2D, Flatten, Dense
model=Sequential()
## Adding The Layers
##Adding Convolution2D Layer
model.add(Convolution2D(32,(3,3),activation="relu",strides=(1,1),input_shape
=(64,64,3))
##Adding MaxPooling2D Layer
model.add(MaxPooling2D(pool_size=(2,2)))
##Adding Flatten Layer
model.add(Flatten())
##Adding Dense-(Hidden Layers)
model.add(Dense(300,activation="relu"))
model.add(Dense(300,activation="relu"))
##Adding Output Layer
model.add(Dense(5,activation="softmax"))
##To see the added layers
model.summary()
```

```
## Compiling The Model
model.compile(loss="categorical_crossentropy",optimizer="adam",metrics=['ac
curacy'])
## Fitting The Model
len(x_train)
model.fit(x_train,epochs=10,steps_per_epoch=len(x_train),validation_data=x_t
est, validation_steps=len(x_test))
## Saving The Model
model.save('flowers.h5')
## Testing The Model
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
model=load_model('flowers.h5')
img=image.load_img(r"/content/drive/MyDrive/CNN/flowers/rose/537207677_
f96a0507bb.jpg")
img
img=image.load_img(r"/content/drive/MyDrive/CNN/flowers/rose/537207677_
f96a0507bb.jpg",target_size=(64,64))
img
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
pred=model.predict(x)
pred = x_test.class_indices
index=['daisy','dandelion','rose','sunflower','tulip']
index[np.argmax(pred)]
```