


## Integrating SendGrid Service

### SendGrid Integration With Python Code

Date	08 November, 2022
Team ID	PNT2022TMID27190
Project Name	Plasma Donor Application

## Creating an API Key

 Santhoshkumar P. ▾

Dashboard

Email API ▾

Marketing ▾

Design Library

Stats ▾

Activity

Suppressions ▾

Settings ▾

Account Details

Alert Settings

API Keys

Inbound Parse





IP Access Management

IP Addresses

Mail Settings

### API Keys

Create API Key

NAME	API KEY	ACTION
<b>firstkey</b> API Key ID: 8ZIQH_xrRludIMPtmUehzQ	 .....	 ▾
<b>myapikey</b> API Key ID: IPmjarFIQQaQpvKpsvvZTg	 .....	 ▾

Creating a Virtual Environment “EmailTest” and creating main.py file with the following code inside the virtual environment

```
import os

import sendgrid
from sendgrid.helpers.mail import *
sg = sendgrid.SendGridAPIClient(api_key='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')
from_email = Email("iamsanthosh2k1@gmail.com")
to_email = To("iamsanthosh2k1@gmail.com")
subject = "Sending with SendGrid is Fun"
content = Content("text/plain", "and easy to do anywhere, even with Python")
mail = Mail(from_email, to_email, subject, content)
response = sg.client.mail.send.post(request_body=mail.get())
print(response.status_code)
print(response.body)
print(response.headers)
```

## Running the python file through the terminal

```
PROBLEMS  OUTPUT  TERMINAL  JUPYTER  DEBUG CONSOLE

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\sjeev\Downloads\sendGrid> & C:/Users/sjeev/AppData/Local/Programs/Python/Python310/python.exe c:/Users/sjeev/Do
wnloads/sendGrid/main.py
202
b''
Server: nginx
Date: Tue, 15 Nov 2022 07:50:11 GMT
Content-Length: 0
Connection: close
X-Message-Id: FJQCZg96QxG7Cs48_PuDqg
Access-Control-Allow-Origin: https://sendgrid.api-docs.io
Access-Control-Allow-Methods: POST
Access-Control-Allow-Headers: Authorization, Content-Type, On-behalf-of, x-sg-elas-acl
Access-Control-Max-Age: 600
X-No-CORS-Reason: https://sendgrid.com/docs/Classroom/Basics/API/cors.html
Strict-Transport-Security: max-age=600; includeSubDomains
```