ASSIGNMENT 3

ASSIGNMENT DATE	01 OCTOBER 2020
STUDENT NAME	SHAKEEL MOHAMMED G
STUDENT ROLL NUMBER	2019504584
MAXIMUM MARKS	2 MARKS

Problem Statement:- Build CNN Model for Classification Of Flowers

Perform Below Tasks to complete the assignment: -

1. Download the Dataset
2. Image Augmentation
3. Create Model
4. Add Layers (Convolution, MaxPooling, Flatten,Dense-(Hidden Layers), Output)
5. Compile The Model
6. Fit The Model
7. Save The Model
8. Test The Model

In [ ]:
```
from google.colab import drive
drive.mount('/content/drive')
```

```
Mounted at /content/drive
```

Importing the libraries

In [ ]:
```
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense
```

In [ ]:
```
from tensorflow.keras.layers import Convolution2D
from tensorflow.keras.layers import MaxPooling2D
from tensorflow.keras.layers import Flatten
```

In [ ]:
```
#import the preprocess library of image
from tensorflow.keras.preprocessing.image import ImageDataGenerator
```

Image Augmentation

In [ ]:
```
train_datagen = ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0
#rescale =  pixel value rescaling to 0 to 1 from 0 to 255
#shear_range => counter clock wise rotation(anti clock)
```

In [ ]:
```
test_datagen  = ImageDataGenerator(rescale=1./255)
```

In [ ]:
```
#load your images data
```

In [ ]:
```
#load your images data
```

In [ ]:
```
x_train = train_datagen.flow_from_directory('/content/drive/MyDrive/IBM/Flower
```

```
Found 4317 images belonging to 5 classes.
```

In [ ]:
```
x_test = test_datagen.flow_from_directory(r"/content/drive/MyDrive/IBM/Flowers
```

```
Found 4317 images belonging to 5 classes.
```

In [ ]:
```
x_train.class_indices
```

Out[ ]:
```
{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}
```

Create Model

In [ ]:
```
#initialize the model
model = Sequential()
```

Add Layers (Convolution,MaxPooling,Flatten,Dense-(Hidden Layers),Output)

In [ ]:
```
#add convlution layer
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
# 32 => no of feature detectors
#(3,3)=> kernel size(feature detector size => 3*3 matrix)
```

In [ ]:
```
#add maxpooling layer
model.add(MaxPooling2D(pool_size=(2,2)))
```

In [ ]:
```
# you can add more convolutiona and pooling layers
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
model.add(MaxPooling2D(pool_size=(2,2)))
```

In [ ]:
```
#flatten layer => input layer to your ANN
model.add(Flatten())
```

In [ ]:
```
#hidden layers
model.add(Dense(units=500,kernel_initializer="random_uniform",activation="relu
model.add(Dense(units=200,kernel_initializer="random_uniform",activation="relu
model.add(Dense(units=300,kernel_initializer="random_uniform",activation="relu
model.add(Dense(units=400,kernel_initializer="random_uniform",activation="relu
```

In [ ]:
```
#output layer
model.add(Dense(units=5,kernel_initializer="random_uniform",activation="softma
```

Compile The Model

In [ ]:
```
#compile the model
model.compile(loss="categorical_crossentropy",optimizer="adam",metrics=["accur
```

Fit The Model

In [ ]:
```
#train the model
model.fit(x_train,steps_per_epoch=len(x_train),epochs=1,validation_data=x_test
#steps_per_epoch = no of train images/batch size
#validation_steps = no of test images/batch size
```

```
44/44 [==============================] - 147s 3s/step - loss: 1.5993 - accurac
y: 0.2437 - val_loss: 1.5986 - val_accuracy: 0.2437
```

Out[ ]:
```
<keras.callbacks.History at 0x7f8cfc6bb850>
```

Save The Model

In [ ]:
```
model.save("/flowers.h5")
```

Test The Model

In [ ]:
```
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
import numpy as np
```

In [ ]:
```
model = load_model("/flowers.h5")
```

In [ ]:
```
img = image.load_img("/content/drive/MyDrive/IBM/sunflower.jpg",target_size=(1
```

In [ ]:
```
img
```

Out[ ]:

In [ ]:
```
x = image.img_to_array(img)
```

In [ ]:
```
x
```

Out[ ]:
```
array([[[ 94., 127.,  56.],
        [ 92., 125.,  54.],
        [ 90., 123.,  52.],
        ...,
        [ 96., 128.,  52.],
        [104., 135.,  59.],
        [112., 140.,  65.]],

       [[106., 133.,  64.],
        [109., 136.,  67.],
        [109., 136.,  67.],
        ...,
        [101., 132.,  54.],
        [111., 139.,  62.],
        [115., 142.,  65.]],

       [[129., 150.,  85.],
        [130., 151.,  86.],
        [132., 153.,  88.],
        ...,
        [108., 137.,  53.],
        [112., 141.,  59.],
        [120., 144.,  66.]],

       ...,

       [[141., 159., 111.],
        [134., 153.,  98.],
        [125., 145.,  86.],
        ...,
        [ 62.,  96.,   2.],
        [ 55.,  88.,   7.],
        [ 48.,  82.,   8.]],

       [[141., 158., 113.],
        [138., 155., 110.],
        [132., 150., 102.],
        ...,
        [ 62.,  96.,   2.],
        [ 55.,  88.,   7.],
        [ 47.,  81.,   7.]],

       [[133., 152., 106.],
        [128., 150., 101.],
        [116., 140.,  88.],
        ...,
        [ 61.,  94.,   3.],
        [ 57.,  89.,   6.],
        [ 50.,  80.,  10.]]], dtype=float32)
```

In [ ]:
```
x.shape
```

Out[ ]:
```
(128, 128, 3)
```

In [ ]:
```
#(1,64,64,3) to expand the dims
```

In [ ]:
```
x = np.expand_dims(x,axis=0)
x.shape
```

Out[ ]:
```
(1, 128, 128, 3)
```

In [ ]:
```
pred_prob = model.predict(x)
```

```
1/1 [==============================] - 0s 242ms/step
```

In [ ]:
```
pred_prob
```

Out[ ]:
```
array([[0.17730328, 0.23598376, 0.18361217, 0.17295957, 0.23014121]],
      dtype=float32)
```

In [ ]:
```
class_name=['tulip','sunflower','rose','dandelion','daisy',]
pred_id = pred_prob.argmax(axis=1)[0]
```

In [ ]:
```
pred_id
```

Out[ ]:
```
1
```

In [ ]:
```
print("predicted Flower is ",str(class_name[pred_id]))
```

```
predicted Flower is  sunflower
```