IBM NALAIYATHIRAN PROJECT

PLASMA DONOR APPLICATION

Team id	PNT2022TMID04979
Project Name	Plasma DonorApplication
Team Members	ILAKKIYA S (9213191041063) KARTHEESWARI M (921319104089) KETHRINMALAR D(921319104098) LAKSHMI PRIYA B (921319104104)

Table Of Contents

<u>S.NO</u>	Table of content	PAGE NO.
1	INTRODUCTION	
	1.1 Project Overview	3
	1.2 Purpose	3
2	LITERATURE SURVEY	_
	2.1 Existing problem	4
	2.2 References	4 4
	2.3 Problem Statement Definition	
3	IDEATION & PROPOSED SOLUTION	_
	3.1 Empathy Map Canvas	5
	3.2 Ideation & Brainstorming	6 7
	3.3 Proposed Solution	9
	3.4 Problem Solution fit	
4	REQUIREMENT ANALYSIS	
	4.1 Functional requirement	10
	4.2 Non-Functional requirements	10
5	PROJECT DESIGN	
	5.1 Data Flow Diagrams	11 12
	5.2 Solution & Technical Architecture	13
	5.3 User Stories	10
6	PROJECT PLANNING & SCHEDULING	4.4
	6.1 Sprint Planning & Estimation	14 16
	6.2 Sprint Delivery Schedule	16
	6.3 Reports from JIRA	
7	CODING & SOLUTIONING	
	7.1 Feature 1	17
	7.2 Feature 2	18 18
	7.3 Database Schema (if Applicable)	10
8	TESTING	00
	8.1 Test Cases	20 21
	8.2 User Acceptance Testing	Ζ1
9	RESULTS	
	9.1 Performance Metrics	22

10	ADVANTAGES & DISADVANTAGES	25
11	CONCLUSION	26
12	FUTURE SCOPE	26
13	APPENDIX (source code ,GitHub and Demo link)	27

1.INTRODUCTION

1.1 Project Overview

Plasma is a critical part of the treatment for many serious health problems. Therefore, there are blood drives asking people to donate blood plasma. The main goal of our project is to make it easier for the COVID-19 patients to get a plasma donor easily as well as donate plasma if they have recovered. The system targets two types of users: the people who want to donate plasma and the people who need plasma. The user can also view the total active cases, nearby vaccinecentres, hospitals address.

The main objective of developing the website is to make it easier for the COVID-19 patients to get a plasma donor easily and as soon as possible. Yet, the need for plasma-derived products has been strongly increasing for some years, and blood collection agencies have to adapt if they want to meet this demand. This article aims to review the main motivations and deterrents to whole blood donation, and to compare them with those that we already know concerning plasma donation. Current evidence shows similarities between both behaviours, but also differences that indicate a need for further researchregarding plasma donation.

1.2 Purpose

During the COVID 19 crisis, the requirement of plasma became a high priority, and the donor count has become low. Saving the donor information and helping the needy by notifying the current donors list, would be a helpinghand. Regarding the problem faced, an application is to be built which would take the donor details, store them and inform them upon a request.

2.LITERATURE SURVEY

2.1 Existing Problem

- Only web-based system is available no mobile based system is available
- Less Security
- No propercoordination between differentapplications and users
- Cannot upload and download the latest updatesat right time
- Fewer users-friendly

2.2 Reference

Several experiments have been carried out over the years by different groups of researchers. Here are some of the following groups:

- 1. Denuis O'Neil (1999). "Blood component" Archived from the original on June 5, 2013.ways to keep your plasma healthy, Original Archived November 1, 2013, AccessedNovember 11, 2011.
- 2. Ripathis S, Kumar V, Prabhakar A, Joshi S, Agarwal A (2015). "Microscale Passive Plasma Separation: A Review of Design Principles and Microdevices," J. Micromech Micro 25 (8): 083001;
- 3. P.C. P. C. a. V. I. M. Yan, "Buildinga chatbot with server less computing," IBM watson researchcenter, 2016.
- 4. S.E. a. B. J. J. Short, ""CloudEvent Programming Paradigms: Applications and Analysis,"," 9th IEEE International Conference on CloudComputing (CLOUD), pp. pp. 4 00-406, 2017.

2.3 Problem Statement Definition

During COVID 19 crisis the requirement for plasma increased drastically as there were no vaccinations found in order to treat the infected patients. In such situation it was very difficult to find the plasma donor, check whether the donor was infected previously and was recovered, and which donor is eligible to donate plasma was a challenging task.


As the plasma therapy was one of the ways to treat the infected patients getting the donor details played a major role.


3.IDEATION AND PROPOSED SYSTEM

3.1 Empathy Map Canvas



3.2 Ideation and Brainstorm






3.3 Proposed Solution:

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	People who are in need of plasma are increasing day by day. Plasma is necessary to help our body to recover from injury, distribute nutrients, remove waste and prevent infection, while moving throughout our circulatory system. It is not that people don't want to donate plasma, but they have no idea where they can donate. We are designing a platform which contains all the information regarding Plasma donation.
2.	Idea / Solution description	Ours is a mobile application which aims to serve as a communication tool between plasma donation organizers and plasma donors. To become a member of our system, donors need to create their profile by providing their information like name, blood group, email address, phone number, password and exact location from 'Google Map', which are integrated with this application. This mobile app always keep updating the location of the donor.
3.	Novelty / Uniqueness	Users can submit their comments if they had any difficulties during donation process. This app automatically keeps showing the plasma donors nearby. Donor will save the donor card digitally.
4.	Social Impact / Customer Satisfaction	This app will make revolutionary changes to the medical system as people will be able to donate plasma and serve the mankind. It can also help the people to know about the benefits of plasma donation, so that their small contribution can help one person to save his/her life.

5.	Business Model (Revenue Model)	There are many private sectors and NGOs, who organize plasma donation camps. Even collaboration with companies like Biolife, and other pharmaceutical companies use plasma to make treatment for conditions such as immune deficiencies and bleeding disorder in order to increase revenue.			
6.	Scalability of the Solution	This application has the ability to handle more donors and provide users with good user experience. It handles the traffic, responding accurately and reacting to the growing number of requests.			

3.4 Problem statement fit



4.REQUIREMENT ANALYSIS

4.1 Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)				
FR-1	Access Website	Software operator should be capable to access web- application through either an application browser or similar on the pc.				
FR-2	Software operator Registration	The software operator should be able to regist through the web-application. The do software operator must provide uname, gender, blood/plasma group, location, contact.				
FR-3	Login/logout/update details	The login information will be stored on the database for future use.				
FR-4	Search for donor	Search result can be viewed in a list.Each element in the list represents a specific donor with the donor details.				
FR-5	User plasma request	Users can request to donate plasma by filling out the request form on the page. Once the request is submitted, they will get an email.				
FR-6	View distribution details	The plasma bank should be able to view the status of the distribution details.				

4.2 Non-functional Requirements:


Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	The plasma donor application must have a good looking user friendly interface.
NFR-2	Security	The plasma donor application must be secured with proper user name and passwords.
NFR-3	Reliability	The plasma donor application should work properly, even when faults occur.
NFR-4	Performance	The plasma donor application must perform well

		in different scenarios.
NFR-5	Availability	The plasma donor application must available 24 hours a day with no bandwidth issues.
NFR-6	Scalability	The plasma donor application should able to increase or decrease in performance and cost in response to changes in application and system processing demands.


5.PROJECT DESIGN

5.1 Data Flow Diagram:



5.2 Solution and Technical Architecture:

Technical Architecture:



5.3 User Stories:

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user) Donor	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint-1
		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-3	As a user, I can register for the application through Social media accounts	I can register & access the app with Social media account	Low	Sprint-2
		USN-4	As a user, I can register for the application through Gmail other Email services	I can register the app with email account	Medium	Sprint-1
	Login	USN-5	As a user, I can log into the application by entering email & password	I can register and access user profile with Gmail account	High	Sprint-1
Patient	Recipient	USN-6	As a requester, I can request the blood group for which I need plasma	I can get plasma from donors when available	High	Sprint-2
Customer (Web user) Donor	Profile	USN-7	As a user, I can see registration page, login page and chat bot for which the user can access to donate and to request for the required blood group plasma.	I can login through email and social media account for registration.	Medium	Sprint-2
Customer Care Executive	Help desk /User support for App	USN-8	As a helpdesk supporter, I can solve the queries and grievances of the user	I can reply to queries and give solutions to problems	High	Sprint-3
Administrator	Registration support	USN-9	As an admin, I can view the database of the registered user	I can check and verify the registered user's login credentials	Medium	Sprint-4
	Dashboard	USN-9	As an admin, I can manage plasma requests and other technical glitches in the app	I can check request numbers and troubleshoot problems in the app	Medium	Sprint-4
Chat Assistant	Dashboard	USN-10	In addition to customer care executive, I can help with user's queries within the app	I can reply to user's queries in the app	Medium	Sprint-4

6.PROJECT PLANNINGAND SCHEDULING

6.1 Sprint Planning & Estimation

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	4	High	M.kartheeswari S.llakkiya
Sprint-1	Email Confirmation	USN-2	As a user, I will receive confirmation email once I have registered for the application	4	High	B.Lakshmi Priya D.Kethrin Malar
Sprint-1	Registration	USN-3	As a user, I can register for the application through Gmail and other Email services	2	Medium	M.kartheeswari
Sprint-1	Login	USN-4	As a user, I can log into the application by entering email & password	4	High	S.Ilakkiya
Sprint-1	Profile	USN-5	As a user, I am able to register myself as a registered plasma donor and view my profile page.	4	High	B.Lakshmi Priya D.Kethrin Malar
Sprint-2	Social Media	USN-6	As a user, I can link and register to the application through social media accounts	2	Low	B.Lakshmi Priya
Sprint-2	Virtual Donor Badge	USN-7	As a user, I can receive a virtual donor badge once I am successfully registered.	4	Medium	M.kartheeswari S.llakkiya
Sprint-2	Plasma Request	USN-8	As a user, I can place a plasma request or donate plasma. I will include the Hospital details with the request.	4	High	B.Lakshmi Priya D.Kethrin Malar
Sprint-2	Verifying Request	USN-9	As a user, I will wait until my request is verified through Administrators of the app. (We Admins	4	High	M.kartheeswari

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
			will verify the request after confirming with the concerned Hospital)	2 - 2		S.Ilakkiya
Sprint-2	Verifying Donor	USN-10	As a user, I will wait until my donorship is verified through administrators of the app. (We Admins will verify the donor from a list of registered donors and share his details to the requester.)	4	High	B.Lakshmi Priya D.Kethrin Malar
Sprint-3	Donation Alarm	USN-11	The Registered Donor is notified with an alarm and a message regarding the request.	5	High	M.kartheeswari S.llakkiya B.Lakshmi Priy
Sprint-3	Accept the Request	USN-12	As a Donor, I will accept the plasma request based on my interest and volunteer for the donation.	4	Medium	D.Kethrin Malar S.Ilakkiya
Sprint-3	Communication Channel	USN-13	The Communication details of the donor will be sent to the Requester and vice versa. The Requester can personally communicate with the Donor. (Details of the donor will be provided according to the level of urgency)	5	High	M.kartheeswar S.llakkiya
Sprint-3	Donor Details	USN-14	The details of the volunteered donor are stored in the database.	4	Medium	B.Lakshmi Priy D.Kethrin Mala
Sprint-4	Support	USN-15	As a user, I can chat with a chatbot regarding my queries and doubts.	3	Medium	M.kartheeswar B.Lakshmi Priy
Sprint-4	Grievances and FAQ	USN-16	As a user, I can post my worries and grievances in the comment section. I can also find Frequently asked Questions with answers in the FAQ section.	3	Medium	S.llakkiya B.Lakshmi Priy
Sprint-4	Certificate and Rewards	USN-17	As a donor, I will receive an e-certificate after donations. Virtual rewards are also provided to the donor.	3	Low	M.kartheeswar S.llakkiya
Sprint-4	About	USN-18	As a user, I will find about the importance of plasma donation in this section of the application.	3	Medium	S.llakkiya B.Lakshmi Priy
Sprint-4	Administrator		We admins will approve all the plasma transaction in the application after proper verification.	3	High	D.Kethrin Malar


Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
						M.kartheeswari S.llakkiya
Sprint-4			We admins will update the plasma availability and donor count periodically.	3	Medium	M.kartheeswari S.llakkiya B.Lakshmi Priya D.Kethrin Malar
Sprint-4			We admins will give fine touch to the application based on any updates needed in the future.	3	Medium	M.kartheeswari S.llakkiya B.Lakshmi Priya D.Kethrin Malar

6.2 Sprint delivery schedule

Project Tracker:

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	18	6 Days	24 Oct 2022	29 Oct 2022	18	29 Oct 2022
Sprint-2	18	6 Days	31 Oct 2022	05 Nov 2022	18	05 Nov 2022
Sprint-3	18	6 Days	07 Nov 2022	12 Nov 2022	18	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

6.3 Reports from JIRA



7.CODING & SOLUTIONING

7.1 Feature : Python

- Python is a widely-used, interpreted, object-oriented, and high-level programming language with dynamic semantics, used for general-purpose programming. It's everywhere, and people use numerous Python-powered devices on a daily basis, whether they realize it or not.
- Python was created by Guido van Rossum, and first releasedon February 20, 1991.
- Python is derived from many other languages, including ABC, Modula-3, C, C++, Algol-68, Smalltalk, and Unix shell and other scripting languages.
- Python is copyrighted. Like Perl, Python source code is now available under the GNU GeneralPublic License (GPL)
- It is easy to learn the time needed to learn Python is shorter than for many other languages; this means that it's possible to start the actual programming fast
- It is easy to use for writing new software it's often possible to write code faster when using Python.
- It is easy to obtain, install and deploy Python is free, open and multiplatform; not all languages can boast that.
- Programming skills prepare you for careers in almost any industry and are required if you want to continue to more advanced and higher-payingsoftware development and engineering roles.
- Python is now maintained by a core development team at the institute, although Guido van Rossum still holds a vital role in directing its progress.

7.2 Feature 2 : Flask

- **Flask** is a micro web framework written in Python. It is classified as a microframework because it does not requireparticular tools or libraries.
- It has no database abstraction layer, form validation, or any other components where pre-existing third-party libraries provide common functions. However, Flask supports extensions that can add application features as if they were implemented in Flask itself.
- Extensions exist for object-relational mappers, form validation, upload handling, variousopen authentication technologies and several common framework related tools.
- Applications that use the Flask Framework include pinterest and LinkedIn

7.3 Database Scheme

IBM Db2

- DB2 is a database productfrom IBM.
- Itis a Relational Database Management System (RDBMS). DB2 is designed to store, analyzeand retrieve the data efficiently.
- DB2 product is extended with the support of Object-Oriented features and non-relational structures with XML.
- Provide a massively parallelprocessing (MPP) architecture Exploits

Hive, HBase and Apache Spark concurrently for best-in class analytic capabilities.

- Provides low latency supportfor ad-hoc and complex queries, high performance, and federation capabilities Understands dialects from other
- vendors and variousproducts from Oracle,IBM® Db2® and IBM
 Netezza® Enables advanced row and column security.

Kubernates

- **Kubernetes** is also known as '**k8s**'.
- **Kubernetes** is an extensible, portable, and open-source platformdesigned by **Google** in **2014**.
- It is mainly used to automate the deployment, scaling, and operations of the container-based applications across the clusterof nodes.
- Kubernetes helps to manage containerised applications in various types ofphysical, virtual, and cloud environments.
- Google Kubernetes is a highly flexible containertool to consistently deliver complexapplications running on clusters of hundreds to thousands of individual servers
- Kubernetes is the Linuxkernel which is used for distributed systems.
- It helps you to be abstract the underlying hardware of the nodes(servers) and offers a consistent interface for applications that consume the shared pool of resources.

8.TESTING

8.1 Testing

- It is the process of exercising software with the intent of ensuring that the Software system meets its requirements and user expectation and does not fail in an unacceptable manner.
- There are various types of test. Each test type addresses a specific testing requirement

Test case ID	Feature Type	Compon ent	Test Scenario	Steps To Execute	Test Data	Expected Result	Actual Result	Stat	Commn ets	TC for Automation(Y/N)	BU G ID	Execut ed By
LoginPage_TC_ OO1	UI	Admin Login Page	Verify user is able to see the Login/Sig mup popup when user elicked on My account button	1.Enter URL http://127.0.0.1:8000/ and elick go 2.Click on My Account dropdown button 3.Verify login/Singup popup displayed or not	Usernam e: rit password : rit123	Login/Sig nup popup should display and navigate to Admin dashboard	Workin g as expecte d	Pass		Y		Admin
LoginPage_TC_ OO2	Function al	Patient Login page	Verify user is able to log into applicatio n with InValid credential s	1.Enter URL http://127.0.0.1:8000/ and click go 2.Click on 3.Verify login/Singup popup with below Patient elements: a.username text box b.password text box c.Login button	Usernam e: shriram password : 2019011 280	Application should show "Incorrect Username or password" validation message.	Workin g as expecte d	Fail	Steps are not clear to follow	N	BU G- 123 4	Patient

LoginPage_T C_OO3	Functi onal	Donor Login Page	Verify user is able to log into applicati on with Valid credentia ls	1.Enter URL http://127.0.0.1: 8000/and click go 2.Click on 3.Enter Valid username/email in Email text box 4.Enter valid password in password text box 5.Click on login button	Userna me: sathish passwor d: 201901 120	User should navigate to user Donor Home Page	Work ing as expec ted	Pass	Y	Donor
LoginPage_T C_OO4	Functi onal	Patient Login page	Verify user is able to log into applicati on with InValid credentia ls	1.Enter URL http://127.0.0.1: 8000/and click go 2.Click on 3.Enter Valid username/email in Email text box 4.Enter valid password in password text box 5.Click on login button	Userna me: shriram passwor d: 201901 128	User should navigate to user Donor Home Page	Work ing as expec ted	Pass	Y	Patien t

8.2 User Acceptance Testing

1. Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the Plasma Donation Application project at the time of the releasetoUser Acceptance Testing (UAT).

2. Defect Analysis

This report shows the number of resolvedor closed bugs at each severitylevel, and how they were resolved.

Resolution	Severity	Severity	Severity	Severity	Sub
	1	2	3	4	total
By Design	8	4	2	3	17
Duplicate	1	0	2	1	4
External	2	3	0	1	6
Fixed	10	2	5	18	35
Not	0	0	1	0	1
Reproduced					
Skipped	0	0	1	1	2
Won't Fix	0	3	2	1	6
Totals	21	12	13	25	7
					1

3.Test Case Analysis

This report shows the number of test cases that have passed, failed, and untested.

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	8	0	0	8
Client Application	50	0	0	50
Security	2	0	0	2
Outsource Shipping	3	0	0	3
Exception Reporting	10	0	0	10
Final Report Output	6	0	0	6
Version Control	3	0	0	3


9.RESULTS


9.1 Performance metrics


- Project metrics are used to track the progress and performance of a project.
- Monitoring parts of a project like productivity, scheduling, and scopemake it easier for team leaders to see what's on track.
- As a projectevolves, managers need access to changing deadlines or budgets to meet their client's expectations

OUTPUT SCREENS


Login page







IBM Db 2



10.ADVANTAGES & DISADVANTAGES

ADVANTAGES:

- **Speed**: This website is fast and offers great accuracy as compared tomanual registered keeping.
- **Maintenance:** Less maintenance is required
- **User Friendly:** It is very easy to use and understand. It is easily workableand accessible for everyone.
- **Fast Results:**It would help you to provide plasmadonors easilydepending upon the availability of it.

DISADVANTAGES:

- **Internet:** It would require an internet connection for the workingofthe website.
- **Auto- Verification:** It cannot automatically verify the genuineusers.

11.CONCLUSION

- The efficient way of finding plasma door for the infectedpeople is implemented using the plasma donor website that is hosted on IBM Cloud platform.
- To ensure the smooth functioning of the web site operation. I have hosted the websitein IBM Db2 & Kubernates Cluster to make sure the operations are running successfully Cloud lambda function is used and to deploy the application IBM Db2 serviceis used.

12.FUTURE SCOPE

- Upgrading the UI that is more user-friendly which will help many users to access the website and also ensures that many plasma donors can be added into the community.
- Using elastic load balancer, it helps to handle multiple requests at the same time which will maintain the uptime of the website with negligible downtime.

13.APPENDIXES

13.1 SAMPLE SOURCE CODE:

class

```
DONOR
form.py
  class
     DonorUserForm(forms.ModelF
     orm):class Meta:
       model=User
       fields=['first_name','last_name','username','passwor
       d']widgets= {
       'password': forms.PasswordInput()
       }
  class
     DonorForm(forms.ModelF
     orm):class Meta:
       model=models.Donor
       fields=['bloodgroup','address','mobile','profile_pic']
  class
     DonationForm(forms.ModelF
     orm):class Meta:
       model=models.BloodDonate
       fields=['age','bloodgroup','disease','unit']
  model.py
```

Donor(models.Model):

```
user=models.OneToOneField(User,on_delete=models.CASCADE)
file_pic=
models.ImageField(upload_to='profile_pic/Donor/',null=True,blank=Tr
ue)
  bloodgroup=models.CharField(max_length=10)
  address = models.CharField(max_length=40)
  mobile
  models.CharField(max_length=20,null=False)
  @property
  def get_name(self):
    return self.user.first_name+" "+self.user.last_name
  @property
  def
    get_instanc
    e(self):retu
    rn self
  def str (self):
    return self.user.first name
class
                                       BloodDonate(models.Model):
  donor=models.ForeignKey(Donor,on_delete=models.CASCADE)
  disease=models.CharField(max_length=100,default="Nothing")
  age=models.PositiveIntegerField()
  bloodgroup=models.CharField(max_length=10)
  unit=models.PositiveIntegerField(default=0)
  status=models.CharField(max length=20,default="Pending")
  date=models.DateField(auto_now=True)
  def str
```

```
(self): returnse lf.donor
```

view.py

```
donor_signup_view(request):
def
  userForm=forms.DonorUserForm()donorFor
  m=forms.DonorForm()
  mydict={'userForm':userForm,'donorForm':d
  onorForm} ifrequest.method=='POST':
    userForm=forms.DonorUserForm(request.POST)
    donorForm=forms.DonorForm(request.POST,requ
    est.FILES)
                   if
                         userForm.is_valid()
                                                and
    donorForm.is_valid():
      user=userForm.save()
      user.set_password(user.password)
      user.save()
      donor=donorForm.save(commit=Fa
      lse)
      donor.user=user
      donor.bloodgroup=donorForm.cleaned_data['bloodgroup
      '] donor.save()
```

```
Group.objects.get_or_create(name='DONOR')
         my_donor_group
                              =
         my_donor_group[0].user_set.add(user)
       return HttpResponseRedirect('donorlogin')
    return render(request, 'donor/donorsignup.html',context=mydict)
def donor_dashboard_view(request):
     donor=
    models.Donor.objects.get(user_id=request.user.id
    )dict={'requestpending':
  bmodels.BloodRequest.objects.all().filter(request_by_donor=donor).filter(status
  ='Pending').count(),
                                                               'requesta
  pproved':
  bmodels.BloodRequest.objects.all().filter(request_by_donor=donor).filt
  er(status
  ='Approved').count(),
                                                                   'requ
  estmade':
  bmodels.BloodRequest.objects.all().filter(request_by_donor=donor).co
  unt(),
  'requestrejected':
  bmodels.BloodRequest.objects.all().filter(request_by_donor=donor).filt
  er(status
  ='Rejected').count(),
     }
     return render(request, 'donor/donor dashboard.html',context=dict)
```

```
def
  donate_blood_view(request):
  donation form=forms.Donati
  onForm()
  ifrequest.method=='POST':
    donation_form=forms.DonationForm(requ
    est.POST) if donation_form.is_valid():
       blood_donate=donation_form.save(commit=False)
       blood_donate.bloodgroup=donation_form.cleaned_data['bloodg
       roup'|donor= models.Donor.objects.get(user_id=request.user.id)
       blood donate.donor=donor
       blood_donate.save()
       return HttpResponseRedirect('donation-history')
                                                                       ret
urn
render(request,'donor/donate_blood.html',{'donation_form':donation_fo
rm})
def donation_history_view(request):
  donor=models.Donor.objects.get(user_id=request.user.id)
  donations=models.BloodDonate.objects.all().filter(donor=donor)
  return render(request, 'donor/donation history.html', {'donations':donations})
```

```
def
     make_request_view(request
     ):
     request_form=bforms.Requ
     estForm()
     ifrequest.method=='POST':
       request_form=bforms.RequestForm(requ
       est.POST) if request_form.is_valid():
         blood_request=request_form.save(commit=False)
         blood_request.bloodgroup=request_form.cleaned_data['bloodgr
         oup'] donor= models.Donor.objects.get(user_id=request.user.id)
         blood_request_by_donor=donor
         blood_request.save()
         return HttpResponseRedirect('request-history')
return
  render(request,'donor/makerequest.html',{'request_form':request_form})
  def request_history_view(request):
     donor=models.Donor.objects.get(user_id=request.user.id)
     blood_request=bmodels.BloodRequest.objects.all().filter(request_by_dono
      r=
  donor)
  return
```

render(request,'donor/request_history.html',{'blood_request':blood_requ
est});

BLOOD

```
admin.html
{% extends'blood/adminbase.html' %}
{% blockcontent %}
{% load widget_tweaks %}
<style>
       .X
    yz{
    displ
    ay:ta
    ble;
   margin-
   right:
   auto;
   margin-
   left: auto;
       }
</style>
<br>><br>>
<div class="container">
```

```
<div class="row">
   <div class="col-sm-3">
<div class="card bg-light">
     <div class="card-
          body">
            <div
      class="blood">
          <h2>A+ <i class="fas fa-tint"></i></h2>
        </div><br><br>>
        <div>
          \{\{A1.unit\}\}
        </div>
      </div>
    </div>
   </div>
   <div class="col-sm-3">
      <div class="card bg-light">
        <div class="card-body">
          <div class="blood">
             <h2>B+ <iclass="fas fa-tint"></i></h2>
          </div><br><br>>
          <div>
           {{B1.unit}}
```

```
</div>
          </div>
         </div>
     </div>
     <div class="col-sm-3">
<div class="card bg-light">
 <div class="card-body">
            <div class="blood">
              <h2>O+ <i class="fas fa-tint"></i></h2>
            </div><br><br>>
            <div>
             {{O1.unit}}
            </div>
          </div>
         </div>
      </div>
      <div class="col-sm-3">
       <div class="card bg-light">
          <div class="card-body">
            <div class="blood">
              <h2>AB+ <i class="fas fa-tint"></i></h2>
```

```
</div><br><br>>
         <div>
           {{AB1.unit}}
         </div>
       </div>
      </div>
    </div>
 </div>
  <div
class="ro
  w">
   <div class="col-sm-3">
    <div class="card bg-light">
    <div class="card-
         body">
           <div
      class="blood">
         <h2>A- <iclass="fas fa-tint"></i></h2>
       </div><br><br>>
       <div>
        {{A2.unit}}
       </div>
 </div>
```

```
</div>
     </div>
     <div class="col-sm-3">
<div class="card bg-light">
 <div class="card-body">
            <div class="blood">
              <h2>B- <i class="fas fa-tint"></i></h2>
            </div><br><br>>
            <div>
             {{B2.unit}}
            </div>
          </div>
         </div>
     </div>
     <div class="col-sm-3">
<div class="card bg-light">
 <div class="card-body">
            <div class="blood">
              <h2>O- <i class="fas fa-tint"></i></h2>
            </div><br><br>>
            <div>
```

```
{{O2.unit}}
            </div>
          </div>
         </div>
      </div>
      <div class="col-sm-3">
<div class="card bg-light">
          <div class="card-body">
            <div class="blood">
              <h2>AB- <i class="fas fa-tint"></i></h2>
            </div><br><br>>
            < div >
             {{AB2.unit}}
            </div>
          </div>
         </div>
      </div>
    </div>
 <hr>>
 <br>
 <h3 class="text-center">Update Blood Unit</h3><br>
```

```
<div class="xyz">
 <form class="form-inline" method="POST">
    {% csrf_token %}
    <div class="form-group mx-sm-3mb-6">
<select name="bloodgroup" class="form-control">
         <option
                                               disabled="disabled"
selected="selected">Choose
                                            BloodGroup</option>
         <option>O+</option>
         <option>O-</option>
         <option>A+</option>
         <option>A-</option>
         <option>B+</option>
         <option>B-</option>
         <option>AB+</option>
         <option>AB-</option>
       </select>
     </div>
    <div class="form-group mx-sm-3mb-6">
<input type="number" class="form-control" name="unit" placeholder="Unit">
    </div>
    <button type="submit" class="btn btn-primary mb-2">Update</button>
```

```
</form>
  </div>
  </div>
  {% endblockcontent %}
  Index.html
  {% load static %}
  <!DOCTYPE html>
  <head>
<sty
 le>
 .xy
  z{}
margin-bottom: 0px;
        background-image:
                                                    url('{%
        static"image/homepage3.png" %}'); background-size:
        cover;
        background-repeat:no-repeat;
       }
      </style>
  </head>
```

```
<body>
   {% include"blood/navbar.html" %}
  <br>
               id="section-jumbotron"
  <section
                                       style="margin-bottom:
  0px;" class="jumbotron jumbotron-fluid d-flex justify-content-center
  align-items- center xyz">
    <div class="container text-center">
      <br>
  <br>
  </div>
   </section>
  <div class="jumbotron" style="margin-top: 0px;margin-bottom: 0px;">
                 class="lead
                                    text-center"><h3
                                                     align
  ="center">"PNT2022TMID26437"</h3>
                        <p
align="center">KARTHEESWARI
                    M 
       ILAKKIYA S
       LASKHMI PRIYA B
        KETHRIN MALAR D<br>
  <h5 align = "center"><b>"Saving a life
  won't costyou anything. Go ahead and donatePlasma"</b></h5>
```

 $<\!\!/div\!\!>\!\!\{\%\ include"blood/footer.html"\ \%\}<\!\!/body\!\!>$

13.2 GITHUB

https://github.com/IBM-EPBL/IBM-Project-8707-1658927490

PROJECT DEMO LINK

https://drive.google.com/file/d/1iqheKt3L42O98pwtdZQv6mIREgvNAp/view?usp=share_link