


Project Design Phase II Technology Stack (Architecture & Stack)

[L]
[SEP]

Date	15 October 2022
Team ID	PNT2022TMID05133
Project Name	Project-Signs with Smart Connectivity for Better Safety
Maximum Marks	4 Marks

Technical Structure: [P] [SEP]



GUIDELINES:

- Smart Connectivity based signboards are used to replace static signboards.
-
- Based on situations, like high traffic, construction or branch on the road etc the diversion signs are changed.
-
- Sign boards in the vicinity of schools, hospitals, restaurants etc have signs displayed accordingly.
-
- Speed limitations can be sent through a web app, which gets weather conditions from weather API and changed in the signboards.
-
- Many different operation can be updated like finding the number of passengers in a vehicle, helps in finding stolen vehicles easily.

S.NO	Component	Description	Technology
1	User Interface	In what way the user interacts with the application, in this case Web UI app	Javascript, HTML,CSS
2	Application Logic -2	A logic for the process in the application	IBM Watson STT Service
3	Application Logic-3	A logic for the process application	IBM Watson Assistant
4	Cloud Database	Cloud which has database service	IBM DB2,IBM Cloudant

5	External API-1	Purpose of external API in the application	IBM Weather API
---	----------------	--	-----------------

Table-1: Components & Technologies

Table-2: Application Characteristics

S.NO	Characteristics	Description	Technology
1	Security Implementations	A very strong security system where no one will be able access without login credentials	Firestore. Firewall, Cyber resiliency strategy
2	Scalable Architecture	By increasing the bandwidth, the operating range can be increased	IoT,Internet
3	Availability	Available 24/7	IBM Cloud
4	Performance	It can support a large amount of users to access the technology	IBM Cloud