


Assignment 3

Student Name	Santhana Selvi T
Team ID	PNT2022TMID05298

1.Create a bucket in ibm cloud storage




The screenshot displays the IBM Cloud Object Storage interface. On the left, a sidebar lists navigation options: Cloud Object Storage, Storage instances, Cloud Object Storage-14, Buckets (selected), Integrations, Endpoints, Usage details, Service credentials, Connections, and Plan. The main content area is titled 'Buckets' and includes a search bar and a 'Create bucket' button. Below this, a table lists existing buckets:


Name	Public access ⓘ	Location ⓘ	Storage class	Created
ibmcloudtestbucket.1	Yes	jp-tok	Smart Tier	2022-11-09 10:39 PM

The Windows taskbar at the bottom shows the system clock as 01:39 on 10-11-2022.


2.Upload an 5 images to IBM object storage and make it public. Write html code to displaying all the 5 images.



HTML Code to display the images in IBM Object Storage.




3.Upload a css page to the object storage and use the same page in your HTML code.



The screenshot shows the Visual Studio Code editor with the file explorer on the left and the editor window displaying the `model.css` file. The code defines styles for a web page, including a hero section with a background image and a navigation menu.

```
1 *{
2   padding: 0;
3   margin: 0;
4   font-family: 'Josefin Sans', sans-serif;
5   box-sizing: border-box;
6 }
7 .hero{
8   height: 100vh;
9   width: 100%;
10  background-image: url(../img/bg.jpg);
11  background-size: cover;
12  background-position: center;
13 }
14 nav{
15   display: flex;
16   align-items: center;
17   justify-content: space-between;
18   padding-top: 45px;
19   padding-left: 8%;
20   padding-right: 8%;
21 }
22 .logo{
23   color: white;
24   font-size: 35px;
25   letter-spacing: 1px;
26   cursor: pointer;
27 }
28 span{
29   color: #f9004d;
30 }
31 nav ul li{
32   list-style-type: none;
```




The screenshot shows the Visual Studio Code editor with the file explorer on the left and the editor window displaying the `image.html` file. The code is an HTML document that links to the `model.css` file and includes several image tags with specific styles.

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <title>Scenarios</title>
5 <link rel="stylesheet" type="text/css" href="model.css">
6 </head>
7 <body style="background-color: #pink;">
8   <h1>Nature</h1>
9   
10  <br>
11  
12  <br>
13  
14  <br>
15  
16  <br>
17  
18  <br>
19 </body>
20 </html>
```

4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

Link:

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-399e2bae-acc1-4acb-89ae-68e89ea573bc%3A%3A5585e8f6-f3f1-4213-b412-eb43ba3d8c6b&integrationID=7ad09780-30da-4af8-94c8-8d6f79aa155f®ion=au-syd&serviceInstanceID=399e2bae-acc1-4acb-89ae-68e89ea573bc>



5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page

```
File Edit Selection View Go Run Terminal Help
C:\Users\ELCOT> Documents> assignment3> index.html
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Chatbot example Website</title>
5 <link rel="stylesheet" type="text/css" href="https://website-static.s3.jp-tok.cloud-object-storage.appdomain.cloud/css/style.css">
6 <link rel="preconnect" href="https://fonts.gstatic.com">
7 <link href="https://fonts.googleapis.com/css2?family=Josefin+Sans:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900">
8
9 <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css" integrity="sha512-18BXm8fW90+nuLcSK1bm"
10 <script>
11 window.watsonAssistantChatOptions = {
12   integrationID: "7ad09788-30da-4af8-94c8-8d6f79aa155f", // The ID of this integration.
13   region: "au-syd", // The region your integration is hosted in.
14   serviceInstanceID: "399e2bae-acc1-4acb-89ae-68e89ea573bc", // The ID of your service instance.
15   onLoad: function(instance) { instance.render(); }
16 };
17 setTimeout(function(){
18   const t=document.createElement('script');
19   t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest')
20   document.head.appendChild(t);
21 });
22 </script>
23 </head>
24 <body>
25 <div class="hero">
26 <nav>
27 <h2 class="logo">Hi<span> Everyone</span></h2>
28 <a class="btn">Welcome to Hospital Management</a>
29 </nav>
30 </div>
31 </body>
32 </html>
```

