


# Assignment 3

Student Name	Ridthi R
Team ID	PNT2022TMID05298


## 1. Create a bucket in ibm cloud storage




The screenshot shows the IBM Cloud Object Storage console. The left sidebar contains navigation links: Cloud Object Storage, Storage instances, Cloud Object Storage-f4, Buckets (selected), Integrations, Endpoints, Usage details, Service credentials, Connections, and Plan. The main content area is titled 'Buckets' and includes a search bar, a 'Create bucket' button, and a table of existing buckets.

Name	Public access	Location	Storage class	Created
ibmcloudtestbucket.1	Yes	jp-tok	Smart Tier	2022-11-09 10:39 PM


## 2. Upload an 5 images to IBM object storage and make it public. Write html code to displaying all the 5 images.



HTML Code to display the images in IBM Object Storage.




3. Upload a css page to the object storage and use the same page in your HTML code.



The screenshot shows the Visual Studio Code editor with a file named `model.css` open. The code defines styles for a web page, including a `body` with padding, margin, font-family, and box-sizing. It also defines styles for a `.hero` section with height, width, background image, size, and position. A `nav` section is styled with flexbox, and a `.logo` is styled with color, font-size, letter-spacing, and cursor. A `span` is styled with a specific color, and a `nav ul li` is styled with `list-style-type: none`.

```
1 *{
2   padding: 0;
3   margin: 0;
4   font-family: 'Josefin Sans', sans-serif;
5   box-sizing: border-box;
6 }
7 .hero{
8   height: 100vh;
9   width: 100%;
10  background-image: url(../img/bg.jpg);
11  background-size: cover;
12  background-position: center;
13 }
14 nav{
15  display: flex;
16  align-items: center;
17  justify-content: space-between;
18  padding-top: 45px;
19  padding-left: 8%;
20  padding-right: 8%;
21 }
22 .logo{
23  color: white;
24  font-size: 35px;
25  letter-spacing: 1px;
26  cursor: pointer;
27 }
28 span{
29  color: #f9004d;
30 }
31 nav ul li{
32  list-style-type: none;
```




The screenshot shows the Visual Studio Code editor with a file named `image.html` open. The code is an HTML document that includes a DOCTYPE declaration, language attribute, and a title. It links to an external CSS file named `model.css`. The body has a pink background color and contains a heading `<h1>Nature</h1>` followed by five image tags, each with a specific source URL and width/height attributes.

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <title>Scenarios</title>
5 <link rel="stylesheet" type="text/css" href="model.css">
6 </head>
7 <body style="background-color: #f08080;">
8   <h1>Nature</h1>
9   
10  <br>
11  
12  <br>
13  
14  <br>
15  
16  <br>
17  
18  <br>
19 </body>
20 </html>
```

4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

Link:

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageUrl=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-399e2bae-acc1-4acb-89ae-68e89ea573bc%3A%3A5585e8f6-f3f7-4213-b412-eb43ba3d8c6b&integrationID=7ad09780-30da-4af8-94c8-8d6f79aa155f&region=au-syd&serviceInstanceID=399e2bae-acc1-4acb-89ae-68e89ea573bc>



5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page



Edit with WPS Office

```
File Edit Selection View Go Run Terminal Help
C:\Users> ELCOT > Documents > assignment3 > index.html > html > body > div.hero > nav > h2.logo
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Chatbot example Website</title>
5 <link rel="stylesheet" type="text/css" href="https://website-static.s3.jp-tok.cloud-object-storage.appdomain.cloud/css/style.css">
6 <link rel="preconnect" href="https://fonts.gstatic.com">
7 <link href="https://fonts.googleapis.com/css2?family=Josefin+Sans:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900">
8
9 <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css" integrity="sha512-iBBXm8fW90+nuLcSK1bm
10 <script>
11 window.watsonAssistantChatOptions = {
12   integrationID: "7ad89780-38da-4af8-94c8-8d6f79aa155f", // The ID of this integration.
13   region: "au-syd", // The region your integration is hosted in.
14   serviceInstanceID: "399e2bae-acc1-4acb-80ae-68e89ea573bc", // The ID of your service instance.
15   onLoad: function(instance) { instance.render(); }
16 };
17 setTimeout(function(){
18   const t=document.createElement('script');
19   t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest')
20   document.head.appendChild(t);
21 });
22 </script>
23 </head>
24 <body>
25 <div class="hero">
26 <nav>
27 <h2 class="logo">Hi<span> Everyone</span></h2>
28 <a class="btn">Welcome to Hospital Management</a>
29 </nav>
30 </div>
31 </body>
32 </html>
```

