

## Assignment - 4

### Wowki & IBM Cloud

<b>Assignment Date</b>	30 October 2022
<b>Student Name</b>	Kumaran N T
<b>Student Roll Number</b>	310819106044
<b>Maximum Marks</b>	2 Marks

Question-1:

Write code and connections in wowki for the ultrasonic sensor. Whenever the distance is less than 100cms sent "alert" to IBM cloud and display in device recent events.

Code:

```
#include <WiFi.h>
#include <PubSubClient.h>
#include <ArduinoJson.h>

WiFiClient wifiClient;

#define ORG "oa3490"
#define DEVICE_TYPE "TestDeviceType"
#define DEVICE_ID "12345"
#define TOKEN "-A)0raS44f)fdjYBVS"
#define speed 0.034

char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/abcd_1/fmt/json"; char topic[]
= "iot-2/cmd/home/fmt/String"; char authMethod[] = "use-token-
auth"; char token[] = TOKEN;

char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient); void
publishData();

const int trigpin=5;
```

```

const int echopin=18;
String command;
String data="";
String lat="14.167589";
String lon="80.248510";
String name="point2";
String icon="";

long duration;
int dist;

void setup()
{
  Serial.begin(115200) ;
  pinMode(trigpin, OUTPUT)
  ; pinMode(echopin, INPUT)
  ; wifiConnect();
  mqttConnect();
}

void loop()  {

  publishData();
  delay(500) ;

  if (!client.loop()) {
    mqttConnect();
  }
}

void wifiConnect() {
  Serial.print("Connecting to "); Serial.print("Wifi")
  ; WiFi.begin("Wokwi-GUEST", "", 6) ; while (
  WiFi.status() != WL_CONNECTED)  {
    delay(500) ;
    Serial.print(".") ;
  }
  Serial.print("WiFi connected, IP address: ") ;
  Serial.println( WiFi.localIP());
}
void mqttConnect() {
  if (! client.connected()) {

```

```

        Serial.print("Reconnecting MQTT client to ") ;
Serial.println( server); while (!client.connect(clientId,
authMethod, token)) { Serial.print(".") ; delay(1000)
;
}
initManagedDevice(); Serial.println()
;
}
}

void initManagedDevice() {
if ( client.subscribe(topic)) {
    Serial.println( client.subscribe(topic));
    Serial.println("subscribe to cmd OK") ;
} else {
    Serial.println("subscribe to cmd FAILED") ;
} } void
publishData()
{ digitalWrite(trigpin,LOW) ;
digitalWrite(trigpin,HIGH) ;
delayMicroseconds(10) ;
digitalWrite(trigpin,LOW) ;
duration=pulseIn(echopin,HIGH)
; dist=duration*speed/2;

if(dist<100){
    dist=100- dist; icon="fa-
trash";
}else{ dist=0;
    icon="fa-trash-
o";
}

DynamicJsonDocument doc(1024) ;
String payload; doc["Name"]=
name; doc["Latitude"]= lat;
doc["Longitude"]= lon;
doc["Icon"]= icon;
doc["FillPercent"]= dist;
serializeJson(doc, payload);
delay(3000) ;
Serial.print("\n") ;

Serial.print("Sending payload: ") ; Serial.println(
payload);


```

```

if (client.publish(publishTopic, (char*) payload.c_str())) {
    Serial.println("Publish OK") ;
} else {
    Serial.println("Publish FAILED") ;
}
}

```

## Connections:



## Output:

The Wokwi IDE interface shows the following sketch code:

```
1 #include <WiFi.h>
2 #include <PubSubClient.h>
3 #include <ArduinoJson.h>
4
5 WiFiClient wificlient;
6
7 #define ORG "oa3490"
8 #define DEVICE_TYPE "TestDeviceType"
9 #define DEVICE_ID "12345"
10 #define TOKEN "-A)0raS44f)fdjYBVS"
11 #define speed 0.034
12
13 char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
14 char publishTopic[] = "iot-2/evt/abcd_1/fmt/json";
15 char topic[] = "iot-2/cmd/home/fmt/String";
16 char authMethod[] = "use-token-auth";
17 char token[] = TOKEN;
18 char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
19 PubSubClient client(server, 1883, wificlient);
20 void publishData();
21
22 const int trigPin=5;
23 const int echopin=18;
24 String command;
25 String data="";
26 String lat="14.167589";
27 String lon="80.248510";
28 String name="point2";
29 String icon="";
30
31 long duration;
32 int dist;
33
34 void setup()
35 {
```

The simulation window shows the ESP32 board connected to the HC-SR04 ultrasonic sensor. The distance is 94cm. The console output shows the following messages:

```
trash", "FillPercent": 6}
Publish OK

Sending payload:
{"Name": "point2", "Latitude": "14.167589", "Longitude": "80.248510", "Icon": "fa-trash", "FillPercent": 6}
Publish OK
```

## Output :( IBM Cloud)

The IBM Watson IoT Platform dashboard shows the following information:

- Device ID: 12345
- Status: Disconnected
- Device Type: TestDeviceType
- Class ID: Device
- Date Added: Oct 25, 2022 12:17 PM

The recent events listed show the live stream of data that is coming and going from this device.

Event	Value	Format	Last Received
event_1	{"Alert Distance": 8}	json	a few seconds ago
event_1	{"Alert Distance": 81}	json	a few seconds ago
event_1	{"Alert Distance": 56}	json	a few seconds ago
event_1	{"Alert Distance": 98}	json	a few seconds ago
event_1	{"Alert Distance": 72}	json	a few seconds ago

1 Simulation running

Link : <https://wokwi.com/projects/346923806488527443>