FINAL CODE

LOGIN PAGE

REGISTER PAGE

FINAL PAGE






MOJO
DERBY
OF FASHION
BUY NOW
Hi! I'm a virtual assistant.
How can I help you today?
Example: Find nearby location
Example: Check account balance
Example: See how I can help
Type something...


Watson Assistant
Man Corut
Price
Man Pent -shirt
Woman Fashions
Female
Chudidhar


02 WHAT IS SAYS OUR CUSTOMER
come up with ur money and get back our fashion here
five star *****
SIDHU
FOLLOW US
Watson Assistant
Example: See how I can help
Thanks! What's your last name?
Thanks for the information..!!


MOJO
02
ALLEN SOLLY
OF FASHION
BUY NOW
Watson Assistant
How many pieces do you want to purchase?
2
Do you want to confirm your ORDER..?
Yes
Enter Your Address
Thank you for your order!Your product will be
reach you within 2 days.
Stay tune....Welcome!


File | C:/xampp/htdocs/uixo-html/uixo-html/index.html
YouTube
Taxi
Gmail
YouTube
Maps
Man and woman watches
See More
New
Man
Price ₹2000
New
Woman
Price ₹4000
New
Woman
Price ₹5000
New
Man
Price ₹4000
Loading More


File | C:/xampp/htdocs/uixo-html/uixo-html/index.html
YouTube
Taxi
Gmail
YouTube
Maps
MOJO
02
ALLEN SOLLY
OF FASHION
HOME
SHOP
BUY NOW


MOJO
03
DERBY
OF FASHION
BUY NOW


01 / SHOP THE LATEST
Man Fashions
See More
Man Corut
Price ₹10000
Buy now
Buy now
Man Pent -shirt
Price ₹7000
New
Man Corut
Price ₹4000
New
Man Pent -shirt
Price ₹6000
Woman Fashions
See More
New
Buy now


Man Fashions
See More
Buy now
Man Corut
Price ₹10000
Buy now
Buy now
Man Pent -shirt
Price ₹7000
New
Man Corut
Price ₹4000
New
Man Pent -shirt
Price ₹6000
Woman Fashions
See More
Woman
Price ₹6000
Buy now
New
Woman
Price ₹4000
Buy now
Woman
Price ₹2000
Woman
Price ₹2000
Buy now


IBM Db2 on Cloud
Load Data
Load History
Tables
Views
Indexes
Aliases
MQTs
Sequences
Application objects
Find schemas or tables
Refresh
Schemas
Name
Type
Tables
DTP46044
User
5
Total: 1, selected: 1
Tables
New table
Name
Schema
Properties
ORDERS
DTP46044
PRODUCTS
DTP46044
PRODUCT_LEVEL
DTP46044
PRODUCT_VIEW
DTP46044
USERS
DTP46044
Total: 5, selected: 0





02 / **WHAT IS SAYS OUR CUSTOMER**

1)app.py [Flask Code] :

from turtle import st

from flask import Flask, render_template, request, redirect, url_for, session from markupsafe import escape

import os

from sendgrid import SendGridAPIClient from sendgrid.helpers.mail import Mail import ibm_db

conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=824dfd4d-99de-440d-9991-629c01b3832d.bs2io90l08kqb1od8lcg.databases.appdomain.cloud;PORT=30119;SECURITY=SSL;SSLServerCer tificate=DigiCertGlobalRootCA.crt;UID=xhx40038;PWD=BDz5ow7439yj5PEd",",")

print ("Database connection established", conn) app = Flask(name)

@app.route('/') def home():

return render_template('index.html') @app.route('/addstudent')

def new_student():

message = Mail(from_email="nithishjaganathanpersonal@gmail.com",to_emails="nithishjaganathan@gmail.com",subject=" Account Registered Successfully",html_content=" Your account has been created using you provided email address. ")

try:

sg = SendGridAPIClient("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")

response = sg.send(message) except Exception as e:

print(e)

return render_template('add_student.html') @app.route('/loginpage')

def loginpage():

return render_template('loginpage.html')

@app.route('/hpage') def hpage():

return render_template('hpage.html') @app.route('/result')

def result():

return render_template('result.html') @app.route('/addrec',methods = ['POST', 'GET']) def addrec():

if request.method == 'POST':

name = request.form['name'] email = request.form['email']

password = request.form['password']

sql = "SELECT * FROM userdata WHERE name=? " stmt = ibm_db.prepare(conn, sql) ibm_db.bind_param(stmt,1,name) ibm_db.execute(stmt)

account = ibm_db.fetch_assoc(stmt) if account:

return render_template('loginpage.html', msg="please login using your details") else:

insert_sql = "INSERT INTO userdata VALUES (?,?,?)" prep_stmt = ibm_db.prepare(conn, insert_sql) ibm_db.bind_param(prep_stmt, 1, name)

ibm_db.bind_param(prep_stmt, 2, email)

ibm_db.bind_param(prep_stmt, 3, password) ibm_db.execute(prep_stmt)

return render_template('index.html', msg="Registered successfully") @app.route('/check',methods = ['POST', 'GET'])

def check():

if request.method == 'POST': email = request.form['email']

password = request.form['password']

sql = "SELECT * FROM userdata WHERE email=? and password= ?" stmt = ibm_db.prepare(conn, sql)

ibm_db.bind_param(stmt,1,email) ibm_db.bind_param(stmt,2,password) ibm_db.execute(stmt)

account = ibm_db.fetch_assoc(stmt) if account:

return render_template('result.html', msg="SUCCESSFULLY LOGIN") else:

return render_template('loginpage.html', msg="Please check your credentials!")

2) registration.html :

<html>

<head>

</head>

<body bgcolor="#ADD8E6">

<h3 class="">Registration Form</h3>

<form>

<label class="form-label" for="firstName">First Name</label>

<input type="text" id="firstName" class="form-control form-control-lg"
/>

<label class="form-label" for="lastName">Last Name</label>

<input type="text" id="lastName" class="form-control form-control-lg"
/>

Gender


```
<input class="form-check-input" type="radio" name="inlineRadioOptions" id="femaleGender"
value="option1" />
<label class="form-check-label" for="femaleGender">Female</label>
</div>
   
<div class="form-check form-check-inline">
<input class="form-check-input" type="radio" name="inlineRadioOptions" id="maleGender"
value="option2" />
<label class="form-check-label" for="maleGender">Male</label>
</div>
   
<div class="form-check form-check-inline">
<input class="form-check-input" type="radio" name="inlineRadioOptions" id="otherGender"
value="option3" />
<label class="form-check-label" for="otherGender">Other</label>
</div>
   
</div>
      

<div class="row">


<div class="form-outline">
<label class="form-label"
for="emailAddress">Email</label>          &n
bsp     
<input type="email" id="emailAddress" class="form-control form-control-lg"
/>      


</div>


</div>
```


<label class="form-label" for="phoneNumber">Phone Number</label>

<input type="tel" id="phoneNumber" class="form-control form-control-lg" />

<label class="form-label select-label">Choose option the location</label>

<select class="select form-control-lg">

<option value="1" disabled>Choose option the location </option>

<option value="2">place</option>

<option value="3">Subject 2</option>

<option value="4">Subject 3</option>

</select>

<input class="btn btn-primary btn-lg" type="submit" value="Submit" />


```
</form>
</div>
</div>
</div>
</div>
</div>
</div></center>
</body>
</html>
```

3) loginpage.html :

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<title> Login Page </title>
<style>
Body {
  font-family: Calibri, Helvetica, sans-serif;
  background-color: pink;
}
button {
       background-color: #4CAF50;
       width: 100%;
        color: light yellow;
        padding: 15px;
        margin: 10px 0px;
        border: none;
        cursor: pointer;
         }
 form {
```

```
        border: 3px solid #f1f1f1;
    }
  input[type=text], input[type=password] {
        width: 100%;
        margin: 8px 0;
        padding: 12px 20px;
        display: inline-block;
        border: 2px solid green;
        box-sizing: border-box;
    }
  button:hover {
        opacity: 0.7;
    }
   .cancelbtn {
        width: auto;
        padding: 10px 18px;
        margin: 10px 5px;
    }


  .container {
        padding: 25px;
        background-color: lightblue;
    }
</style>
</head>
<body>
    <center> <h1> mojo login </h1> </center>
    <form>
        <div class="container">
            <label>Username : </label>
            <input type="text" placeholder="Enter Username" name="username" required>
```

```
        <label>Password : </label>
        <input type="password" placeholder="Enter Password" name="password" required>
        <button type="submit">Login</button>
        <input type="checkbox" checked="checked"> Remember me
        <button type="button" class="cancelbtn"> Cancel</button>
        Forgot <a href="#"> password? </a>
      </div>
   </form>
</body>
</html>
```

4) final.html :

```
<body>
<form action="http://localhost/uixo-html/uixo-html/log.php" method="post">
<div class="hero_area">
<!-- header section strats -->
<header class="header_section">
<div class="container-fluid">
<nav class="navbar navbar-expand-lg custom_nav-container">
<div class="fk_width" id="">
<div class="custom_menu-btn">
<button onclick="openNav()">
<span class="s-1"> </span>
<span class="s-2"> </span>
<span class="s-3"> </span>
</button>
</div>
<div id="myNav" class="overlay">
<div class="overlay-content">
<a href="index.html">HOME</a>
<a href="shop.html">SHOP</a>
```

```
</div>
</div>
</div>
<a class="navbar-brand" href="index.html">
<span>
MOJO
</span>
</a>
<div>

<button class="btn  my-2 my-sm-0 nav_search-btn" type="submit"></button>

</div>
</nav>
</div>
</header>
<!-- end header section -->
<!-- slider section -->
<section class=" slider_section position-relative">
<div class="number-box">
<hr>
<div class="social_box">
<a href="https://www.facebook.com/people/Sidhes-War/100005779697839/">
<img src="images/fb.png" alt="">
</a>
<a href="">
<img src="images/twitter.png" alt="">
</a>
<a href="https://www.instagram.com/sidhes007/">
<img src="images/insta.png" alt="">
</a>
</div>
```

```
<hr>
</div>
<div class="container">
<div class="row">
<div class="col-lg-7 col-md-10">
<div id="carouselExampleIndicators" class="carousel slide" data-ride="carousel">
<div class="carousel-inner">
<div class="carousel-item active">
<div class="detail-box">
<div class="indicator_number">
01
</div>
<h2>
NIKE
</h2>
<h1>
of fashion
</h1>
<div>
<a href="">
Buy Now
</a>
</div>
</div>
</div>
<div class="carousel-item ">
<div class="detail-box">
<div class="indicator_number">
02
</div>
<h2>
allen solly
```

```
</h2>
<h1>
of fashion
</h1>
<div>
<a href="">
Buy Now
</a>
</div>
</div>
</div>
<div class="carousel-item ">
<div class="detail-box">
<div class="indicator_number">
03
</div>
<h2>
DERBY
</h2>
<h1>
of fashion
</h1>
<div>
<a href="">
Buy Now
</a>
</div>
</div>
</div>
</div>
<a class="carousel-control-prev" href="#carouselExampleIndicators" role="button" data-slide="prev">
<span class="sr-only">Previous</span>
```

```
</a>
<a class="carousel-control-next" href="#carouselExampleIndicators" role="button" data-slide="next">
<span class="sr-only">Next</span>
</a>
</div>

</div>
</div>
</div>
</section>

<!-- end slider section -->
</div>

<!-- category section -->

<section class="category_section ">
<div class="container">
<div class="category_container">
<div class="box">

<div class="img-box">
<img src="images/fashion.png" alt="" class="img-1">
<img src="images/fashion-yellow.png" alt="" class="img-2">
</div>
<h6>
New Fashion
</h6>

</div>
<div class="box">
```

```
<div class="img-box">
<img src="images/clothing.png" alt="" class="img-1">
<img src="images/clothing-yellow.png" alt="" class="img-2">
</div>
<h6>
Clothing
</h6>

</div>
<div class="box">

<div class="img-box">
<img src="images/watch.png" alt="" class="img-1">
<img src="images/watch-yellow.png" alt="" class="img-2">
</div>
<h6>
Watches
</h6>

</div>
<div class="box">
<a href="">
<div class="img-box">
<img src="images/accessory.png" alt="" class="img-1">
<img src="images/accessory-yellow.png" alt="" class="img-2">
</div>
<h6>
Accessories
</h6>
</a>
</div>
<div class="box">
```

```
<a href="">
<div class="img-box">
<img src="images/jacket.png" alt="" class="img-1">
<img src="images/jacket-yellow.png" alt="" class="img-2">
</div>
<h6>
Sweaters & Jackets
</h6>
</a>
</div>
</div>
</div>
</section>
<!-- end category section -->

<!-- shop section -->

<section class="shop_section layout_padding-top layout_padding2-bottom">
<div class="container-fluid">
<div class="custom_heading">
<h4>
01
</h4>
<hr>
<h3>
Shop The Latest
</h3>
</div>
<div class="shop_content">
<div class="shop_heading">
<h4>
Man Fashions
```

```
</h4>
<a href="">
See More
</a>
</div>
<div class="shop_container">
<div class="box">

<div class="img-box">
<img src="images/m-1.png" alt="">
</div>
<div class="detail-box">
<h6>
Man Corut
</h6>
<h6>
Price
<span>
₹10000
</span>
</h6>
</div>

<input type="submit" value="Buy now"/>

</div>
<div class="box">

<div class="img-box">
<img src="images/m-2.png" alt="">
</div>
<div class="detail-box">
```

```
<h6>
Man Pent -shirt
</h6>
<h6>
Price
<span>
₹7000
</span>
</h6>
</div>
<div class="new">
<span>
<input type="submit" value="Buy now"/>
</span>
</div>

</div>
<div class="box">
<a href="">
<div class="img-box">
<img src="images/m-3.png" alt="">
</div>
<div class="detail-box">
<h6>
Man Corut
</h6>
<h6>
Price
<span>
₹4000
</span>
</h6>
```

```
</div>
<div class="new">
<span>
New
</span>
</div>
</a>
</div>
<div class="box">
<a href="">
<div class="img-box">
<img src="images/m-4.png" alt="">
</div>
<div class="detail-box">
<h6>
Man Pent -shirt
</h6>
<h6>
Price
<span>
₹6000
</span>
</h6>
</div>
<div class="new">
<span>
New
</span>
</div>
</a>
</div>
</div>
```

```
</div>
<div class="shop_content">
<div class="shop_heading">
<h4>
Woman Fashions
</h4>
<a href="">
See More
</a>
</div>
<div class="shop_container">
<div class="box">

<div class="img-box">
<img src="images/w-1.png" alt="">
</div>
<div class="detail-box">
<h6>
Woman
</h6>
<h6>
Price
<span>
₹6000
</span>
</h6>
</div>
<input type="submit" value="Buy now"/>


</div>
<div class="box">
```

```
<div class="img-box">
<img src="images/w-2.png" alt="">
</div>
<div class="detail-box">
<h6>
Woman
</h6>
<h6>
Price
<span>
₹4000
</span>
</h6>
</div>
<div class="new">
<span>
New
</span>
</div>

</div>
<div class="box">

<div class="img-box">
<img src="images/w-3.png" alt="">
</div>
<div class="detail-box">
<h6>
Woman
</h6>
<h6>
```

```
Price
<span>
₹2000
</span>
</h6>
</div>
<div class="new">
<span>
<input type="submit" value="Buy now"/>
</span>
</div>

</div>
<div class="box">

<div class="img-box">
<img src="images/w-4.png" alt="">
</div>
<div class="detail-box">
<h6>
Woman
</h6>
<h6>
Price
<span>
₹2000
</span>
</h6>
</div>

<span>
<input type="submit" value="Buy now"/>
```

```
</span>



</div>
</div>
</div>
<div class="shop_content">
<div class="shop_heading">
<h4>
Man and woman watches
</h4>

See More

</div>
<div class="shop_container">
<div class="box">
<a href="">
<div class="img-box">
<img src="images/watch-1.png" alt="">
</div>
<div class="detail-box">
<h6>
Man
</h6>
<h6>
Price
<span>
₹2000
</span>
</h6>
</div>
```

```
<div class="new">
<span>
<input type="submit" value="Buy now"/>
</span>
</div>

</div>
<div class="box">

<div class="img-box">
<img src="images/watch-2.png" alt="">
</div>
<div class="detail-box">
<h6>
Woman
</h6>
<h6>
Price
<span>
₹4000
</span>
</h6>
</div>
<div class="new">
<span>
New
</span>
</div>

</div>
<div class="box">
```

```
<div class="img-box">
<img src="images/watch-3.png" alt="">
</div>
<div class="detail-box">
<h6>
Woman
</h6>
<h6>
Price
<span>
₹5000
</span>
</h6>
</div>
<div class="new">
<span>
New
</span>
</div>

</div>
<div class="box">

<div class="img-box">
<img src="images/watch-4.png" alt="">
</div>
<div class="detail-box">
<h6>
Man
</h6>
<h6>
Price
```

```
<span>
₹4000
</span>
</h6>
</div>
<div class="new">
<span>
New
</span>
</div>

</div>
</div>
</div>
</div>
</section>

<!-- end shop section -->

<!-- loading box -->

<div class="loading_box">
<div class="img-box">
<img src="images/loader.png" alt="">
</div>
<div class="detail-box">
<h6>
Loading More
</h6>
</div>
</div>
```

```
<!-- end loading box -->

<!-- get section -->

<section class="get_section">
<div class="container-fluid">
<div class="row">
<div class="col-md-6 offset-md-1">
<div class="detail-box">
<h2>
Get <span>50%</span> off on Every Iteams
</h2>
<p>
"what I Find most intersting in fashion is that it has to refleet our have to witness your own moment"
</p>
<a href="">
Buy Now

</div>
</div>
<div class="col-md-5">
<div class="img-box">
<img src="images/get-img.jpg" alt="">
</div>
</div>
</div>
</div>
</section>

<!-- end get section -->
```

```
<!-- client section -->

<section class="client_section layout_padding">
<div class="container">
<div class="custom_heading">
<h4>
02
</h4>
<hr>
<h3>
What is says our customer
</h3>
</div>
</div>
<div class="client_container layout_padding2-top">
<div id="carouselExample2Controls" class="carousel slide" data-ride="carousel">
<div class="carousel-inner">
<div class="carousel-item active">
<div class="container">
<div class="box">
<div class="detail-box">
<p>
I found various brands here with exciting offers and all new collections available love it
</p>
<p>
its really awesome and good quality products and seen only orginal items

</p>
</div>
<div class="client-id">
<div class="img-box">
<img src="" alt="">
```

```
</div>
<div class="name">
<h5>
jisholin
</h5>
<h6>
student
</h6>
</div>
</div>
</div>
</div>
</div>
<div class="carousel-item">
<div class="container">
<div class="box">
<div class="detail-box">
<p>
come up with ur money and get back our fashion here

</p>
<p>
five star *****
</p>
</div>
<div class="client-id">
<div class="img-box">
<img src="images/client.jpg" alt="">
</div>
<div class="name">
<h5>
SIDHU
```

```
</h5>
<h6>
enterpruner
</h6>
</div>
</div>
</div>
</div>
</div>
<div class="carousel-item">
<div class="container">
<div class="box">
<div class="detail-box">
<p>
chet it out only orginal products available
</p>
<p>
nice quality and many collections
</p>
</div>
<div class="client-id">
<div class="img-box">
<img src="" alt="">
</div>
<div class="name">
<h5>
THENNI
</h5>
<h6>
student
</h6>
</div>
```

```
</div>
</div>
</div>
</div>


<div class="carousel-item">
<div class="container">
<div class="box">
<div class="detail-box">
<p>
Many brand they have it
</p>
<p>
I such love it
</p>
</div>

<div class="client-id">
<div class="img-box">
<img src="" alt="">
</div>
<div class="name">
<h5>
Rakul
</h5>
<h6>
student
</h6>
</div>
</div>
</div>
```

```
</div>
</div>
</div>
<a class="carousel-control-prev" href="#carouselExample2Controls" role="button" data-slide="prev">
<span class="sr-only">Previous</span>
</a>
<a class="carousel-control-next" href="#carouselExample2Controls" role="button" data-slide="next">
<span class="sr-only">Next</span>
</a>
</div>

</div>
</div>
</section>
<!-- end client section -->


<!-- footer section -->
<footer class="footer_section layout_padding2">
<div class="social_container">
<h4>
Follow Us
</h4>
<div class="social-box">
<hr>
<div>
<a href="https://www.facebook.com/people/Sidhes-War/100005779697839/">
<img src="images/fb.png" alt="">
</a>
</div>
<hr>
<div>
```

```
<a href="">
<img src="images/twitter.png" alt="">
</a>
</div>
<hr>
<div>
<a href="https://www.instagram.com/sidhes007/">
<img src="images/insta.png" alt="">
</a>
</div>
<hr>
</div>
</div>

</footer>
<!-- footer section -->

<script src="js/jquery-3.4.1.min.js"></script>
<script src="js/bootstrap.js"></script>
</script>
<script>
function openNav() {
document.getElementById("myNav").classList.toggle("menu_width");
document
.querySelector(".custom_menu-btn")
.classList.toggle("menu_btn-style");

}
</script>
</form>
</body>
</html>
```

5) Shop.html

```
<title>MOJO</title>
<!-- bootstrap core css -->
<link rel="stylesheet" type="text/css" href="css/bootstrap.css" />
<!-- fonts style -->
<link
href="https://fonts.googleapis.com/css?family=Open+Sans:400,700|Poppins:400,500,700&display=swap"
rel="stylesheet" />
<!-- Custom styles for this template -->
<link href="css/style.css" rel="stylesheet" />
<!-- responsive style -->
<link href="css/responsive.css" rel="stylesheet" />
</head>
<body class="sub_page">
<div class="hero_area">
<!-- header section strats -->
<header class="header_section">
<div class="container-fluid">
<nav class="navbar navbar-expand-lg custom_nav-container">
<div class="fk_width" id="">
<div class="custom_menu-btn">
<button onclick="openNav()">
<span class="s-1"> </span>
<span class="s-2"> </span>
<span class="s-3"> </span>
</button>
</div>
<div id="myNav" class="overlay">
<div class="overlay-content">
<a href="index.html">HOME</a>
<a href="shop.html">SHOP</a>
```

```
</div>
</div>
</div>
<a class="navbar-brand" href="index.html">
<span>
MOJO
</span>
</a>
<div>
<form class="form-inline my-2 my-lg-0 mb-3 mb-lg-0">
<button class="btn my-2 my-sm-0 nav_search-btn" type="submit"></button>
</form>
</div>
</nav>
</div>
</header>
<!-- end header section -->
</div>
<!-- category section -->
<section class="category_section ">
<div class="container">
<div class="category_container">
<div class="box">
<a href="" class="active">
<div class="img-box">
<img src="images/fashion.png" alt="" class="img-1">
<img src="images/fashion-yellow.png" alt="" class="img-2">
</div>
<h6>
New Fashion
</h6>
</a>
```

```
</div>
<div class="box">
<a href="">
<div class="img-box">
<img src="images/clothing.png" alt="" class="img-1">
<img src="images/clothing-yellow.png" alt="" class="img-2">
</div>
<h6>
Clothing
</h6>
</a>
</div>
<div class="box">
<a href="">
<div class="img-box">
<img src="images/watch.png" alt="" class="img-1">
<img src="images/watch-yellow.png" alt="" class="img-2">
</div>
<h6>
Watches
</h6>
</a>
</div>
<div class="box">
<a href="">
<div class="img-box">
<img src="images/accessory.png" alt="" class="img-1">
<img src="images/accessory-yellow.png" alt="" class="img-2">
</div>
<h6>
Accessories
</h6>
```

```
</a>
</div>
<div class="box">
<a href="">
<div class="img-box">
<img src="images/jacket.png" alt="" class="img-1">
<img src="images/jacket-yellow.png" alt="" class="img-2">
</div>
<h6>
Sweaters & Jackets
</h6>
</a>
</div>
</div>
</div>
</section>
<!-- end category section -->
<!-- shop section -->
<section class="shop_section layout_padding-top layout_padding2-bottom">
<div class="container-fluid">
<div class="custom_heading">
<h4>
01
</h4>
<hr>
<h3>
Shop The Latest
</h3>
</div>
<div class="shop_content">
<div class="shop_heading">
<h4>
```

Man Fashions

</h4>

<a href="">

See More

</a>

<a href="">

<img src="images/m-1.png" alt="">

<h6>

Man Corut

</h6>

<h6>

Price

₹10000

</h6>

New

</a>

<a href="">

<img src="images//m-2.png" alt="">

<h6>
Man Pent -shirt
</h6>
<h6>
Price

₹7000

</h6>

New

</a>

<a href="">

<img src="images/m-3.png" alt="">

<h6>
Man Corut
</h6>
<h6>
Price

₹4000

</h6>

New

</a>

<a href="">

<h6>
Man Pent -shirt
</h6>
<h6>
Price

₹6000

</h6>

New

```
</div>
</a>
</div>
</div>
</div>
<div class="shop_content">
<div class="shop_heading">
<h4>
Woman Fashions
</h4>
<a href="">
See More
</a>
</div>
<div class="shop_container">
<div class="box">
<a href="">
<div class="img-box">
<img src="images/w-1.png" alt="">
</div>
<div class="detail-box">
<h6>
Woman
</h6>
<h6>
Price
<span>
₹6000
</span>
</h6>
</div>
<div class="new">
```

```
<span>
New
</span>
</div>
</a>
</div>
<div class="box">
<a href="">
<div class="img-box">
<img src="images/w-2.png" alt="">
</div>
<div class="detail-box">
<h6>
Woman
</h6>
<h6>
Price
<span>
₹4000
</span>
</h6>
</div>
<div class="new">
<span>
New
</span>
</div>
</a>
</div>
<div class="box">
<a href="">
<div class="img-box">
```

<img src="images/w-3.png" alt="">

<h6>

Woman

</h6>

<h6>

Price

₹2000

</h6>

New

</a>

<a href="">

<img src="images/w-4.png" alt="">

<h6>

Woman

</h6>

<h6>

Price

```
₹2000
</span>
</h6>
</div>
<div class="new">
<span>
New
</span>
</div>
</a>
</div>
</div>
</div>
<div class="shop_content">
<div class="shop_heading">
<h4>
Man and woman watches
</h4>
<a href="">
See More
</a>
</div>
<div class="shop_container">
<div class="box">
<a href="">
<div class="img-box">
<img src="images/watch-1.png" alt="">
</div>
<div class="detail-box">
<h6>
Man
</h6>
```

<h6>
Price

₹2000

</h6>

New

</a>

<a href="">

<img src="images/watch-2.png" alt="">

<h6>
Woman
</h6>
<h6>
Price

₹4000

</h6>

```
New
</span>
</div>
</a>
</div>
<div class="box">
<a href="">
<div class="img-box">
<img src="images/watch-3.png" alt="">
</div>
<div class="detail-box">
<h6>
Woman
</h6>
<h6>
Price
<span>
₹5000
</span>
</h6>
</div>
<div class="new">
<span>
New
</span>
</div>
</a>
</div>
<div class="box">
<a href="">
<div class="img-box">
<img src="images/watch-4.png" alt="">
```

```
</div>
<div class="detail-box">
<h6>
Man
</h6>
<h6>
Price
<span>
₹4000
</span>
</h6>
</div>
<div class="new">
<span>
New
</span>
</div>
</a>
</div>
</div>
</div>
</div>
</section>
<!-- end shop section -->
<!-- loading box -->
<div class="loading_box">
<div class="img-box">
<img src="images/loader.png" alt="">
</div>
<div class="detail-box">
<h6>
Loading More
```

```
</h6>
</div>
</div>
<!-- end loading box -->
<!-- footer section -->
<footer class="footer_section layout_padding2">
<div class="social_container">
<h4>
Follow Us
</h4>
<div class="social-box">
<hr>
<div>
<a href="">
<img src="images/fb.png" alt="">
</a>
</div>
<hr>
<div>
<a href="">
<img src="images/twitter.png" alt="">
</a>
</div>
<hr>
<div>
<a href="">
<img src="images/insta.png" alt="">
</a>
</div>
<hr>
</div>
</div>
```

```
</footer>
<!-- footer section -->
<script src="js/jquery-3.4.1.min.js"></script>
<script src="js/bootstrap.js"></script>
</script>
<script>
function openNav() {
document.getElementById("myNav").classList.toggle("menu_width");
document
.querySelector(".custom_menu-btn")
.classList.toggle("menu_btn-style");
}
</script>
</body>
</html>
```