

TEAM ID	PNT2022TMID05381
PROJECT NAME	Smart Waste Management System for Metropolitan Cities

Creating the node red services



IBM Cloud Foundry Public is deprecated. [Learn more](#)

IBM Cloud API key

YdWlJtX81dOwX-jRmTa-2KLrrC5WHU27miQummlXd-yV [New](#) +

Number of instances

1

Memory allocation per instance

64 MB 2000 MB 256

Region Organization Space

London psna psna

Host Domain

node-red-ykrfq-2022-11-09 eu-gb.mybluemix.net

Cancel Next

ASK A QUESTION

[Resource list](#) / [App details](#) /
Node RED YKRFQ 2022-11-09 [Add tags](#) ²

Details

App URL

You must deploy your app first

Source

Download code

Resource group

Default

Deployment target

You must deploy your app first

Created

11/9/2022

Services

Cloudant

[Open dashboard](#) [Documentation](#) [API reference](#)

Credentials ▾

Connect existing services

Create service

Deployment Automation

Configure Continuous Delivery

Continuous Delivery is not enabled for this app. Enable Continuous Delivery to automate builds, tests, and deployments through Delivery Pipeline, GitLab, and more.

Generating code...

Getting started quickly

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)

2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.

3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.

4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.

ASK A QUESTION

[Resource list](#) / [App details](#) /
Node RED YKRFQ 2022-11-09 [Add tags](#) ²

Details

Services

Cloudant

[Open dashboard](#) [Documentation](#) [API reference](#)

Credentials ▾

Connect existing services

Create service

Deployment Automation

Name

NodeREDYKRFQ2022-11-09

Location

Dallas

Tool integrations

Delivery Pipelines

Name

pr-pipeline

Status

No stages detected

Name

ci-pipeline

Status

No stages detected

Getting started quickly

Success!

Your DevOps toolchain is created

11/9/2022, 2:51:29 PM

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)

2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.

3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.

4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.

ASK A QUESTION

Node RED YKRFQ 2022-11-09 [Add tags](#)

Actions...

Details

App URL You must deploy your app first

Source [Download code](#)Resource group [Default](#)

Deployment target You must deploy your app first

Created 11/9/2022

Services

Cloudant

[Open dashboard](#) [Documentation](#) [API reference](#)

Credentials ▾

[Connect existing services](#) +[Create service](#) +

Deployment Automation

Name [NodeREDYKRFQ2022-11-09](#)

Location Dallas

Tool integrations

Delivery Pipelines

Name [pr-pipeline](#)

Status No stages detected

Name [ci-pipeline](#)

Status In progress



Getting started quickly

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.

ASK A QUESTION

Node RED YKRFQ 2022-11-09 [Add tags](#)

Actions...

Details

App URL <https://node-red-ykrfq-2022-11-09-eu-gb.mybluemix.net>Source <https://us-south.git.cloud.ibm.com/karkuveldevi/NodeREDYKR...>Resource group [Default](#)Deployment target [Node RED YKRFQ 2022-11-09](#)

Created 11/9/2022

Services

Cloudant

[Open dashboard](#) [Documentation](#) [API reference](#)

Credentials ▾

[Connect existing services](#) +[Create service](#) +

Deployment Automation

Name [NodeREDYKRFQ2022-11-09](#)

Location Dallas

Tool integrations

Delivery Pipelines

Name [pr-pipeline](#)

Status No stages detected

Name [ci-pipeline](#)

Status Success



Getting started quickly

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.

ASK A QUESTION