```
In [1]:
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense
from tensorflow.keras.layers import Convolution2D
from tensorflow.keras.layers import MaxPooling2D
from tensorflow.keras.layers import Flatten
In [2]:
from tensorflow.keras.preprocessing.image import ImageDataGenerator
In [3]:
from google.colab import drive
drive.mount('/content/drive')
Drive already mounted at /content/drive; to attempt to forcibly remount, call drive.mount
("/content/drive", force_remount=True).
In [ ]:
!unzip '/content/drive/MyDrive/Flowers-Dataset.zip'
Image Augmentation
In [5]:
train datagen = ImageDataGenerator(rescale=1./255,
                                    zoom range=0.2,
                                    horizontal flip=True)
In [6]:
test datagen = ImageDataGenerator(rescale=1./255)
In [7]:
xtrain = train datagen.flow from directory('/content/flowers',
                                            target size=(64,64),
                                            class mode='categorical',
                                            batch size=100)
Found 4317 images belonging to 5 classes.
In [8]:
xtest = test datagen.flow from directory('/content/flowers',
                                          target size=(64,64),
                                          class mode='categorical',
                                          batch size=100)
Found 4317 images belonging to 5 classes.
Model
Compile The Model
```

model.add(Convolution2D(32,(3,3),activation = 'relu',input shape = (64,64,3)))

In [9]:

model = Sequential()

model.add(Flatten())

model.add(MaxPooling2D(pool_size = (2,2)))

model.add(Dense(300, activation = 'relu'))

```
model.add(Dense(5, activation = 'softmax'))
In [10]:
model.compile(optimizer = 'adam',loss = 'categorical crossentropy',metrics = ['accuracy'
Fit The Model
In [11]:
model.fit generator(xtrain, steps per epoch=108, epochs=30, validation data=xtest, validation
_steps=27)
/usr/local/lib/python3.7/dist-packages/ipykernel launcher.py:1: UserWarning: `Model.fit g
enerator` is deprecated and will be removed in a future version. Please use `Model.fit`,
which supports generators.
  """Entry point for launching an IPython kernel.
Epoch 1/30
44/108 [=======>.....] - ETA: 41s - loss: 1.9497 - accuracy: 0.3537
WARNING: tensorflow: Your input ran out of data; interrupting training. Make sure that your
dataset or generator can generate at least `steps per epoch * epochs` batches (in this ca
se, 3240 batches). You may need to use the repeat() function when building your dataset.
37 - val_loss: 1.2284 - val_accuracy: 0.4837
Out[11]:
<keras.callbacks.History at 0x7f5e55e9ce50>
Save The Model
In [12]:
model.save('Flowers.h5')
Test The Model
In [13]:
from tensorflow.keras.models import load model
from tensorflow.keras.preprocessing import image
import numpy as np
In [14]:
img = image.load img('/content/flowers/tulip/9976515506 d496c5e72c.jpg',target size=(64,6
4))
In [15]:
img
Out[15]:
In [24]:
x=image.img_to_array(img)
x=np.expand dims(x,axis=0)
In [23]:
```

nred nroh=model nredict(x)

```
1/1 [===========] - 0s 22ms/step
In [25]:

op = ['daisy', 'dandelion', 'rose', 'sunflower', 'tulip']
op[pred]
Out[25]:
'tulip'
```