


## Project Design Phase-II Technology Stack (Architecture & Stack)

|               |                                                           |
|---------------|-----------------------------------------------------------|
| Date          | 15 <sup>th</sup> November 2022                            |
| Team ID       | PNT2022TMID05386                                          |
| Project Name  | GAS LEAKAGE MONITORING AND ALERTING SYSTEM FOR INDUSTRIES |
| Maximum Marks | 4 MARKS                                                   |

### Technical architecture:

Figure: Gas Leakage Monitoring and Alerting System



**Table-1 : Components & Technologies:**

| S.No | Component               | Description                                                                                                                        | Technology                                             |
|------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| 1.   | User Interface          | User has to register and we can able to view the other device. ex: using web UI, mobile app etc.,                                  | HTML, CSS, JavaScript                                  |
| 2.   | IOT Application Logic-1 | Owner's device should be connected to the system                                                                                   | Python                                                 |
| 3.   | IOT Application Logic-2 | Owner's device should be in on condition                                                                                           | IBM Watson STT service                                 |
| 4.   | IOT Application Logic-3 | If gas leakage is detected the notification message is send to the owner                                                           | IBM Watson Assistant                                   |
| 5.   | Database                | Data type can be any form such as text, User defined blob of data sent from cloud IOT core device etc.,                            | SQ lite, In Flux DB                                    |
| 6.   | File Storage            | File with be labelled with what they contain and how long they should be kept                                                      | IBM Block Storage or Local File system                 |
| 7.   | External API-1          | Purpose of External API used in the device is to use the internet for communicating and conducting allotted operations efficiency. | Aadhar API, etc.                                       |
| 8.   | Machine Learning Model  | IOT and machine learning delivers insights otherwise hidden in data for rapid automated response and improved decision making      | Object Recognition Model, Danger prediction Model etc. |

**Table-2: Application Characteristics:**

| S.No | Characteristics          | Description                                                                                                                                                   | Technology                                                                                              |
|------|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| 1.   | Open-Source Frameworks   | Device that removes much of the manual work needed to write and configure code. It provides rapid development ,is easy to setup and has a strong support base | IOT Zeta for nonstop streaming of detecting gas leakage level,                                          |
| 2.   | Security Implementations | Alert notification Enabled with GPS module received in owner mobile.                                                                                          | e.g. SHA-256, Encryptions of data regarding gas level, firewalls, Antivirus, data loss prevention etc., |
| 3.   | Scalable Architecture    | If a problem arises owner can see the problems and check gas level simultaneously                                                                             | Multiple Data store Technologies , Reliable, Micro services Automated Bootstrapping                     |

|             |                        |                                                                                                                                          |                             |
|-------------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| 4.          | Availability           | *sensor to detect the leakage and LCD Display to show gas level                                                                          | GSM module, raspberry pi    |
| <b>S.No</b> | <b>Characteristics</b> | <b>Description</b>                                                                                                                       | <b>Technology</b>           |
|             |                        | *whenever the gas leakage is sensed the message is delivered to the owner                                                                |                             |
| 5.          | Performance            | *the alert notification is sent to the owner without any delay when leakage is detected<br>*immediate actions are taken after detection. | High durable device battery |