IMPLEMENTING WEB APPLICATION

TEAM ID:	**PNT2022TMID05326**
PROJECT NAME:	**CUSTOMER CARE REGISTRY**
COLLEGE NAME:	**PSNA COLLEGE OF ENGINEERING & TECHNOLOGY**

TEAM INFO

TEAM LEAD	**SHAMIM AHAMED J**
TEAM MEMBER-01	**SATHEESH PERIYANAN R**
TEAM MEMBER-02	**RIYAAS MOHAMED N**
TEAM MEMBER-03	**ROBIN SINGH D**

CREATE IBM DB2 AND CONNECT WITH PYTHON:

STEP 1: Import the ibm_db Python library:

```
!pip install --force-reinstall ibm_db==3.1.0

ibm_db_sa==0.3.7

import ibm_db
```

STEP 2: Identify the database connection credentials:

```
dsn_hostname =
"84afae526a442a783e90feb004a15a7.databases.appdomain.cloud"
dsn_uid = "951919CS054@smartinternz.com"
dsn_pwd = "6TTgx8MRBzT45o3q"

dsn_driver = "{IBM DB2 ODBCDRIVER}"

dsn_database = "BLUDB" # e.g. "BLUDB"

dsn_port = "32328"     # e.g. "32733"

dsn_protocol = "TCPIP" # i.e. "TCPIP"

dsn_security = "SSL" #i.e. "SSL"
```

STEP 3: Create the DB2 database connection:

```
dsn = (

    "DRIVER={0};"

    "DATABASE={1};"

    "HOSTNAME={2};"

    "PORT={3};"

    "PROTOCOL={4};"

    "UID={5};"
```

```
    "PWD={6};"
    "SECURITY={7};").format(dsn_driver, dsn_database, dsn_hostname, dsn_port,
 dsn_protocol, dsn_uid, dsn_pwd,dsn_security)
print(dsn)
```

Now establish the connection to the database

```
try:
    conn = ibm_db.connect(dsn, "", "") print ("Connected to database: ", dsn_database, "as user: ",
 dsn_uid, "on host: ", dsn_hostname)
 except:
 print ("Unable to connect: ", ibm_db.conn_errormsg() )
 server = ibm_db.server_info(conn)

 print ("DBMS_NAME: ", server.DBMS_NAME)
 print ("DBMS_VER: ", server.DBMS_VER)
 print ("DB_NAME: ", server.DB_NAME)

 client = ibm_db.client_info(conn)

 print ("DRIVER_NAME: ", client.DRIVER_NAME)
  print ("DRIVER_VER:  ", client.DRIVER_VER)
 print ("DATA_SOURCE_NAME: ", client.DATA_SOURCE_NAME)
 print ("DRIVER_ODBC_VER: ", client.DRIVER_ODBC_VER)
print ("ODBC_VER: ", client.ODBC_VER) print ("ODBC_SQL_CONFORMANCE: ",
client.ODBC_SQL_CONFORMANCE) print ("APPL_CODEPAGE:  ", client.APPL_CODEPAGE)
print ("CONN_CODEPAGE: ", client.CONN_CODEPAGE)
```

STEP 4: Close the Connection:

```
ibm_db.close(conn)
```