Project Development Phase Sprint 3 Source code

Date	12 November 2022
Team ID	PNT2022TMID38060
Project Name	VirtualEye-Life Guard for swimming pools to detect active drowning
Maximum Mark	8

```
import requests
import progressbar as pb
import os
import cv2
import numpy as np
import time
[5:36 pm, 12/11/2022] Revathi: def download_file(url, file_name, dest_dir):
  if not os.path.exists(dest_dir):
     os.makedirs(dest dir)
  full_path_to_file = dest_dir + os.path.sep + file_name
  if os.path.exists(dest_dir + os.path.sep + file_name):
     return full_path_to_file
  print("Downloading " + file_name + " from " + url)
  try:
     r = requests.get(url, allow_redirects=True, stream=True)
  except:
     print("Could not establish connection. Download failed")
     return None
  file_size = int(r.headers['Content-Length'])
  chunk size = 1024
  num_bars = round(file_size / chunk_size)
  bar = pb.ProgressBar(maxval=num_bars).start()
  if r.status code != requests.codes.ok:
     print("Error occurred while downloading file")
     return None
```

```
count = 0
  with open(full_path_to_file, 'wb') as file:
    for chunk in r.iter_content(chunk_size=chunk_size):
       file.write(chunk)
       bar.update(count)
       count +=1
  return full path to file
[5:36 pm, 12/11/2022] Revathi: initialize = True
net = None
dest dir = os.path.expanduser('~') + os.path.sep + '.cvlib' + os.path.sep + 'object detection' +
os.path.sep + 'yolo' + os.path.sep + 'yolov3'
classes = None
#colors are BGR instead of RGB in python
COLORS = [0,0,255], [255,0,0]
def populate_class_labels():
  #we are using a pre existent classifier which is more reliable and more efficient than one
  #we could make using only a laptop
  #The classifier should be downloaded automatically when you run this script
  class file name = 'yolov3 classes.txt'
  class_file_abs_path = dest_dir + os.path.sep + class_file_name
  url = 'https://github.com/Nico31415/Drowning-Detector/raw/master/yolov3.txt'
  if not os.path.exists(class_file_abs_path):
    download file(url=...
[5:37 pm, 12/11/2022] Revathi: def get_output_layers(net):
  #the number of output layers in a neural network is the number of possible
  #things the network can detect, such as a person, a dog, a tie, a phone...
  layer_names = net.getLayerNames()
  output_layers = [layer_names[i[0] - 1] for i in net.getUnconnectedOutLayers()]
  return output layers
def draw bbox(img, bbox, labels, confidence, Drowning, write conf=False):
  global COLORS
  global classes
  if classes is None:
    classes = populate_class_labels()
  for i, label in enumerate(labels):
    #if the person is drowning, the box will be drawn red instead of blue
    if label == 'person' and Drowning:
```

```
color = COLORS[0]
       label = 'DROWNING'
    else:
       color = COLORS[1]
    if write conf:
       label += ' ' + str(format(confidence[i] * 100, '.2f')) + '%'
    #you only need to points (the opposite corners) to draw a rectangle. These points
    #are stored in the variable bbox
    cv2.rectangle(img, (bbox[i][0],bbox[i][1]), (bbox[i][2],bbox[i][3]), color, 2)
    cv2.putText(img, label, (bbox[i][0],bbox[i][1]-10), cv2.FONT_HERSHEY_SIMPLEX, 0.5, color,
2)
  return img
def detect common objects(image, confidence=0.5, nms thresh=0.3):
  Height, Width = image.shape[:2]
  scale = 0.00392
  global classes
  global dest_dir
  #all the weights and the neural network algorithm are already preconfigured
  #as we are using YOLO
  #this part of the script just downloads the YOLO files
  config_file_name = 'yolov3.cfg'
  config_file_abs_path = dest_dir + os.path.sep + config_file_name
  weights_file_name = 'yolov3.weights'
  weights_file_abs_path = dest_dir + os.path.sep + weights_file_name
  url = 'https://github.com/Nico31415/Drowning-Detector/raw/master/yolov3.cfg'
  if not os.path.exists(config file abs path):
    download_file(url=url, file_name=config_file_name, dest_dir=dest_dir)
  url = 'https://pjreddie.com/media/files/yolov3.weights'
  if not os.path.exists(weights_file_abs_path):
    download_file(url=url, file_name=weights_file_name, dest_dir=dest_dir)
```

```
classes = populate_class_labels()
  net = cv2.dnn.readNet(weights_file_abs_path, config_file_abs_path)
  initialize = False
blob = cv2.dnn.blobFromImage(image, scale, (416,416), (0,0,0), True, crop=False)
net.setInput(blob)
outs = net.forward(get_output_layers(net))
class_ids = []
confidences = []
boxes = []
for out in outs:
  for detection in out:
     scores = detection[5:]
     class_id = np.argmax(scores)
     max_conf = scores[class_id]
     if max_conf > confidence:
       center_x = int(detection[0] * Width)
       center_y = int(detection[1] * Height)
       w = int(detection[2] * Width)
       h = int(detection[3] * Height)
       x = center_x - w / 2
       y = center_y - h / 2
       class_ids.append(class_id)
       confidences.append(float(max_conf))
       boxes.append([x, y, w, h])
indices = cv2.dnn.NMSBoxes(boxes, confidences, confidence, nms_thresh)
bbox = []
label = []
conf = []
for i in indices:
  i = i[0]
  box = boxes[i]
  x = box[0]
  y = box[1]
  w = box[2]
  h = box[3]
  bbox.append([round(x), round(y), round(x+w), round(y+h)])
  label.append(str(classes[class_ids[i]]))
  conf.append(confidences[i])
```

if initialize:

```
return bbox, label, conf
#for PiCamera
#from picamera Import PiCamera
#camera = PiCamera
#camera.start preview()
# open webcam
webcam = cv2.VideoCapture(0)
if not webcam.isOpened():
  print("Could not open webcam")
  exit()
t0 = time.time() #gives time in seconds after 1970
#variable dcount stands for how many seconds the person has been standing still for
centre0 = np.zeros(2)
isDrowning = False
#this loop happens approximately every 1 second, so if a person doesn't move,
#or moves very little for 10seconds, we can say they are drowning
#loop through frames
while webcam.isOpened():
  # read frame from webcam
  status, frame = webcam.read()
  if not status:
    print("Could not read frame")
    exit()
  # apply object detection
  bbox, label, conf = cv.detect_common_objects(frame)
  #simplifying for only 1 person
  \#s = (len(bbox), 2)
  if(len(bbox)>0):
       bbox0 = bbox[0]
       \#centre = np.zeros(s)
       centre = [0,0]
       #for i in range(0, len(bbox)):
         #centre[i] =[(bbox[i][0]+bbox[i][2])/2,(bbox[i][1]+bbox[i][3])/2 ]
       centre =[(bbox0[0]+bbox0[2])/2,(bbox0[1]+bbox0[3])/2]
```

```
#make vertical and horizontal movement variables
       hmov = abs(centre[0]-centre0[0])
       vmov = abs(centre[1]-centre0[1])
       #there is still need to tweek the threshold
       #this threshold is for checking how much the centre has moved
       x=time.time()
       threshold = 10
       if(hmov>threshold or vmov>threshold):
          print(x-t0, 's')
          t0 = time.time()
          isDrowning = False
       else:
          print(x-t0, 's')
          if((time.time() - t0) > 10):
            isDrowning = True
       #print('bounding box: ', bbox, 'label: ' label ,'confidence: ' conf[0], 'centre: ', centre)
       #print(bbox,label ,conf, centre)
       print('bbox: ', bbox, 'centre:', centre, 'centre0:', centre0)
       print('Is he drowning: ', isDrowning)
       centre0 = centre
       # draw bounding box over detected objects
  out = draw_bbox(frame, bbox, label, conf,isDrowning)
  #print('Seconds since last epoch: ', time.time()-t0)
  # display output
  cv2.imshow("Real-time object detection", out)
  # press "Q" to stop
  if cv2.waitKey(1) \& 0xFF == ord('q'):
     break
# release resources
webcam.release()
cv2.destroyAllWindows()
```