

ASSIGNMENT 4

Team Batch No: B6-M2E

TEAM MEMBERS

1. PALANIKUMAR R
2. BOOPATHI D
3. SABARI VIGNESH M
4. SATHEESH AJO A

TEAM ID: PNT2022TMID12582

Question 1:

Pull an image from docker hub and run it in docker playground.

03:57:32

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.8
node1

cddvksm0_cddvkvm0qau000a07j5g

IP: 192.168.0.8

OPEN PORT

Memory: 1.24% (49.52MiB / 3.906GiB)

CPU: 0.31%

SSH: ssh ip172-18-0-22-cddvksm0qau000a07j50@direct.labs.pla

DELETE

EDITOR

```
#####
# WARNING!!!!
# This is a sandbox environment. Using personal credentials
# is HIGHLY! discouraged. Any consequences of doing so are
# completely the user's responsibilities.
#
# The PwD team.
#####
[node1] (local) root@192.168.0.8 ~
$ docker pull hello-world
Using default tag: latest
latest: Pulling from library/hello-world
2db29710123e: Pull complete
Digest: sha256:e18f0a777aefabe047a671ab3ec3eed05414477c951ab1a6f352a06974245fe7
Status: Downloaded newer image for hello-world:latest
docker.io/library/hello-world:latest
[node1] (local) root@192.168.0.8 ~
$ docker run hello-world
```

Activate Windows
Go to Settings to activate Windows.

03:57:05

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.8
node1

cddvksm0_cddvkvm0qau000a07j5g

IP
192.168.0.8

OPEN PORT

Memory
1.26% (50.45MiB / 3.906GiB)

CPU
0.39%

SSH
ssh ip172-18-0-22-cddvksm0qau000a07j50@direct.labs.pla

DELETE

EDITOR

2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
(amd64)

3. The Docker daemon created a new container from that image which runs the
executable that produces the output you are currently reading.

4. The Docker daemon streamed that output to the Docker client, which sent it
to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
\$ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
<https://hub.docker.com/>

For more examples and ideas, visit:
<https://docs.docker.com/get-started/>

[node1] (local) root@192.168.0.8 ~
\$

Activate Windows
Go to Settings to activate Windows.

Question 2:

Create a docker file for the jobportal application and deploy it in Dockerdesktop application.

DOCKERFILE:

```
1 FROM python:3.8-buster
2
3 WORKDIR /app
4
5 COPY requirements.txt /app/
6
7 RUN pip install -r requirements.txt
8
9 COPY . /app/
10
11 RUN cp .env.dev.sample .env
12
13 EXPOSE 8000
14
15 RUN chmod +x entrypoint.sh
16
17 CMD ["sh", "entrypoint.sh"]
```

DEPLOYMENT OF JOBPORTAL APPLICATION:

Containers

Images

Volumes

Dev Environments BETA

Extensions BETA

Add Extensions

Containers [Give feedback](#)

A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. [Learn more](#)

☐ Only show running containers

<input type="checkbox"/>	NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
<input type="checkbox"/>	<div>agitated_neumann</div> <div>918d20882039</div>	icr.io/helloapp/ibm:latest	Exited (137)	49160:8080		<div></div> <div></div> <div></div>
<input type="checkbox"/>	<div>jolly_turing</div> <div>b62c0712bdd3</div>	jobportalapplication:latest	Running	1234:8000	4 minutes ago	<div></div> <div></div> <div></div>

Showing 2 items

RAM 3.06GB CPU 0.57% Connected to Hub v4.13.0

OUTPUT:

Find Jobs

Web Developer

Web Developer at Motive Company.

Apply

Android Developer

Android Developer at Believe Company.

Apply

IoT Developer

IoT Developer at Norway P&L Company.

Apply

Pen Tester

Pen Tester at AGC company.

Apply

Computer & Information Research Scientist

Computer & Information Research Scientist at GPSC company.

Apply

Computer & Information Systems Manager (CISM)

Computer & Information Systems Manager (CISM) at HYT company.

Apply

Computer Hardware Engineer

Computer Hardware Engineer at Tech company.

Apply

Big Data Engineer

Big Data Engineer at SMGT company.


Apply

Question 3:


Create a IBM container registry and deploy helloworld app

or jobportapp.IBM CONTAINER REGISTRY

DEPLOYMENT:




OUTPUT:



Question 4:


Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport.
CREATING KUBERNETES CLUSTER IN IBM CLOUD AND EXPOSING NODEPORT:



The screenshot shows the IBM Cloud Clusters dashboard for a cluster named 'mycluster-free'. The cluster is in a 'Normal' state and expires in 29 days. The 'Worker nodes' tab is selected, displaying a table with one worker node.

Name	Status	Worker pool	Zone	Private IP	Public IP	Version
0000008c	Normal	default	Milan 01	10.144.187.51	159.122.179.68	1.23.12_1549

OUTPUT:



The screenshot shows a job portal website with a blue header that says 'Find Jobs'. Below the header, there are eight job listings arranged in a 2x4 grid. Each listing includes a title, a brief description, and an 'Apply' button.

Job Title	Company
Web Developer	Motive Company.
Android Developer	Believe Company.
IoT Developer	Norway P&L Company.
Pen Tester	AGC company.
Computer & Information Research Scientist	GPSM company.
Computer & Information Systems Manager (CISM)	HYT company.
Computer Hardware Engineer	7Tech company.
Big Data Engineer	SMGT company.