


# PROJECT DEPLOYMENT PHASE - SPRINT - I

## SPRINT - I

TEAM ID : PNT2022TMID26966

PROJECT NAME : PERSONAL EXPENSE TRACKER

### Log In :



The screenshot shows a web browser window with multiple tabs. The active tab is titled 'EXPENSE ADDED - s...' and shows the URL '127.0.0.1:5000'. The browser's address bar and tabs are visible at the top. The main content area displays the 'Personal Expense Tracker' login page. The page has a dark blue and purple gradient background. In the center, there is a white login form with the title 'Log In'. The form contains two input fields: 'Email' and 'Password'. Below these fields is a green 'Login' button. At the bottom of the form, there is a link that says 'Don't have an account? Register'. The Windows taskbar is visible at the bottom of the screen, showing the time as 19:30 on 19-11-2022.

Personal Expense Tracker

Log In


Email

Password


Login

Don't have an account? Register

### Sign up :



## HOME PAGE:



## HOME HTML:

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
```

```

    <script src="https://kit.fontawesome.com/514548070d.js"
crossorigin="anonymous"></script>
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
    integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
    <title>Personal Expense Tracker</title>
    <link rel="stylesheet" href="../static/home4.css">
</head>

<body>
    <nav class="navbar">
        <a class="navbar-brand" href="#">
            <h2>Personal Expense Tracker</h2>
        </a>
        <ul class="nav justify-content-end toRight">
            <li class="nav-item">
                <a class="nav-link active" href="#">Dashboard</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#">Statistics</a>
            </li>
            <li class="nav-item">
                <a class="nav-link disabled" href="#">
                    <div onclick="window.location.href='{ { url_for('logout') } }'">
                        <i class="fa-solid fa-right-from-bracket"></i>
                        <span class="logout">Logout</span>
                    </div>
                </a>
            </li>
        </ul>
    </nav>
    <h3 class="navbar-brand1" href="#">Welcome, {{name}}</h3>
    <div class="track-home">
        <div class="track-left">
            <div class="track-items">
                <div class="track-right__top__types">
                    <i class="fa-solid fa-bed fa-2x"></i>
                    <span class="track-type__amount">₹{{ expenses["Medical
Expenses"] }}</span>
                    <span>Medical Expenses</span>
                </div>
                <div class="track-right__top__types">
                    <i class="fa-solid fa-house fa-2x"></i>
                    <span class="track-type__amount">₹{{ expenses["House Expenses"]
}}</span>
                    <span>House Expenses</span>
                </div>
                <div class="track-right__top__types">
                    <i class="fa-solid fa-graduation-cap fa-2x"></i>
                    <span class="track-type__amount">₹{{ expenses["Education"]
}}</span>
                    <span>Education</span>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="track-right__top__types">
            <i class="fa-solid fa-piggy-bank fa-2x"></i>
            <span class="track-type__amount">₹{{ expenses["Savings"]
}}</span>

            <span>Savings</span>
        </div>
        <div class="track-right__top__types">
            <i class="fa-solid fa-money-check-dollar fa-2x"></i>
            <span class="track-type__amount">₹{{ expenses["Others"]
}}</span>

            <span>Others</span>
        </div>
    </div>
</div>

<div class="track-right">
    <div class="track-right__bottom">
        <div class="track-limit">
            <div class="monthly">
                <h2>Monthly Limit</h2>
            </div>
            <div class="showlimit">
                <span class="limiter">
                    <h3>Expense Limit : {{ fixlimit }}</h3>
                    <br>
                </span>
                <span class="limiter">
                    <h3>Available Limit : {{ avalimit }}</h3>
                </span>
            </div>
            <div class="limi">

                <form action="/setLimit" method="post">

                    <div class="set-limit1">
                        <input name="limit" placeholder="Set Amount"
type="number" min="0">

                        <button type="submit" class="btn-submi"
href="/setLimit">Set Limit</button>

                    </div>
                </form>

                <form action="/changeLimit" method="post">
                    <div class="set-limit2">
                        <input name="limit1" placeholder="Change Amount"
type="number" min="0">

                        <button type="submit" class="btn-submi">Change
Limit</button>

                    </div>
                </form>

```

```

        </div>
    </div>
    <div class="track-add">
        <h2>Add Expenditure</h2>
        <form action="/add-expenditure" method="post">
            <div class="expenditure-input">
                <input name="transaction" placeholder="Transaction"
type="text">
            </div>
            <div class="expenditure-input">
                <input name="type" placeholder="Transaction Type"
type="text" list="trans-type">
                <datalist id="trans-type">
                    <option value="Medical Expenses">
                    <option value="House Expenses">
                    <option value="Education">
                    <option value="Savings">
                    <option value="Others">
                </datalist>
            </div>
            <div class="expenditure-input">
                <input name="amount" placeholder="Amount" type="number"
min="0">
            </div>
            <div class="expenditure-input">
                <input name="date" placeholder="Date" type="date">
            </div>
            <button type="submit" class="btn-submit">Add</button>
        </form>
    </div>
</div>
<div class="track-transactions">
    <h3>Recent Transactions</h3>
    {% if data|length == 0 %}
    <div class="empty-transact">No Transactions Available...</div>
    {% else %}
    <div class="transact-header">
        <span class="date-header"><b>Date</b></span>
        <span class="transaction-header"><b>Transaction</b></span>
        <span class="type-header"><b>Type</b></span>
        <span class="amount-header"><b>Amount</b></span>
    </div>
    <div class="total-items">
        {% for val in data %}
        <div class="transact-item">
            <span class="date-header">{{ val.DATE }}</span>
            <span class="transaction-header">{{ val.TRANSACTION
}}</span>
            <div class="type-header">{{ val.TYPE }}</div>
            <span class="amount-header">₹{{ val.AMOUNT }}</span>
        </div>
        {% endfor %}
    </div>
    {% endif %}

```

```
        </div>
    </div>
</div>

<script>
    window.watsonAssistantChatOptions = {
        integrationID: "e2c9f815-0d77-4c6d-bda0-5835e92a8edf", // The ID of this
integration.
        region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "022ab310-8d5f-431b-b6d8-f0a6b91577a9", // The ID of
your service instance.
        onLoad: function (instance) { instance.render(); }
    };
    setTimeout(function () {
        const t = document.createElement('script');
        t.src = "https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
    });
</script>

</body>

</html>
```

## INDEX HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <link rel="stylesheet" href="../static/style.css">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <script src="https://kit.fontawesome.com/c38055308e.js"
crossorigin="anonymous"></script>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto:wght@300;400;500;700&display=
swap" rel="stylesheet">
  <title>Home</title>
</head>
<body>
<div class="index-home">
  <div class="index-bg"></div>
  <div class="index-content">
    <h1 class="index-title">Personal Expense Tracker<i class="fa fa-university"
aria-hidden="true"></i></h1>
    <div class="auth-box">
      {% if login == True %}
        <span class="auth-title">Log In</span>
      {% else %}
        <span class="auth-title">Register</span>
      {% endif %}
      {% if login == True %}
        <form action="/login" method="post">
          <div class="auth-input">
            <input id="email-input" name="email" placeholder="Email"
type="text">
          </div>
          <div class="auth-input">
            <input id="password-input" name="passwd"
placeholder="Password" type="password">
          </div>
          <span class="error-msg">{{ message }}</span>
          <button type="submit" class="btn-submit">Login</button>
        </form>
      {% else %}
        <form action="/register" method="post">
          <div class="auth-input">
            <input id="email-input" name="name" placeholder="Name"
type="text">
          </div>
          <div class="auth-input">
            <input id="email-input" name="email" placeholder="Email"
type="text">
          </div>
          <div class="auth-input">
```

```

        <input id="password-input" name="passwd"
placeholder="Password" type="password">
    </div>
    <span class="error-msg">{{ message }}</span>
    <button type="submit" class="btn-submit">Register</button>

</form>
{% endif %}

{% if login == True %}
    <span class = "hac">Don't have an account? <a class="auth-shift-
link" href={{ url_for('home', page="register") }}>Register</a></span>
{% else %}
    <span class = "hac">Have an account? <a class="auth-shift-link"
href={{ url_for('home', page="login") }}>Login</a></span>
{% endif %}

</div>
</div>

</div>

<script>
    window.watsonAssistantChatOptions = {
        integrationID: "e2c9f815-0d77-4c6d-bda0-5835e92a8edf", // The ID of this
integration.
        region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "022ab310-8d5f-431b-b6d8-f0a6b91577a9", // The ID of
your service instance.
        onLoad: function (instance) { instance.render(); }
    };
    setTimeout(function () {
        const t = document.createElement('script');
        t.src = "https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
    });
</script>
</body>
</html>

```



