Dhanalakshmi Srinivasan College Of Engineering Computer Science and Engineering

Team ID: PNT2022TMID08398

Deep Learning Fundus Image Analysis For Early Detection Of Diabetic Retinopathy

Literature Survey:

S.no	Authors	Title	Abstract
	S. Gupta, A. Panwar, A. Kapruwan, N. Chaube and M. Chauhan.	Real Time Analysis of Diabetic Retinopathy Lesions by Employing Deep Learning and Machine Learning Algorithms using Color Fundus Data	The color fundus dataset scans after processing are passed to multiple Deep Learning (DL) models employed to learn characteristics. These models trained on millions of di erent images from thousands of classes. Finally, several machine learning classifiers were used to classify lesions using the collected characteristics. The extracted result shows very eye-catching performance. This enables experts to create architecture that fully addresses the problem of classifying unidentified scans into the right class or category.

2	T. A. Soomro et al.	Deep Learning Models for Retinal Blood Vessels Segmentation: A Review	This paper presents a comprehensive review of the principle and application of deep learning in retinal image analysis. This paper characterizes each deep learning based segmentation method as described. Analyzing along with the limitations and advantages of each
			method.

3	M. Z. Atwany, A. H. Sahyoun and M. Yaqub.	Deep Learning Techniques for Diabetic Retinopathy Classification: A Survey	This paper reviews and analyzes state-of-the-art deep learning methods in supervised, self-supervised, and Vision Transformer setups, proposing retinal fundus image classification and detection.the paper discusses the available retinal fundus datasets for Diabetic Retinopathy that are used for tasks such as detection, classification, and segmentation. The paper also assesses research gaps in the area of DR detection/classificat ion and addresses various challenges that need further study and investigation.
4	B. Bulut, V. Kalın, B. B. Güneş and R. Khazhin.	Deep Learning Approach For Detection Of Retinal Abnormalities Based On Color Fundus Images	This research uses the Xception model with transfer learning method to classify images obtained from Akdeniz University Hospital Eye Diseases Department. During the analysis, the Xception model containing 50 di erent parameter combinations was trained by scanning the appropriate hyper-

			parameter space for the model.
5	N. Memari, S. Abdollahi, M. M. Ganzagh and M. Moghbel.	Computer-assisted diagnosis (CAD) system for Diabetic Retinopathy screening using color fundus images using Deep learning	The proposed computer-assisted diagnosis system starts with the segmentation of the blood vessels. Then, microaneurysms and exudates are segmentation from the image. Statistical and regional features are then extracted utilizing first, second, and higher-order image features. A Deep Learning framework will be utilized for extracting additional statistical image descriptors as Deep Learning has superior contextual analysis capabilities compared to other machine learning techniques.
6	B. Goutam, M. F. Hashmi, Z. W. Geem and N. D. Bokde.	A Comprehensive Review of Deep Learning Strategies in Retinal Disease Diagnosis Using Fundus Images	This article presents a comprehensive study of di erent deep learning strategies employed in recent times for the diagnosis of five major eye diseases,

			i.e., Diabetic retinopathy, Glaucoma, agerelated macular degeneration, Cataract, and Retinopathy of prematurity.
7	H. Yeh, CJ. Lin, CC. Hsu and CY. Lee.	Deep-learning based automated segmentation of Diabetic Retinopathy symptoms	Deep learning is used in many types of preprocessing for segmentation. We preprocessed fundus images and inputted them into the model for training. Finally, LDF image was used to obtain the best preprocessing method for optic disc segmentation in fundus images.
8	H. Kaushik, D. Singh, M. Kaur, H. Alshazly, A. Zaguia and H. Hamam.	Diabetic Retinopathy Diagnosis From Fundus Images Using Stacked Generalization of Deep Models	In this research, a methodology to eliminate these unnecessary reflectance properties of the images using a novel image processing schema and a stacked deep learning technique for the diagnosis. For the luminosity normalization of the image, the gray world color constancy algorithm is implemented which does image desaturation and

			improves the overall image quality.
9	A. Bali and V. Mansotra.	Deep Learning-based Techniques for the Automatic Classification of Fundus Images: A Comparative Study	In this paper di erent deep learning (DL) techniques for automatic classification of fundus images have been discussed and
			results are compared on the basis of accuracy, f1-score and AUC.
10	W. Zhang, X. Zhao, Y. Chen, J. Zhong and Z. Yi.	DeepUWF: An Automated Ultra-Wide-Field Fundus Screening System via Deep Learning	The emerging ultra-wide field of view (UWF) fundus color imaging is a powerful tool for fundus screening. However, manual screening is laborintensive and subjective. Based on 2644 UWF images, a set of early fundus abnormal screening systems named DeepUWF is developed. The experimental results show that these preprocessing methods are helpful to improve the learning ability of the networks and achieve good sensitivity and specificity. Without ophthalmologists, DeepUWF has

	potential application value, which is helpful for fundus health screening and workflow
	improvement.

References:

- A. Bali and V. Mansotra, "Deep Learning-based Techniques for the Automatic Classification of Fundus Images: A Comparative Study," 2021 3rd International Conference on Advances in Computing, Communication Control and Networking (ICAC3N), 2021, pp. 351-359, doi:
 - 10.1109/ICAC3N53548.2021.9725464.
- W. Zhang, X. Zhao, Y. Chen, J. Zhong and Z. Yi, "DeepUWF: An Automated Ultra-Wide-Field Fundus Screening System via Deep Learning," in *IEEE Journal of Biomedical and Health Informatics*, vol. 25, no. 8, pp. 2988-2996, Aug. 2021, doi: 10.1109/JBHI.2020.3046771.
- H. Kaushik, D. Singh, M. Kaur, H. Alshazly, A. Zaguia and H. Hamam, "Diabetic Retinopathy Diagnosis From Fundus Images Using Stacked Generalization of Deep Models," in *IEEE Access*, vol. 9, pp. 108276-108292, 2021, doi: 10.1109/ACCESS.2021.3101142.
- H. Yeh, C. -J. Lin, C. -C. Hsu and C. -Y. Lee, "Deep-learning based automated segmentation of Diabetic Retinopathy symptoms," 2020 International Symposium on Computer, Consumer and Control (IS3C), 2020, pp. 497-499, doi: 10.1109/IS3C50286.2020.00135.
- B. Goutam, M. F. Hashmi, Z. W. Geem and N. D. Bokde, "A Comprehensive Review of Deep Learning Strategies in Retinal Disease Diagnosis Using Fundus Images," in *IEEE Access*, vol. 10, pp. 57796-57823, 2022, doi: 10.1109/ACCESS.2022.3178372.
- N. Memari, S. Abdollahi, M. M. Ganzagh and M. Moghbel, "Computer-assisted diagnosis (CAD) system for Diabetic Retinopathy screening using color fundus images using Deep learning," 2020 IEEE Student Conference on Research and Development (SCOReD), 2020, pp. 69-73, doi:
 - 10.1109/SCOReD50371.2020.9250986.
- B. Bulut, V. Kalın, B. B. Güneş and R. Khazhin, "Deep Learning Approach For Detection Of Retinal Abnormalities Based On Color Fundus Images," 2020 Innovations in Intelligent Systems and Applications Conference (ASYU), 2020, pp. 1-6, doi: 10.1109/ASYU50717.2020.9259870.

- M. Z. Atwany, A. H. Sahyoun and M. Yaqub, "Deep Learning Techniques for Diabetic Retinopathy Classification: A Survey," in *IEEE Access*, vol. 10, pp. 28642-28655, 2022, doi:
 - 10.1109/ACCESS.2022.3157632.
- T. A. Soomro *et al.*, "Deep Learning Models for Retinal Blood Vessels Segmentation: A Review," in *IEEE Access*, vol. 7, pp. 71696-71717, 2019, doi: 10.1109/ACCESS.2019.2920616.
- S. Gupta, A. Panwar, A. Kapruwan, N. Chaube and M. Chauhan, "Real Time Analysis of Diabetic
 - Retinopathy Lesions by Employing Deep Learning and Machine Learning Algorithms using Color Fundus Data," 2022 International Conference on Innovative Trends in Information Technology (ICITIIT), 2022, pp. 1-5, doi: 10.1109/ICITIIT54346.2022.9744228.