

# ASSIGNMENT 3

TEAM ID : P N T 2 0 2 2 TM ID 1 0 9 0 8

PROJECT NAME : NUTRITION ASSISTANT APPLICATION

STUDENT NAME : NARESHSHANKAR.A

## Q1. Creating a Bucket in IBM Cloud Storage

Cloud Object Storage

Storage instances

Cloud Object Storage-si

**Buckets**

Integrations

Endpoints

Usage details

Service credentials

Connections

Plan


### Buckets

Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.

Q Search

Create bucket +

Name	Public access ⓘ	Location ⓘ	Storage class	Created
<a href="#">containment</a>	No	jp-tok	Smart Tier	2022-10-09 7:35 PM
<a href="#">p-na-r-b</a>	Yes	jp-tok	Smart Tier	2022-10-09 8:04 PM



## Q2. Uploading 5 images to IBM Object storage and made it public

<!DOCTYPE html>

<html>
<head>
<title>IMAGES</title>
<link rel="stylesheet" href="https://mani07.s3.jp-tok.cloud-object-storage.appdomain.cloud/stylenew.css">
</head>
<body>
<h2>GALLERY</h2>

<h3>EXPLORE THE BEAUTY ...</h3>

<div id="pic">
</div>
</body>
</html>

**Q3:Upload a css page to the object storage and use the samepage in your HTML code.**

body{
background-color:rgb(115, 82, 190);
}
#pic{
margin-top: 10%;
margin: 5%;
line-height:0;
column-count:5;
column-gap:5px;
background-image: rgb(83, 6, 134);
}
#pic img{
width: 100%!important;
height: auto !important;
margin-bottom:auto;
}
h2{
text-align: center;
font-family: sans-serif;
font-size: 50px;
margin-top: 3%;
font-weight: bolder;
color: rgb(233, 241, 234);
}
h3{
text-align:center;
font-family: sans-serif;
font-size: 50px;
font-weight: bolder;
color:rgb(249, 247, 252);
}

## Q4:Design a chatbot using IBM Watson assistant forhospital.

<  
!  
D  
o  
c  
t  
y  
p  
e  
  
h  
t  
m  
l  
>

<html>
<head>
<title>Chat Boat</title>
<style>
body{
background-color: rgb(160, 233, 158);
}
img{
width: 200px;
height: 100px;
margin-left: 10px;
}
h2{
text-align:center;
color: rgba(71, 9, 218, 0.89);
font-size:4pc;
}
h3{

text-align:center;
color:rgb(238, 6, 141);
font-size:2.5pc;
} </style>
</head>
<body>
<h2>HOSPITALS</h2> <h2></h2>

<p><h3>WE ARE PROVIDING THE DETAILS FOR YOURQUERIES</h3>
<h3> Click the chatbot </h3>
</p>
<script> window.watsonAssistantChatOptions = { integrationID: "4f8894e3-1817-41e3-bf8b-a5d4b9b2197a", // The IDof this integration. region: "au-syd", // The region your integration is hosted in. serviceInstanceID: "ba115cc6-e2d6-4d6b-beea-74977285d64c", //The ID of your service instance. onLoad: function(instance) { instance.render(); } }; setTimeout(function(){ const t=document.createElement('script'); t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion    'latest') + "/WatsonAssistantChatEntry.js"; document.head.appendChild(t); }); </script> </body> </html>

**Q5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load thatscript in HTML page.**

<html>

<body>

<script>

|  |
|--|
|  |
| window.watsonAssistantChatOptions = {<br>integrationID: "ec603862-aa33-4336-a203-961870431228", // The ID<br>of this integration.  |
| region: "au-syd", // The region your integration is hosted in.<br>serviceInstanceID: "44f5354b-4c14-4c36-bdfa-6fddf1e73eaa", // The<br>IDof your service instance.   |
| onLoad: function(instance) { instance.render(); }<br>};<br>setTimeout(function(){<br>const t=document.createElement('script');<br>t.src="https://web-<br>chat.global.assistant.watson.appdomain.cloud/versions/" +<br>(window.watsonAssistantChatOptions.clientVersion    'latest') +<br>"/WatsonAssistantChatEntry.js";<br>document.head.appendChild(t);<br>}); |

</script>

</body>