

[Resource list](#) / [App details](#) /

Node RED WDCXS 2022-11-16 [Add tags](#)

Actions... 

Details

App URL	You must deploy your app first
Source	Download code 
Resource group	Default
Deployment target	You must deploy your app first
Created	11/16/2022

Services

 Cloudant

[Open dashboard](#)  [Documentation](#)  [API reference](#) 

Credentials 

...

Deployment Automation



Configure Continuous Delivery


Continuous Delivery is not enabled for this app. Enable Continuous Delivery to automate builds, tests, and deployments through Delivery Pipeline, GitLab, and more.

[Deploy your app](#) 

ASK A QUESTION

[Connect existing services](#) 

[Create service](#) 

  Type here to search

Activate Windows
Go to Settings to activate Windows 

Resource list / App details /

Node RED WDCXS 2022-11-16

Select the deployment target Configure the DevOps toolchain

Deployment Automation

Select your deployment target and configure your DevOps toolchain. After you click **Create**, the toolchain is created, and the deployment process is started automatically.

Deployment target



Kubernetes Service
IBM

Deploy, scale, and manage your containerized application workloads to highly available clusters.



Red Hat OpenShift
IBM

Deploy your apps on highly available clusters that come installed with Red Hat OpenShift on IBM Cloud.



Cloud Foundry
IBM

Deploy and run your applications without managing servers or clusters. A Lite plan is available for quick and easy deployment.



Getting started with apps

Step 1. Select the deployment target

Select your deployment target, and then provide the configuration information.

IBM Cloud Foundry

Cloud Foundry is the premier industry standard Platform-as-a-Service (PaaS) that ensures fast, easy, and reliable deployment of cloud-native apps. Cloud Foundry ensures that the build and deploy aspects of coding remain carefully coordinated with any attached services — resulting in quick, consistent and reliable iterating of applications. Cloud Foundry has a Lite plan that allows quick deployments for testing purposes.

Before you begin

- If your account doesn't have a Cloud Foundry org, you must create one. [Create org.](#)



Code Engine

IBM

Run your app, job, or container on a managed serverless platform. Auto-scale workloads, and pay only for the resources that you consume.

Steps

1. Select the number of instances, memory allocation, region, org, and space.
2. Select the domain and provide a host name.

IBM Cloud Foundry Public is deprecated. [Learn more](#)

IBM Cloud API key

.....



New +

Number of instances

1

Memory allocation per instance

64 MB



2000 MB

256

Region

Organization

Space