Artificial Intelligence - Quiz 2

Total points 10/10 ?



Name *		
Sreekhaviyan A S		
oreekilaviyali A o	 ****	

Registered Roll Number/Registered Number * Please enter the number as displayed in the profile section in the platform

731119106033

Registered Email id * Please enter the email id used to login to the platform sreekhaviyan2002@gmail.com

Select your Training Batch *

B8-2A4E

Which of the following is a branch of statistics?	1/1
O Descriptive statistics	
Inferential statistics	
Industry statistics	
Both A and B	
The runs scored by a batsman in 5 ODIs are 31,97,112, 63, and 12. The mean is	s 1/1
O 112	
63	
97	
O 12	
Which of the following is not a visualization under matplotlib	1/1
Scatter plot	
Histogram	
O Box plot	
Table plot	

To handle the null values in your data which method is used?		
isnull() isfull() fillna() fullna()		
Which of the following sklearn method is used to split the data into training an testing	d 1/1	
test_split()		
<pre>train_test_split()</pre>		
<pre>test_train_split()</pre>		
<pre>split_train_test()</pre>		
Which of the following is correct to import the matplotlib library	1/1	
import plt.matplotlib as plot		
import plot.matplotlib as pt		
import matplotlib.pt as plot		
import matplotlib.pyplot as plt		

Which method is used for encoding the categorical variables 1/1
 One Hot Encoder Category Encoder Label Encoder Both A & C
Which statstical method we can use for replacing missing values for categorical 0/1 feature
○ Mean
Median
○ Mode
All of the above
Which function we use to get descriptive statstics for the data 1/1
description()
describe()
statstics()
None of the above

Identify the outlier for the given data 34,23,43,28,56,125,52,40,26,24,37,25	1/1
O 56	
O 23	
125	
O 34	

This content is neither created nor endorsed by Google. - <u>Terms of Service</u> - <u>Privacy Policy</u>

Google Forms