# ESTIMATE THE CROP YIELD USING DATA ANALYTICS

#### MINI PROJECT REPORT

Submitted by

AC19UCS053 KEERTHANA D(TL)
AC19UCS050 KAVINKRISHNA S P
AC19UCS069 MOHAMMED SALIK ARSLAN A
AC19UCS078 NIGILPRIYA A

In partial fulfilment for the award of the degree of

#### **BACHELOR OF ENGINEERING**

IN

COMPUTER SCIENCE AND ENGINEERING



ADHIYAMAAN COLLEGE OF ENGINEERING
[AUTONOMOUS]
HOSUR-635 130
ANNA UNIVERSITY CHENNAI 600 025
OCTOBER 2022

## TABLE OF CONTENTS

CHAPTEI NO.	TITLE	PAGE NO.
110.	ABSTRACT	
1	INTRODUCTION	1
	1.1. PROJECT OVERVIEW	1
	1.1.PURPOSE	2
2	LITERATURE SURVEY	4
	2.1. EXISTING PROBLEMS	4
	2.2. REFERENCES	6
	2.3. PROBLEM STATEMENT DEFINITION	6
3	IDEATION AND PROPOSED SOLUTION	7
	3.1. EMPATHY MAP CANVAS	7
	3.2. IDEATION AND BRAINSTORMING	8
	3.3. PROPOSED SOLUTION	11
	3.4. PROBLEM SOLUTION FIT	12
4	REQUIREMENT ANALYSIS	13
	4.1. FUNCTIONAL REQUIREMENTS	13
	4.2. NON FUNCTIONAL REQUIREMENTS	14
5	PROJECT DESIGN	15
	5.1 DATA FLOW DIAGRAMS	15
	5.2 SOLUTION & TECHNICAL ARCHITECTURE	16
	5.3 USER STORIES	17
6	PROJECT PLANNING & SCHEDULING	20
	6.1 SPRINT PLANNING & ESTIMATION	20
	6.2 SPRINT DELIVERY SCHEDULE	21
	6.3 REPORTS FROM JIRA	

7	CODING & SOLUTIONING	22
	7.1 FEATURE 1	22
	7.2 FEATURE 2	24
8	TESTING	26
	8.1 TEST CASES	26
	8.2 USER ACCEPTANCE TESTING	27
9	RESULTS	28
	9.1 PERFORMANCE METRICS	28
10	ADVANTAGES & DISADVANTAGES	29
11	CONCLUSION	30
12	FUTURE SCOPE	31
13	APPENDIX	32

# **List of Figures**

FIGURE	TITLE	PAGE
NO		NO
3.1	EMPATHY MAP CANVAS	13
3.2	BRAINSTORM & IDEA PRIORITIZATION	14
3.3	IDEA LISTING & GROUPING	15
3.4	GROUP IDEAS	15
3.5	IDEA PRIORITIZATION	16
3.6	PROBLEM SOLUTION FIT	19
5.1	DATA FLOW	22
5.2	SOLUTION & TECHNICAL ARCHITECTURE	23
6.1	BURNDOWN CHART	30
8.1	SEASONS WITH AVERAGE PRODUCTION	35
8.2	WITH YEAR USAGES OF AREA AND PRODUCTION	36
8.3	TOP 10 STATES WITH MOST AREA	36
8.4	STATE WITH CROP PRODUCTION	37
8.5	STATES WITH THE CROP PRODUCTION ALONG WITH SEASONS	37
8.6	CREATING THE DASHBOARD	38
9.1	SEASONS WITH AVERAGE PRODUCTION	39
9.2	WITH YEAR USAGES OF AREA AND PRODUCTION	40
9.3	TOP 10 STATES WITH MOST AREA	41
9.4	STATE WITH CROP PRODUCTION	41
9.5	STATES WITH THE CROP PRODUCTION ALONG WITH SEASONS	42
9.6	CREATING THE DASHBOARD	43

# LIST OF TABLES

<b>TABLE</b>	TITLE	PAGE NO
NO		
2.1	LITERATURE SURVEY	11
2.2	PROBLEM STATEMENT	12
3.1	PROPOSED SOLUTION	18
4.1	FUNCTIONAL REQUIREMENT	20
4.2	NON-FUNCTIONAL REQUIREMENT	21
5.1	COMPONENT & TECHNOLOGIES	24
5.2	APPLICATION CHARACTERISTICS	25
5.3	USER STORIES	26
6.1	SPRINT PLANNING AND ESTIMATION	27
6.2	PROJECT TRACKER AND VELOCITY	29
6.3	SPRINT DELIVERY SCHEDULE	31

#### **ABSTRACT**

India being an agriculture country, its economy predominantly dependson agriculture yield growth and agroindustry products. Data Mining is an emerging research field in crop yield analysis. Yield prediction is a very important issue in agricultural. Any farmer is interested in knowing how much yield he is about to expect. Analyze the various related attributes like location, pH value from which alkalinity of the soil is determined. Along with it, percentage of nutrients like Nitrogen (N), Phosphorous (P), and Potassium (K) Location is used along with the use of third-party applications like APIs for weather and temperature, type of soil, nutrient value of the soil in that region, amount of rainfall in the region, soil composition can be determined. All these attributes of data will be analyzed, train the data with various suitable machine learning algorithms for creating a model. The system comes with a model to be precise and accurate in predicting crop yield and deliver the end user withproper recommendations about required fertilizer ratio based on atmospheric and soil parameters of the land which enhance to increase the crop yield and increase farmer revenue.

# CHAPTER 1 INTRODUCTION

#### 1.1 Project Overview

Agriculture is becoming increasingly information and knowledge centric today. Due to the large rural population, agriculture plays a vital role in Indian economy. In the current scenario, a large number of data is generated from various sources like weather, climate, geo-spatial, crop production, consumed by stakeholders, location specific crop disease in farm practice. But it is notused effectively and optimally by the experts due to lack of information flow. Thus, to bridge the gap between users and information, data analytics can be one of the solution. Crop recommendation system model integrating with data analytics has been proposed. The system consist of components; web services, data analytics, and web application development. The RESTful weather and agriculture web services were built to interaction with various data sources. The use of technology in agriculture has increased in recent year and data analytics one such trend that has penetrated into the agriculture field. The main challenge in using big data in agriculture is identification of effectiveness of big data analytics. Crop yield prediction helps the farmers in various ways by providing the record of previous crop yield. This is helpful to government in framing policies related to crops such as crop insurance policies, supply chain operation policies.

#### 1.2 Purpose

Agriculture Data analytics in crop yield helps in analysing some important visualization, creating a dashboard and by going through these wewill get most of the insights of Crop production in India. Farmers need

information regarding crop yield before sowing seeds in their fields to achieve enhanced crop yield. The use of technology in agriculture has increased in recent year and data analytics is one such trend that has penetrated into the agriculture field being used for management of crop yield and monitoring crop health. The recent trends in the domain of agriculture have made the people to understand the significance of Big data. The analysis of data related to agriculture helps in crop yield prediction, crop health monitoring and other such related activities.

#### CHAPTER 2 LITERATURE SURVEY

#### 2.1 Existing Problem

With the changing of climate, agriculture faces increasing problems with extreme weather events leading to considerable yield losses of crops. Most often, crop plants are sensitive to stresses since they were mostly selected for high yield, and not for stress tolerance. The four most important factors that influence crop yield are soil fertility, availability of water, climate, and diseases or pests. These factors can pose a significant risk to farms when they are not monitored and managed correctly.

#### 2.2 References

# 1.A Survey on Crop Yield Prediction based on Agricultural Data,2000.

This paper describes and gave the details us for list of used methods, In India there are dissimilar agriculture crops production and those crops depends on the several kind of factors such as environmental science, economy and also the geographical factors covering such methodologies and methods on historic yield of dissimilar crops, it is possible to get info or data which can be supportive to farmers and government organizations for creation well decisions and for make better rules which help to increased production.

#### 2. Analysis of agriculture data using datamining techniques, 2004.

This paper discussed a several subdivision in India is facing rigorous problem to make the most of the crop productivity. Current growths in Information Technology for agriculture field have developed an interesting research area to forecast the crop yield. The problematic of yield prediction is a

major problem that remains to be solved based on accessible data. Data mining methods are the better selections for this purpose. Different Data Mining methods are used and evaluated in agriculture for approximating the upcoming year's crop production.

# 3. Comparison of clustering algorithms using quality metrics with invariant features extracted from plant leaves, 2007

This paper describes that the suggested Fresh market fruits like apples are graded into quality groups according to their size, color and shape and to the attendance of defects. This paper presents the three former points on the basis of a literature review, the research outcomes being absorbed on the last point: having extracted data from images acquired on fruits, the paper defines a classifying technique which was implemented on an existing machine and testedon Jon gold apples (bi-color fruits).

# **4.Data Mining Techniques and Applications to Agricultural Yield Data, 2010**

This paper presented a Precision agriculture (PA) and information technology (IT) are closely interwoven. The former frequently refers to the application of nowadays' technology to agriculture. This paper deals with suitable modeling methods for those agricultural data where the objective is to uncover the surviving patterns. In specific, the use of feed-forward back propagation neural networks will be evaluated and suitable parameters will be projected.

# 5. The Impact of Data Analytics in Crop Management based on Weather Conditions. International Journal of Engineering Technology Science and Research, 2016

This paper discussed that the data mining extraction of unseen predictive information from huge records, is a powerful new technology with great potential to help companies focus on the most significant data in their Data warehouses. Data mining tools predict upcoming trends and performance and growth, allowing businesses to make proactive, knowledge driven decisions. This article gave us a detail project that is smearing a range of machine learning plans to problems in agriculture and horticulture. Discussed various data mining

techniques utilized for prediction of rice crop yield for the state of Maharashtra, India. WEKA tool was applied in dataset processing.

S.NO	AUTHOR NAME	PUBLISHED YEAR	DESCRIPTION
1	P. S. Cornish	2000	Farmers plantrain-fed crops in the Kharif to accommodate preKharif cultivation and the Rabi winter.
2	S. Rajeswari	2004	Big data, mining techniques, cloud-based big dataanalytics, and IoT technologies play major roles in smart agricultural feasibility studies.
3	S. Athmaja	2007	Agricultural communities worldwide have benefited from comparison information produced from big data analysis
4	R. Kaur and colleagues	2010	The Hadoop and Hive technologies were used to collect, clean, and standardize the data.
5	MR Bendre	2016	Crop patterns and irrigation

**Table2.1 Literature Survey** 

#### 2.3 Problem Statement Definition

Agriculture is the most important sector in today's life. India is an agricultural country. Yield of each crop depends on its dependent factors. It is very important to predict the yield of a crop to help farmers. Crop Yield Prediction is predicting the yield of a crop in future based on the dependent factors. Crop yield is dependent on factors like rainfall, pressure, temperature and area geographical location. This is achieved by

- a) Designing a system to predict crop yield.
- b) Providing graphical user interface to view prediction result and historical dataset.

I am	The farmer who is trying to cultivating the crops for huge profit and very control in using crop yield.	
I'm trying to	Use the recent technologies to increase the quantity and quality of crops.	
But	I am unaware of the existing technology that can help me a lot to predict the yield ratio and I don't know to use the correct crop yield for season.	
Because	I don't want to spoil the soil quality and crops quality.	
Which makes me	I'm not capable of cultivating the crops and maintaining	
feel	the quality of land and producing good quality of crops.	

**Table2.2 Problem Statement** 



#### **CHAPTER 3**

#### **IDEATION & PROPOSED SYSTEM**

#### 3.1 Empathy Map Canvas

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes. It is a useful tool to helps teams better understand their users. Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.




Figure 3.1 Empathy Map Canvas

#### 3.2 Ideation & Brainstorming

#### Step 1: Team Gathering, Collaboration and Select the Problem Statement

In the Ideation & Brainstorming, set the goal, learn how to use the facilitation tools and defined the problem statement.




Figure 3.2 Brainstorm & idea prioritization

#### Step 2: Brainstorm, Idea listing and Grouping

In the brainstorming, write the own ideas that come to mind that address our problem statement. Take turns sharing our ideas while clustering similar or related notes.




Figure 3.3 Idea Listing & Grouping

Group ideas is a group problem-solving method that involves the spontaneous contribution of creative ideas and solutions.




#### **Group ideas**

Take turns sharing your ideas while clustering similar or related notes as you go. In the last 10 minutes, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you and break it up into smaller sub-groups.

(1) 20 minutes

Figure 3.4 Group Ideas



#### **Step 3: Idea Prioritization**

Place ideas on the grid to determine which ideas are important and which are feasible.



#### **Prioritize**

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.

0 20 minutes




Figure 3.5 Idea Prioritization

#### 3.3 Proposed Solution

In this proposed system, the datasets are collected and refined based on the commonality. The input parameters are given. By analysing and predicting using KNN algorithm, the result are produced and some suggestions are given.

#### **Collection of Agricultural Datasets**

The datasets have been collected and refined based on commonality uses such as location, crop, Area, soil type, temperature, humidity etc. From these parameters name of the crop and net yield rate of the crop can be predicted.

#### **Selection of Parameters**

Based on various analyses the parameters location, soil type and area are taken as input and prediction have been undertaken. The attribute soil type specifies the type of soil in a particular region such as Coastal alluvials, Laterite soil and Dark brown alayey soil and the attribute location specifies the 4 different areas such as Mangalore, Kodagu, Hassan, Kasargod.

#### **Prediction based on Parameters**

By using KNN algorithm, the particular crop has been analysed and predicted by taking various parameters into an account such as soil type area and location.

#### **Result and Suggestions**


By analysing and predicting the crop name and price of particular crop can be found out. This helps the farmers to take the correct decision to sow the crops such that yield rate can be increased.

S.No	Parameter	Description	
1.	Problem statement	Disease in plants reduced the quantity	
	(problem tobe solved)	and quality of the plants productivity.	
		Identifying the disease in plant is hard to	
		find.	
2.	Idea/solution description	One of the solution of the problem is to	
		identifying the disease in early stage and	
		usingthe correct yield.	
3.	Novelty / uniqueness	This application can suggest good yield for	
		the plant by recognizing	
		the images.	
4.	Social	It helps the farmer by identifying the	
	impact/customer	disease in the early stage and	
	satisfaction	increase the quality and quantity of crops	
		in efficient way.	
5.	Business model(revenue	The application is recommends to	
	model)	farmer in subscription basis.	
6.	Scalability of the solution	This application can be improved	
		by introducing online purchases of crops,	
		yield easily.	

**Table 3.1 Proposed Solution** 

#### 3.4 Problem Solution Fit

E



**Figure 3.6 Problem Solution Fit** 

## **CHAPTER 4**

## REQUIREMENT ANALYSIS

# **4.1 Functional Requirement**

Following are the functional requirements of the proposed solution.

Fr.no	Functional requirement	Sub requirement (story/subtask)
Fr-1	registration	Registers a new user through registration
		form
Fr-2	Google authentication	New user can get
		added even by using a
		google account.
Fr-3	Login	Let's the registered user to login to the portal
Fr-4	Take in the required data	This takes in the required data from the user
Fr-5	Estimation	A prediction of crop yield is done based on the current data
Fr-6	Analysis	An analysis is done on the given data to gain useful insights.

**Table 4.1 Functional Requirement** 

# **4.2 Non-functional requirement**

## Following are the non-functional requirement of the proposed solution

NFr.no	Non-functional	Description
	requirement	
Nfr-1	Usability	Datasets of all the seasonal images of crops is
		used to detecting the estimation of that correct
		season for right cropping.
Nfr-2	Security	The information belongs to
		the user and seasonal images are secured highly.
Nfr-3	Reliability	The UI should be user friendly and easily
		understandable
Nfr-4	Performance	The software should provide us good performance
Nfr-5	Availability	It should be available for access
		at anytime from anywhere
Nfr-6	Scalability	The software should be flexible and other
		developers must be able to improve its
		capabilities

 ${\bf Table~4.2~Non-functional~requirement}$ 

#### **CHAPTER 5**

#### **PROJECT DESIGN**

## **5.1 Data Flow Diagrams**

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.





Figure 5.1 Data Flow

#### Simplified Flow



#### **Solution Architecture**





Figure 5.2 Solution & Technical Architecture

#### **Technical Architecture**



**Table-1: Components & Technologies:** 

S.	Component	Description	Technology
No	-	-	
1.	User Interface	How user	IBM Cognos
		interacts with	
		application e.g.	
		Web UI, Mobile	
		App, Chatbot etc.	
2.	Application Logic-1	Logic for a process in	Java
		theapplication	
3.	Application Logic-2	Logic for a process in	Cognos Assistant
		theapplication	
4.	Database	Data Type, Configurations	MySQL, NoSQL, etc.
		etc.	
5.	Cloud Database	Database Service on Cloud	COGNOSCS.
	Eile Ctonese	Eile etenese negrinemente	IBM Block
6.	File Storage	File storage requirements	
			Storage or Other
			StorageService or
7.	External API-1	Purpose of External API	Local Filesystem
'.	External AFT-1	used in the application	IBM Cognos
	E . 1 . DI O		Analytics RESTAPI
8.	External API-2	Purpose of External API	-
	<b>X</b> 0	used inthe application	TD) ( GI
9.	Infrastructure	Application Deployment on	IBM Cloud – IBM
	(Server/Cloud)	LocalSystem / Cloud	Cognos Analytics

**Table-2: Application Characteristics:** 

S.N	Characteristics	Description	Technology
0			
1.	Open-	List the open-source	IBM Cognos
	Source	frameworksused	Framework
	Frameworks		Manager

2.	Security	List all the security /	Security
	Implementations	access controls	architecture
		implemented,use of	present
		firewalls etc.	
3.	Scalable Architecture	Justify the scalability of	Business
		architecture (3 –	Intelligent
		tier,Micro-services)	architecture
4.	Availability	Justify the availability of	Present on cloud
		application(e.g. use of	andis present on
		load balancers, distributed	demand
		serversetc.)	
5.	Performance	Design consideration	Highly available
		for the performance of	andfast
		the	processing
		application (number of	
		requestsper sec, use	
		ofCache, use of	
		CDN's) etc.	

**Table 5.2 Application Characteristics** 

# 5.1 User Stories

User	Functio	User	User Story /	Acceptance	Pri	Rel
Type	nal	Stor	Task	criteria	orit	eas
	Require	у			у	е
	ment	Num				
	(Epic)	ber				
Custom	Regis	USN-	User can register	I can access my	Hig	Sprint-
er	tratio	1	through based upon the	account /	h	1
(Mobile	n		criteria.	dashboar		
user)				d		
		USN-	When we	I can receive	Hig	Spri
		2	registered	confirmation	h	nt-1
			through	email & click		
			they get	confirm		
			confirmation			
			message.			
		USN-	User can register	I can register &	Lo	Spri
		3	through the	access the	W	nt-2
			any social	dashboard		
			platform.	with social		
				media		
				login		
		USN-	I can register for the		Me	Spri
		4	application through Gmail		diu	nt-1
					m	
	Login	USN-	They can login based		Hig	Spri
		5	upon the		h	nt-1
			user id			
			and			
			password.			
	Dash	USN-	They can access the		Me	Spri
	board	6	dashboard		diu	nt-2
			based upon		m	
			their			
			needs.			
Custom	Activi	USN-	User can register	Alert	Lo	Spri
er(w	ty	7	through the	notific	w	nt-1
eb			application	ation		
user			from web-	can be		

)			арр.	notifie		
				d.		
Custom	Acc	USN-	Using the login	Without	Hig	Spri
er	ess	8	authentication	knowledge	h	nt-1
Care	Reso		make access of	thirdparty		
Execu	urce		resource in	can't be		
tive	S		application.	login.		
Admini	Set	USN-	Upcoming event or to-do-		Hig	Spri
strator	event	9	list can available.		h	nt-2
	S					
Custo	Tools	USN-	Analysis can be	I have	Hig	Spri
mer		10	performed	an	h	nt-1
			based	ease of		
			upon the	accessi		
			tool.	ng		
				tools		

**Table 5.3 User Stories** 

# CHAPTER 6 PROJECT PLANNING AND SCHEDULING

## **6.1 SPRINT PLANNING AND ESTIMATION**

Sprint	Functional Requirement	User story Number	User Story/ Task	Story Points	Priority	Team Members
Sprint 1	Registration	USN-1	As a user, I can register for the application by entering email and password	I can access my account/ dashboard	High	Kowsika Megha
Sprint 2	Activity	USN-2	As a user, I can register for the application through any web-browser	I can get a pop-up or a notification from the browser about the login	Low	Roshni Suganthika
Sprint 3	Access Resources	USN-3	As a user, I can use my logincredentials in the web- application to access the available resourcesy	No one else can login into my account without the knowledge of user	High	Megha Roshni
Sprint 4	set events	USN-4	As a user, I can plan some events for the upcoming days or a to-dolist fora day		High	Kowsika Suganthika

**Table 6.1 Sprint Planning and Estimation** 

#### Sprint 1

To collect the dataset and do preprocessing techniques in order to clean the dataset. Cleaning includes the process of removing the null values, scaling the values of the column which has higher values, removing the noisy data and checking for the outliers. After preprocessing is done, we understand the dataset by doing the exploratory analysis of the data. Finally, we have to upload the data into cognos analytics to do the analysis.

Sprint 1 is estimated to be completed within one week.

#### **Sprint 2**

To develop the dashboard for attrition status. To showcase the attrition status based on the Rainfall on each month, each day, each week. And next is to visualize the attrition status of the Farmers by Day- wise, Month-wise. By using the Cognos Cloud.

Sprint 2 is estimated to be completed within 6 days.

#### Sprint 3

To develop the visualization that represents Rainfall status based on every year of Percent, Visualization shows the prediction of data analytics. The employment of a programming model and a complexly distributed algorithm for data processing results in applying big data analytics to future processes and challenges in agricultural prediction. Agriculture applications have a unique opportunity to provide advanced weather to increase crop output and decrease unnecessary harvesting costs. This will be developed by using Python, IBM DB2, IBM CLOUD.

Sprint 3 is planned to complete in one week of time.

#### **Sprint 4**

In this sprint we have to represent the Crop Yield Prediction Dashboard that shows the various insights that is used to reduce the attrition in corporate. Assprint 4 is a integration of all other three sprints and It is estimated to be completed within 4 days.

Project Tracker, Velocity & Burn down Charts

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Complet ed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

**Table 6.2 Project Tracker and Velocity** 

### Velocity

We have a 24-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (storypoints per day).

$$AV = Sprint Duration/ Velocity = 6/10 = 0.6$$

#### **Burndown Chart**

A burn down chart is a graphical representation of work left to do versustime. It is often used in agile software development methodologies such as Scrum. However, burn down charts can be applied to any project containing measurable progressover time.




Figure 6.1 Burndown Chart

# **6.2 Sprint Delivery Schedule**

TITLE	DESCRIPTION	DATE
Literature Survey &	Literature survey on the	1 SEPTEMBER 2022
Information	selected project &	
Gathering	gathering information	
	by referring the	
	technical papers,	
	research publications,	
	journals etc.	
Prepare Empathy	Prepare Empathy Map	7 SEPTEMBER 2022
Map	Canvas to capture the	
	user Pains &Gains,	
	Prepare list of problem	
	Statements that are to be	
	solved by this project.	
Ideation	List the ideas by	14 SEPTEMBER 2022
	organizing a	
	brainstorming session	
	and prioritize the top 3	
	ideas based on the	
	feasibility & importance	
<b>Proposed Solution</b>	Prepare the proposed	21 SEPTEMBER 2022
	solution document,	
	which includes novelty,	
	feasibility of idea,	
	revenue model, social	
	impact, scalability of	

	solution, etc.	
<b>Problem Solution Fit</b>	Prepare problem - solution fit document.	27 SEPTEMBER 2022
<b>Solution Architecture</b>	Prepare solution architecture document.	29 SEPTEMBER 2022
Sprint 1	Loading the dataset, Understanding the dataset Date	29 OCTOBER 2022
Sprint 2	Average crop productionby seasons, Crop Production by State, States with Seasonal Crop Production using a text representation, Top 10 States in Crop Yield Production by Area, Yearly Usage of Area in Crop Production.	05 NOVEMBER 2022
Sprint 3	Creating the Dashboard	12 NOVEMBER 2022
Sprint 4	Exporting the Analytics Analytics	19 NOVEMBER 2022

**Table 6.1 Sprint Delivery Schedule** 

#### **CHAPTER 7**

#### **CODING AND SOLUTIONING**

#### 7.1 Feature 1

Excel worksheets come with a standard limit of 1,048,576 rows. While performance in Excel will slow well before the said row limit, it's a common requirement for users to analyze datasets over one million rows in size. Congo's Analytics compresses your data so you can extract insights from large datasets. With a well-built data model, Congo's Analytics can help you analyze datasets containing over 100 million rows.

Cognos Analytics also offers useful features for working with truly large datasets that are greater than several hundred million rows. For example, users can set up aggregation tables in Cognos Analytics. Aggregations take advantage of pre-calculated data to speed up queries, reducing the time needed to render your reports.

Additional computing power can be unlocked with Cognos Analytics Premium. If your organization needs to store very large datasets in Cognos Analytics, you can purchase dedicated cloud Cognos Analytics Premium instances to enable even faster query times and refresh capabilities.

While Cognos Analytics supports many standard data visualizations out of the box, it's also possible to build your own with custom data visualizations. By adding open-source data visualization libraries from R and Python, analysts can create highly customizable visualizations to add to their next Cognos Analytics report.

With around 750 million users, Excel remains the world's number one data analysis tool. With so many people actively using the tool, it's no surprise that users often ask for an Excel export of the data displayed in reports and dashboards.

The challenge for BI analysts has been how to offer this flexibility in a way that maintains the integrity of the connected reporting environment.

With that in mind, Microsoft released Analyse in Excel. Excel can connect directly to your underlying Cognos Analytics data, so users can do their own tabular and ad-hoc reporting. If you're comfortable creating PivotTables in Excel, you can use this familiar experience to slice and dice your data, referencing the same datasets used in other Cognos Analytics reports.

Finally, users can get the latest data from Cognos Analytics datasets by refreshing their Excel connections. This ease of access is a game-changer for organizations stuck between the two platforms.

#### **7.2 Feature 2**

Cognos Analytics can help you build interactive and insightful mapping dat visualizations. It comes standard with three different map types: Standard Map, Filled Map (choropleth), or ArcGIS Maps for Cognos Analytics.

Aligning on one version of the truth across many reports is a challenging undertaking tha often ends with inconsistent definitions of metrics and KPIs. One of Cognos Analytic most compelling features is its ability to define measures in a data model and then re use these calculations across numerous connected reports. By defining your KP calculations in central datasets, you can ensure "Gross Profit" and "Sales Revenue return the same numbers, regardless of which report you're viewing.

This feature differentiates Cognos Analytics from other data visualization tools, which often define KPIs in each report individually.

#### Index.html

.button {

```
<!DOCTYPE html>
<html>
<head>
     <meta name="viewport"
           content="width=device-width, initial-scale=1">
    <title>Text alignment</title>
    <style>
       body
       {
       background-
image:url("https://climate.copernicus.eu/sites/default/files/styles/preview_fixed_height
_wide/public/2018-07/globalagriculture_0.jpg?itok=VEGWz-Kb");
       background-repeat: no-repeat;
       background-attachment: fixed;
       background-size: 100% 100%;
     }
       h1{text-align: center;
       font-size: 40px;
       color: black;
        }
```

```
top:25%;
       left:45%;
       width:100px;
       height:40px;
       position: absolute;
       z-index: 2;
       background: rgb(115, 255, 0);
       }
     #left { text-align: left;
     font-size: 35px;
     top: 70px;
     right: 20;
     width: 350px;
     height: 80px;
a:link, a:visited {
background-color: #16d3f0;
 color: white;
 padding: 15px 30px;
 text-align: center;
```

}

```
text-decoration: none;
 display: inline-block;
}
a:hover, a:active {
background-color: tomato;
}
  #left1 { text-align: left;
     font-size: 20px;
     color: SlateBlue;
  }
  #v1 { text-align: left;
     font-size: 20px;
     color: aliceblue;
  }
  #v2 { text-align: left;
     font-size: 20px;
     color: aliceblue;
  }
  #t { text-align: left;
```

```
font-size: 20px;
     color: aliceblue;
  }
  #s { text-align: left;
     font-size: 20px;
     color: aliceblue;
  }
.bottomright {
 position: absolute;
 bottom: 8px;
 right: 16px;
 font-size: 18px;
     </style>
</head>
<body>
      <div class="bg-img">
```

}

### DATA ANALYTICS</h1>

```
<form action="First.html">
   </re></re></re></re></re></re>
        </form>
   <div class="bottomright">
   <p id="left" style="background-color:rgba(160, 240, 85, 0.904);">TEAM ID :
PNT2022TMID46126 
 KALAIMANI M </br/> AMIRTHAN M
</BR> KARAN R </BR> HARIS C </BR></P>
</div>
    </div>
</body>
</html>
Style.css
body {
```

background-image: linear-gradient(135deg, #9dbfa0 10%, #04e592 100%);

```
background-size: cover;
 background-repeat: no-repeat;
 background-attachment: fixed;
 font-family: "Open Sans", sans-serif;
 color: #333333;
}
.box-form {
 margin: 0 auto;
 width: 80%;
 background: #FFFFFF;
 border-radius: 10px;
 overflow: hidden;
 display: flex;
 flex: 1 1 100%;
 align-items: stretch;
justify-content: space-between;
 box-shadow: 0 0 20px 6px #090b6f85;
}
@media (max-width: 980px) {
 .box-form {
  flex-flow: wrap;
  text-align: center;
```

```
align-content: center;
           align-items: center;
       }
}
.box-form div {
    height: auto;
}
.box-form .left {
     color: #f6efef;
     background-size: cover;
     background-repeat: no-repeat;
     font-size: 20px;
     background-image:
url ("https://i.pinimg.com/736x/5d/73/ea/5d73eaabb25e3805de1f8cdea7df4a42--tumblr--tumble for the common of the 
backgrounds-iphone-wall papers-iphone-wall aper-tumblr.jpg");\\
     overflow: hidden;
}
.box-form .left .overlay {
     padding: 40px;
     width: 100%;
     height: 100%;
     background: #31b662ad;
     overflow: hidden;
     box-sizing: border-box;
```

```
}
.box-form .left .overlay h1 {
 font-size: 10vmax;
 line-height: 1;
 font-weight: 900;
 margin-top: 40px;
 margin-bottom: 20px;
}
.box-form .left .overlay span p {
 margin-top: 100px;
 font-weight: 900;
}
.box-form .left .overlay span a {
 background: #3b5998;
 color: #FFFFF;
 margin-top:200px;
 padding: 14px 50px;
 border-radius: 100px;
 display: inline-block;
 box-shadow: 0 3px 6px 1px #042d4657;
}
.box-form .left .overlay span a:last-child {
 background: #1dcaff;
```

```
margin-left: 70px;
}
.box-form .right {
padding: 120px;
overflow: hidden;
}
@media (max-width: 980px) {
 .box-form .right {
  width: 100%;
 }
}
.box-form .right h5 {
font-size: 6vmax;
line-height: 0;
}
.box-form .right p {
 font-size: 14px;
 color: #B0B3B9;
}
.box-form .right .inputs {
overflow: hidden;
}
.box-form .right input {
```

```
width: 100%;
 padding: 10px;
 margin-top: 25px;
 font-size: 16px;
 border: none;
 outline: none;
 border-bottom: 2px solid #B0B3B9;
}
.box-form .right .remember-me--forget-password {
 display: flex;
 margin: 30;
justify-content: space-between;
 align-items: center;
}
.box-form .right .remember-me--forget-password input {
 margin: -10;
 margin-right: 7px;
 width: auto;
}
.box-form .right button {
 float: right;
 color: #fff;
 font-size: 16px;
```

```
padding: 12px 35px;
 border-radius: 50px;
 display: inline-block;
 border: 0;
 outline: 0;
 box-shadow: 0px 4px 20px 0px #49c628a6;
 background-image: linear-gradient(135deg, #70F570 10%, #49C628 100%);
}
label {
 display: block;
 position: relative;
 margin-left: 30px;
}
label::before {
 content: '\f00c';
 position: absolute;
 font-family: FontAwesome;
 background: transparent;
 border: 3px solid #70F570;
 border-radius: 4px;
 color: transparent;
```

```
left: -30px;
 transition: all 0.2s linear;
}
label:hover::before {
 font-family: FontAwesome;
 content: ' \f00c';
 color: #fff;
 cursor: pointer;
 background: #70F570;
}
label:hover::before .text-checkbox {
 background: #70F570;
}
label span.text-checkbox {
 display: inline-block;
 height: auto;
 position: relative;
 cursor: pointer;
 transition: all 0.2s linear;
}
```

```
label input[type="checkbox"] {
 display: none;
}
Script.js
var data = [
  {
     username:"keerthana",
    password:"keerthana"
  },
  {
    username:"kavin",
     password:"kavin"
  },
     username:"nigil",
    password:"nigil"
  },
  {
     username:"salik",
    password:"salik"
```

**}**,

```
]
function first(){
  var uname = document.getElementById("username").value
  var pass = document.getElementById("password").value
  for (i = 0; i < data.length; i++)
     if (uname == data[i].username && pass == data[i].password){
       window.location.replace("Dashboard.html")
       return false
     }
  }
  alert("Incorrect password")
}
function register(){
  var runame = document.getElementById("username").value
  var rpass = document.getElementById("password").value
  var rpass1 = document.getElementById("password1").value
  if (rpass == rpass1){
     var rdata = {
       username: runame,
       password: rpass
     }
```

```
}else{
  alert("password doesn't match")
  return
}
for (i = 0; i < data.length; i++){
  if (runame == data[i].username){
     alert("Username not available")
     return false
  }
}
data.push(rdata)
window.location.replace("Dashboard.html")
```

}

#### **TESTING**

#### 8.1 Test Cases

### 1. Seasons With Average Productions

As production of crops depends on different seasons, so let's plot the graphs to visualize the average production based on different seasons.




Figure 8.1 Seasons with Average Productions

## 2. With Years Usage of Area and Production

In our dataset we also have a year's columns by which we will plot a line and area graphs to see the change in these both data with respect to increase in years.




Figure 8.2 With Years Usage of Area and Production

### 3. Top 10 States With Most Area

As we have an area data in our dataset, we will be plotting some graphs to visualize the top 10 Indian states with the most area.





Figure 8.3 Top 10 States with Most Area

## **4.State with Crop Production**

There are so many different crops produced in Indian and most of us don't know which crop is belongs to which state so we will be plotting and highlight the states in map according to different crops.



**Figure 8.4 State with Crop Production** 

## **5.States with the Crop Production along with Season (Text Table)**

Taking forward the previous plot we will be fetching the state name and showing itin a text table whenever different crops are chosen.




Figure 8.5 States With The Crop Production Along With Season (Text Table)

### 6. Creating the Dashboard

Once you've created views on different tabs in Cognos analytics, you can pull them into a dashboard.




Figure 8.6 Creating the Dashboard

#### **RESULTS**

### 9.1 Performance Metrics

### 1. Seasons With Average Productions

As production of crops depends on different seasons, so let's plot the graphs to visualize the average production based on different seasons.




Figure 9.1 Seasons with Average Productions

### 2. With Years Usage of Area and Production

In our dataset we also have a year's columns by which we will plot a line and area graphs to see the change in these both data with respect to increase in years.



Figure 9.2 With Years Usage of Area and Production

# 3. Top 10 States with Most Area

As we have an area data in our dataset, we will be plotting some graphs to visualize the top 10 Indian states with the most area.





Figure 9.3 Top 10 States with Most Area

### **4.State with Crop Production**

There are so many different crops produced in Indian and most of us don't know which crop is belongs to which state so we will be plotting and highlight the states in map according to different crops.



**Figure 9.4 State with Crop Production** 

# **States with the Crop Production Along with Season (Text Table)**

Taking forward the previous plot we will be fetching the state name and showing it in a text table whenever different crops are chosen.




Figure 9.5 States with the Crop Production Along with Season (Text Table)

# 5. Creating the Dashboard

Once you've created views on different tabs in Cognos analytics, you can pull them into a dashboard.




Figure 9.6 Creating the Dashboard

#### ADVANTAGES AND DISADVANTAGES

### **Advantages**

- ➤ Crop yield prediction systems provide for better planning and decision-makingto increase production.
- ➤ There are various aspects when it comes to crop yield prediction. Some of these include studying climate data, satellite imagery, soil conditions, and possibilities of pest attacks.
- ➤ Farmers get a better price for his produce due to higher demand in local market. So there is regular flow of income over year.
- ➤ It improves soil structure, percolation and reduces changes of creation of hard-pan in sub soil and also reduces soil erosion.
- ➤ The family needs of feed, food, fuel, fiber, spices, sugar etc. are fulfilled and also fulfill needs of livestock.market fluctuations, mechanism of farming, growing expensive crops. So all variety of crops are grown in rotation for more benefit.

### **Disadvantages**

- ➤ Previously yield is predicted on the bases of the farmers prior experience but now weather conditions may change drastically so they cannot guess the yield.
- ➤ Other stress factors like drought stress, flood stress, and whatever temperatur conditions might prevail during a given year, compared to the climate average

#### CONCLUSION

- ➤ As a result of penetration of technology into agriculture field, there is a marginal improvement in the productivity.
- ➤ The innovations have led to new concepts like digital agriculture, smart farming, precision agriculture etc.
- ➤ It has been observed that analysis has been done on agriculture soils, hidden patterns discovery using data set related to climatic conditions and crop yields data.
- ➤ The activities of agriculture field are numerous like weather forecasting, soil quality assessment, seeds selection, crop yield.
- ➤ The subsequent work a comparison of the crop yield prediction can be made with the entire set of existing available data and will be dedicated to suitable approache for improving the efficiency of the proposed technique. Result of crop yield prediction model shows that, if we get weather forecast
- ➤ Before irrigation of crop than we can limit amount of irrigation so than we reduce loss of crop production or will help to farmers to make decision on whethe to grow cotton crop or go for the alternative crop.
- ➤ In the subsequent work a comparison of the crop yield prediction can be made with the entire set of existing available data and will be dedicated to suitable approaches for improving the efficiency of the proposed technique

### **FUTURE SCOPE**

- ➤ Improve the results of analysis model (yield prediction model, price forecasting model), using large number of crop datasets and more weather parameters.
- ➤ Building a strong yield prediction and price forecasting model for all the crops on this analysis.
- ➤ Generating the crop recommendation using natural or local language to make it user friendly.
- ➤ The scope of the project is to determine the crop yield of an area by considering dataset with some features which are important or related to crop production such as temperature, moisture, rainfall, and production of the crop in previous years.

# **Chapter 13**

## **Appendix**

## **Project link**

https://us3.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef= .my\_folders%2FCrop%2Banalytics%2B-

%2BDashboard&action=view&mode=dashboard&subView=model000001 84314dc1ec 00000000

### Github link

https://github.com/IBM-EPBL/IBM-Project-9910-1659082881

# Project demo link

https://drive.google.com/file/d/1wlDpUc4RsOQxUv5\_uLkdKJgJGzubusxO/view?usp=sharing