

## PREPARE THE DATASETS

Team ID	PNT2022TMID07570
Project Name	Global Sales Data Analytics

## DATA PREPARATION

### 1. First understand and load the data.

IBM Cognos Analytics with Watson

Maintenance: Scheduled maintenance completed. Click More Info for details and to subscribe to future events

Hello. Welcome to Cognos Analytics with Watson.

You can get started right away by taking a look at our introduction video, product tour and Getting Started tab.

Watch video Take a product tour

Quick launch

IBM Cognos Analytics with Watson | Content

Maintenance: Scheduled maintenance completed. Click More Info for details and to subscribe to future events


Content

My content Team content Samples

1 item selected

Name	Type	Last Accessed
Pharma Dashboard	Folder	9/27/2022, 1:05 AM
50_Startups.csv	Uploaded file	9/13/2022, 12:08 AM
bank.csv	Uploaded file	9/15/2022, 8:27 AM
bikebuyer.csv	Uploaded file	9/13/2022, 12:20 AM
Global_Superstore2.csv	Uploaded file	10/11/2022, 4:07 AM
Global_Superstore2.xlsx	Uploaded file	10/11/2022, 4:04 AM


2. Since there is only single file, there need not be relationships or custom tables for the data.



The screenshot shows the IBM Cognos Analytics with Watson interface. The top navigation bar includes the logo, a search bar, and a user profile icon. A maintenance message is displayed below the navigation bar. The main area is divided into a left sidebar and a central grid. The sidebar, titled 'Data module', contains a search bar and a list of fields: Row Id, Row ID, Order ID, Order Date, Ship Date, Ship Mode, Customer ID, Customer Name, Segment, City, State, Country, and Postal Code. The central grid, titled 'Grid', displays a table with 10 rows and 8 columns. The columns are labeled: Row Id, Row ID, Order ID, Order Date, Ship Date, Ship Mode, and Customer ID. The data is as follows:

Row Id	Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID
1	32298	CA-2012-124891	2012-07-31	2012-07-31	Same Day	RH-19495
2	26341	IN-2013-77878	2013-02-05	2013-02-07	Second Class	JR-16210
3	25330	IN-2013-71249	2013-10-17	2013-10-18	First Class	CR-12730
4	13524	ES-2013-1579342	2013-01-28	2013-01-30	First Class	KM-16375
5	47221	SG-2013-4320	2013-11-05	2013-11-06	Same Day	RH-9495
6	22732	IN-2013-42360	2013-06-28	2013-07-01	Second Class	JM-15655
7	30570	IN-2011-81826	2011-11-07	2011-11-09	First Class	TS-21340
8	31192	IN-2012-86369	2012-04-14	2012-04-18	Standard Class	MB-18085
9	40155	CA-2014-135909	2014-10-14	2014-10-21	Standard Class	JW-15220
10	270936	CA-2012-116638	2012-01-28	2012-01-31	Standard Class	TH-15085


3. To Prepare the data, we need to verify it is clean. There must be no null values. If there are null values, there will be empty data.



The screenshot shows the IBM Cognos Analytics with Watson interface. The top navigation bar includes the logo, a search bar, and a user profile icon. A maintenance message is displayed below the navigation bar. The main area is divided into a left sidebar and a central grid. The sidebar, titled 'Data module', contains a search bar and a list of fields: Order ID, Order Date, Ship Date, Ship Mode, Customer ID, Customer Name, Segment, City, State, Country, Postal Code, Market, Region, Product ID, Category, and Sub-Category. The central grid, titled 'Grid', displays a table with 10 rows and 8 columns. The columns are labeled: Row Id, Row ID, Order ID, Order Date, Ship Date, Ship Mode, and Customer ID. The data is as follows:

Row Id	Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID
1	32298	CA-2012-124891	2012-07-31	2012-07-31	Same Day	RH-19495
2	26341	IN-2013-77878	2013-02-05	2013-02-07	Second Class	JR-16210
3	25330	IN-2013-71249	2013-10-17	2013-10-18	First Class	CR-12730
4	13524	ES-2013-1579342	2013-01-28	2013-01-30	First Class	KM-16375
5	47221	SG-2013-4320	2013-11-05	2013-11-06	Same Day	RH-9495
6	22732	IN-2013-42360	2013-06-28	2013-07-01	Second Class	JM-15655
7	30570	IN-2011-81826	2011-11-07	2011-11-09	First Class	TS-21340
8	31192	IN-2012-86369	2012-04-14	2012-04-18	Standard Class	MB-18085
9	40155	CA-2014-135909	2014-10-14	2014-10-21	Standard Class	JW-15220
10	270936	CA-2012-116638	2012-01-28	2012-01-31	Standard Class	TH-15085

A context menu is open over the 'Order ID' column header, showing options: Filter..., Create data group..., Create navigation path..., Split..., Hide from users, Remove, Format data..., Clean..., Sort descending, Sort ascending, and Properties.




3. Once cleaned, the data is saved.

## DATE CALCULATIONS AND NAVIGATION PATHS


Once you load the data, we need to Prepare the data.

**a. Prepare Calculations of Year, Month, Day fields and also the related Navigation path**


**b. Create a Few more Calculations – Target Sales, Min Sales, Max Sales, Middle Range Sales.**




1. Right click> calculation> type expression> validate> Set Name as 'Order Year'




2. Similarly, 'OrderMonth', 'OrderDay' and 'All'  
OrderYear -> Year (Order\_Date)  
OrderMonth -> Month (Order\_Date)  
OrderDay -> Day (Order\_Date)  
All -> All



### 3. Right click on create navigation path



### 4. Data format> Date/Time



5. Properties> Usage-> Attribute  
 Aggregate-> Count Distinct  
 Data Type-> Integer  
 Represents-> Time, (Year, Month, Day Respectively)  
 Display Options-> Show Members  
 This way it becomes a Numerical data Type

The screenshot shows the IBM Cognos Analytics interface. On the left is a 'Data module' pane with a search bar and a list of fields including State, Country, Postal Code, Market, Region, Product ID, Category, Sub-Category, Product Name, Sales, Quantity, Discount, Profit, Shipping Cost, Order Priority, Order Year, Order Month, and Order Day. The 'Order Year' field is selected. The main area displays a grid with columns: Profit, Shipping Cost, Order Priority, Order Year, and Ord. The grid contains 10 rows of data. On the right, the 'Properties' panel is open for the 'Order Year' field. It shows the 'General' tab with fields for Label (Order Year), Hide from users (toggle), Expression (View or edit), Usage (Attribute), and Date (Year selected from a dropdown). The 'Description' field is empty.

Profit	Shipping Cost	Order Priority	Order Year	Ord
762.1845	933.57	Critical	2012	7
-288.765	923.63	Critical	2013	2
919.971	915.49	Medium	2013	1
-96.54	910.16	Medium	2013	1
311.52	903.04	Critical	2013	1
763.275	897.35	Critical	2013	6
564.84	894.77	Critical	2011	1
996.48	878.38	High	2012	4
1906.485	867.69	Low	2014	1
-1862.3124	865.74	Critical	2012	1

6. Hence calculations for day, month and year are completed.

Once you load the data, we need to Prepare the data.

- Prepare Calculations of Year, Month, Day fields and also the related Navigation path
- Create a Few more Calculations – Target Sales, Min Sales, Max Sales, Middle Range Sales.**


7. Similarly, calculations for Target sales, Min sales, Max Sales and Middle range sales are done

Min sales-> minimum (Sales)


Max sales, Target sales-> maximum (Sales)

Middle range sales-> average (Sales)

**Minimum(Sales)**



## Maximum(Sales)



## Middle Range (Sales)

