

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Car Performance Analyzer</title>
  <style>
```

```
input {
  caret-color: red;
}
```

```
body {
  margin: 0;
  width: 100vw;
  height: 150vh;
  background-image: linear-gradient(to bottom right, lightblue, gray);
  display: flex;
  align-items: center;
  text-align: center;
  justify-content: center;

  font-family: poppins;
}
```

```
.container {
  position: relative;
  width: 700px;
  height: 850px;
  border-radius: 20px;
  padding: 40px;
  box-sizing: border-box;
  background: #ecf0f3;
  box-shadow: 5px 5px 10px #cbced1, -5px -5px 10px white;
}
```

```
.brand-logo {
  height: 66px;
  width: 110px;
```

```
background-image: url("../car.png") ;
```

```
background-repeat: no-repeat;  
transform: translateY(5px) ;  
margin: auto;  
border-radius: 50%;  
box-sizing: border-box;  
box-shadow: 7px 7px 10px #cbced1, -7px -7px 10px white;  
}
```

```
.brand-title {  
  margin-top: 10px;  
  font-weight: 900;  
  font-size: 1.8rem;  
  color: #1DA1F2;  
  letter-spacing: 1px;  
}
```

```
.inputs {  
  text-align: left;  
  margin-top: 30px;  
}
```

```
label, input, button {  
  display: block;  
  width: 100%;  
  padding: 0;  
  border: none;  
  outline: none;  
  box-sizing: border-box;  
}
```

```
label {  
  margin-bottom: 4px;  
}
```

```
label:nth-of-type(2) {  
  margin-top: 12px;  
}
```

```
input::placeholder {  
  color: gray;
```

```
}
```

```
input {  
  background: #ecf0f3;  
  padding: 10px;  
  padding-left: 20px;  
  height: 50px;  
  font-size: 14px;  
  border-radius: 50px;  
  box-shadow: inset 6px 6px 6px #cbced1, inset -6px -6px 6px white;  
}
```

```
button {  
  color: white;  
  margin-top: 20px;  
  background: #1DA1F2;  
  height: 40px;  
  border-radius: 20px;  
  cursor: pointer;  
  font-weight: 900;  
  box-shadow: 6px 6px 6px #cbced1, -6px -6px 6px white;  
  transition: 0.5s;  
}
```

```
button:hover {  
  box-shadow: none;  
}
```

```
#cylinder{  
  background: #ecf0f3;  
  padding: 10px;  
  padding-left: 20px;  
  height: 40px;  
  font-size: 14px;  
  border-radius: 50px;  
  box-shadow: inset 6px 6px 6px #cbced1, inset -6px -6px 6px white;  
}
```

```
#origin{  
  background: #ecf0f3;  
  padding: 10px;  
  padding-left: 20px;  
  height: 40px;  
  font-size: 14px;
```

```
border-radius: 50px;
box-shadow: inset 6px 6px 6px #cbced1, inset -6px -6px 6px white;
}
```

```
a {
  position: absolute;
  font-size: 8px;
  bottom: 4px;
  right: 4px;
  text-decoration: none;
  color: black;
  background: yellow;
  border-radius: 10px;
  padding: 2px;
}
```

```
h1 {
  position: absolute;
  top: 0;
  left: 0;
}
```

```
</style>
</head>
<body>
  <form>
    <div class="container">
      <div class="brand-logo">
        <i class="fa-solid fa-car"></i>
      </div>
      <div class="brand-title">CAR PERFORMANCE ANALYZER</div>
      <div class="inputs">
        <label>CAR NAME</label>
        <input type="text" placeholder="Enter car name with brand" required="" />
        <label>DISPLACEMENT</label>
        <input type="number" placeholder="Example: 220" required="" />
        <label>SELECT NO. OF CYLINDER</label>
        <select name="cylinder" id="cylinder">
          <option value="1">1</option>
          <option value="2">2</option>
          <option value="3">3</option>
          <option value="4">4</option>
          <option value="5">5</option>
        </select>
      </div>
    </div>
  </form>
</body>
</html>
```

```
<option value="6">6</option>
<option value="7">7</option>
<option value="8">8</option>
</select>
```

```
<label>HORSE POWER</label>
<input type="number" placeholder="Example: 200" required/>
<label>WEIGHT</label>
<input type="number" placeholder="in kg" required/>
<label>ENTER ACCELERATION</label>
<input type="number" placeholder="Example: 11.2" required=""/>
<label>ENTER MODEL YEAR</label>
<input type="text" placeholder="YYYY" required=""/>
<label>SELECT ORGIN</label>
<select name="origin" id="origin" required="">
  <option value="1">1</option>
  <option value="2">2</option>
  <option value="3">3</option>
</select>
```

```
<button type="submit">Submit</button>
</div>
```

```
</div>
</form>
```

```
</body>
</html>
```