

z/OS 3.2 IBM Education Assistant

Solution Name: DFSMSdss S3 Support Direct to Cloud

Solution Element(s): DFSMSdss

DFSMSdfp CDA (Cloud Data Access)

July 2025



Agenda

- Trademarks
- Objectives
- Overview
- Usage & Invocation
- Interactions & Dependencies
- Upgrade & Coexistence Considerations
- Installation & Configuration
- Summary
- Appendix

Trademarks

- See url <http://www.ibm.com/legal/copytrade.shtml> for a list of trademarks:
 - IBM® , IBM Z®,
- Additional Trademarks:
 - None.


Objectives

- Why is DSS providing Direct to Cloud support
 - User-Driven flexibility in data management on the cloud
 - Cloud provider features
 - Any Cloud, not just S3/IBMCOS.
 - Microsoft Azure, Google Cloud, etc.
 - DSS has an existing Cloud solution which uses DS88000 Transparent Cloud Tiering (TCT)
 - Requires IBM Disk Storage
 - Single cloud configuration (multiple clouds may be configured)

Overview


- Who (Audience)
 - As a storage administrator I want to have options for data availability strategy for my z/OS Volume and data sets.
- What (Solution)
 - I want DFSMSdss to provide a flexible method to tailoring how I want cloud object storage managed.
- Wow (Benefit / Value, Need Addressed)
 - My team has the ability to take advantage of the scalability cloud object storage provides while having simplified data availability choices so that I can plan how my data should be managed in the cloud.

Overview – DSS cloud solutions (TCT)



Must be IBM Disk storage.
Single cloud connection options

Overview – DSS cloud solutions (Direct)



S3 Interface Only – NOT TS7700
Traditional Data Path like DISK/TAPE backup

Usage & Invocation - Dump

```
//STEPT01 EXEC PGM=ADRDSSU
//SYSPRINT DD SYSOUT=*
//SYSIN DD *
  DUMP FULL CLOUD(mycloud) -
  CONTAINER(mycontainer) OBJPFX(myobjprefix) -
  INDYNAM(C9SS01) –
  CDAPROVIDER
```

mycloud – Traditionally describes an SMS network connection.

CDAPROVIDERFILE – Tells us to look for a CDA provider file (mycloud.json) to obtain provider connection/tailoring details.

If json file not found, returns to default behavior looking for SMS network connection.

Usage & Invocation – Dump compress

```
//STEPT01 EXEC PGM=ADRDSSU
//SYSPRINT DD SYSOUT=*
//SYSIN DD *
  DUMP FULL CLOUD(mycloud) -
  CONTAINER(mycontainer) OBJPFX(myobjprefix) -
  INDYNAM(C9SS01) –
  CDAPROVIDER CDACOMPRESS
```

CDACOMPRESS – Requests that user data is compressed before sending to cloud object store.

Usage & Invocation - Restore

```
//STEPT01 EXEC PGM=ADRDSSU
//SYSPRINT DD SYSOUT=*
//SYSIN DD *
  RESTORE FULL CLOUD(mycloud) -
  CONTAINER(mycontainer) OBJPFX(myobjprefix) -
  OUTDYNAM(C9SS01) -
  CDAPROVIDER
```

mycloud – Traditionally describes an SMS network connection.

CDAPROVIDERFILE – Tells us to look for a CDA provider file (mycloud.json) to obtain provider connection/tailoring details.

If json file not found, returns to default behavior looking for SMS network connection.

Usage & Invocation – Restore of Compressed Backup

```
//STEPT01 EXEC PGM=ADRDSSU
//SYSPRINT DD SYSOUT=*
//SYSIN DD *
  RESTORE FULL CLOUD(mycloud) -
  CONTAINER(mycontainer) OBJPFX(myobjprefix) -
  OUTDYNAM(C9SS01) –
CDAPROVIDER
```

No Keyword. DSS keeps record in backup meta-data.

Usage & Invocation – CloudUtils

```
//STEPT01 EXEC PGM=ADRDSSU  
//SYSPRINT DD SYSOUT=*  
//SYSIN DD *  
  CLOUDUTILS LIST CLOUD(mycloud) -  
  CONTAINER(mycontainer) CDAPROVIDER
```


Usage & Invocation – CDAPROVIDERFILE PATCH

ADRPATCH byte available to make CDAPROVIDERFILE the **DEFAULT**

- No need to specify CDAPROVIDERFILE
- No JCL updates needed
- ADRPTCHB x62

```
/** *****  
/* SAMPLE JCL TO SET THE FLAGS IN ADRPATCH  
/** *****  
//ZAP EXEC PGM=AMASPZAP,PARM='IGNIDRFULL'  
//SYSPRINT DD SYSOUT=*  
//SYSLIB DD DISP=SHR,DSN=LIBNAME.LINKLIB  
//SYSIN DD *  
NAME ADRDSSU ADRPATCH  
VER 62 00  
REP 62 FF
```

Usage & Invocation – Cloud connection information



Usage & Invocation – Cloud provider file

```
{  
  "enableDFSMSdss": "YES",  
  "host": "s3.us-west-1.amazonaws.com",  
  "port": "443",  
  "region": "us-standard",  
  "httpMechanism": "HTTPS",  
  ...  
}
```

enableDFSMSdss: This key-value pair must be specified. Otherwise, file is **ignored**.

This is where users can *tune* the way their connection is used.
- More functionality to come.

Usage & Invocation – Cloud provider file (cont).

```
{  
  "enableDFSMSdss": "YES",  
  "host": "s3.us-west-1.amazonaws.com",  
  "port": "443",  
  "region": "us-standard",  
  "httpMechanism": "HTTPS",  
  tctType='TCT',  
  ...  
}
```

tctType. This tells DSS the type of TCT target (True cloud or TS7700 Cloud).

The absence of tctType tells us this is a DIRECT connection type.

Interactions & Dependencies

- Software Dependencies
 - OA66536 – DFSMSdfp CDA Compression support.
 - OA66450 – DFSMSdss Direct to cloud support
 - OA67394 – DFSMSdss Direct to cloud Compression support
- Hardware Dependencies
 - None.
- Exploiters
 - Clients.

Upgrade & Coexistence Considerations

- To exploit this solution, all systems in the Plex must be at the new z/OS level: **No**
- List any toleration/coexistence APARs/PTFs. **None**
- List anything that doesn't work the same anymore.
 - **Container name for DSS backups different than TCT:**
 - TCT (existing): SYSZADR.
 - Direct(new): SYSZADR-

Installation & Configuration

- CDA requires some setup
 - Quick Guide: <https://www.ibm.com/docs/en/zos/3.1.0?topic=configuration-system-administrator-quick-start>
- CDA Credentials Storage:
 - <https://www.ibm.com/docs/en/zos/3.1.0?topic=services-cloud-data-access-cloud-credential-storage>
- Provider file configuration
 - Sample provider file for each provider type can be found in /usr/lpp/dfsms/gdk/samples/providers/
 - Field descriptions: <https://www.ibm.com/docs/en/zos/3.1.0?topic=files-provider-file>

Summary

- DSS now offers two cloud solutions (TCT and Direct)
- CDAPROVIDERFILE keyword is used to identify the new support
 - JSON contents describes solution to use.
- CDACOMPRESS results in zEDC compression services.