

IBM Business Automation Manager Open Editions Demos and Labs 2026

IBM BAMOE on Windows 11 - Bring-up Lab

V 2.0 (for IBM BAMOE 9.5)

Raul Mariano
raul.mariano@ibm.com

NOTICES

This information was developed for products and services offered in the USA.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
United States of America

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

TRADEMARKS

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the web at "Copyright and trademark information" at www.ibm.com/legal/copytrade.shtml.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

IT Infrastructure Library is a Registered Trade Mark of AXELOS Limited.

ITIL is a Registered Trade Mark of AXELOS Limited.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Linear Tape-Open, LTO, the LTO Logo, Ultrium, and the Ultrium logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

© Copyright International Business Machines Corporation 2024.

This document may not be reproduced in whole or in part without the prior written permission of IBM.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Table of Contents

1	Overview	4
2	Install Podman Desktop	5
2.1	Verify WSL v2 installation:	5
2.2	Download and Install Podman Desktop:	6
3	Pulling and running container images in Podman:	8
3.1	BAMOE Canvas	8
3.2	BAMOE Management Console	9
3.3	BAMOE Maven Repository	10
4	BAMOE Developer Tools for VS Code	11
4.1	Other components:	13
4.2	Langflow:	13
4.3	PostgreSQL:	13
4.4	Prometheus:	13
4.5	Grafana:	13
4.6	Keycloak:	13
5	Reference Documentation and Communities	15

1 Overview

Install and configure a deployment of IBM Business Automation Manager Open Editions (IBAMOE v9.5) on your local machine using Podman and a Minikube cluster. You can also configure VS Code to create and explore IBM BAMOE applications.

Remember that this is only one way to install the product on your local machine. Throughout the instructions, I will be pointing out the official documentation of the product, so that you can verify other configurations and other possible scenarios.

So, [access here](#), and always have the official documentation of IBM Business Automation Manager Open Editions at hand.

Note:

This tutorial was built and tested for machines with Windows 11 and IBAMOE v9.5.2. If you have a different environment or versions, check the product documentation to certify necessary actions.

Furthermore, I'm assuming that you have no experience with BAMOE, and your machine does not have any necessary configuration or application.


2 Install Podman Desktop

A prerequisite for using Podman on Windows is to install WSL v2. Check if you already have it installed, otherwise, follow these steps:

2.1 Verify WSL v2 installation:

- Open CMD and check if you have WSL installed and if the version is 2.x


```
wsl --version
```



```
C:\Users\Administrator>wsl --version
WSL version: 2.5.9.0
Kernel version: 6.6.87.2-1
WSLg version: 1.0.66
MSRDC version: 1.2.6074
Direct3D version: 1.611.1-81528511
DXCore version: 10.0.26100.1-240331-1435.ge-release
Windows version: 10.0.19045.5487
```


- If you did not get the same result as the image, run this command to install:

```
wsl --install
```



```
C:\Users\Administrator>wsl --install
Installing: Virtual Machine Platform
Virtual Machine Platform has been installed.
Installing: Windows Subsystem for Linux
Windows Subsystem for Linux has been installed.
Installing: Windows Subsystem for Linux
Windows Subsystem for Linux has been installed.
Installing: Ubuntu
Ubuntu has been installed.
The requested operation is successful. Changes will not be effective until the system is rebooted.
```

- Restart your computer to finish installing WSL.
- After your computer restarts, wait a while and note that you must create a username and password of your choice:



```
bamoe@c66088v1: /mnt/c/WINDOWS/system32
Downloading: Ubuntu
Installing: Ubuntu
Distribution successfully installed. It can be launched via 'wsl.exe -d Ubuntu'
Launching Ubuntu...
Provisioning the new WSL instance Ubuntu
This might take a while...
Create a default Unix user account: bamoe
New password:
Retype new password:
passwd: password updated successfully
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.
bamoe@c66088v1: /mnt/c/WINDOWS/system32$
```

- Now you can try the `wsl --version` command again and then close everything (about WSL) if you want.


2.2 Download and Install Podman Desktop:

Visit the official Podman website and download the latest version of Podman Desktop:


<https://podman-desktop.io/>




- After downloading, run and follow the installation wizard.
- Keep Podman, Kubectl CLI, and Compose Extension selected:




- For the Podman, keep the WSLv2 option selected:



- You can keep the default settings for the Podman Machine:



- This may take a few minutes. Check that your Podman Machine is running:




3 Pulling and running container images in Podman:

In this section we will build all the containers for our purpose, I will separate them so you understand what each of them is:

3.1 BAMOE Canvas

BAMOE Canvas is a web application that provides authoring tools for Decisions and Workflows, directly in the browser. It depends on two backend applications to provide full functionality: BAMOE Extended Services and BAMOE CORS proxy.



[BAMOE Canvas Doc](#)

- In total there will be 3 containers, open your PowerShell and run the commands to pull and run each container image:
 - BAMOE Extended Services:

```
podman run --platform linux/amd64 -d --name extended-services -p 21345:21345 -it quay.io/bamoe/extended-services:9.5.2-ibm-0002
```


- BAMOE CORS proxy:

```
podman run --platform linux/amd64 -d -p 8090:8080 --name cors-proxy -i -d -it -e CORS_PROXY_ALLOWED_ORIGINS=http://localhost:9090 -e CORS_PROXY_ALLOWED_HOSTS=github.com,github.ibm.com,bitbucket.org,gitlab.com quay.io/bamoe/cors-proxy:9.5.2-ibm-0002
```

- BAMOE Canvas:


```
podman run --platform linux/amd64 -d --name canvas -p 9090:8080 -it -e KIE_SANDBOX_EXTENDED_SERVICES_URL=http://localhost:21345 -e KIE_SANDBOX_CORS_PROXY_URL=http://localhost:8090 quay.io/bamoe/canvas:9.5.2-ibm-0002
```

- In Podman Desktop, you can see the 3 running containers. You can access BAMOE Canvas via Chrome Browser: <http://localhost:9090/>



3.2 BAMOE Management Console

BAMOE Management Console is a web application for viewing the state of all available Business Services and managing and interacting with process instances:



[BAMOE Management Console Doc](#)

- Back in PowerShell, run the commands to pull and run the container image:

```
podman run --platform linux/amd64 -d --name bamoe-console `
-p 8280:8080 `
-e RUNTIME_TOOLS_MANAGEMENT_CONSOLE_APP_NAME="BAMOE Management Console" `
-e RUNTIME_TOOLS_MANAGEMENT_CONSOLE_OIDC_CLIENT_CLIENT_ID="bamoe-
management-console" `
-e RUNTIME_TOOLS_MANAGEMENT_CONSOLE_OIDC_CLIENT_DEFAULT_SCOPES="openid
email profile" `
-e RUNTIME_TOOLS_MANAGEMENT_CONSOLE_MANAGED_BUSINESS_SERVICES='[{\"name\":
\"ServicoBAMOE\", \"businessServiceUrl\": \"http://localhost:8080\"}]' `
-e
QUARKUS_OIDC_AUTH_SERVER_URL="http://host.containers.internal:8180/realms/bam
oe-realm" `
quay.io/bamoe/management-console:9.5.2-ibm-0002
```

- You can access BAMOE Management Console via Chrome Browser: <http://localhost:8280/>


3.3 BAMOE Maven Repository

With IBM Business Automation Manager Open Editions version 9.2.1 aligning with BAMOE version 8.0 in the downstream build model, the artifacts are no longer available in Maven Central. Instead, the Maven libraries are shipped in the Maven repository format as a .zip file or via HTTP through a Container image you can deploy to your infrastructure. [BAMOE Maven Repository Doc.](#)

- In our case we will deploy it as a container image. Same as the others, run this command:


```
podman run --platform linux/amd64 -d --name maven-repository -p 31000:8080
quay.io/bamoe/maven-repository:9.5.2-ibm-0002
```

Done, all the containers needed to use BAMOE are already running, open your Podman Desktop to check:



4 BAMOE Developer Tools for VS Code

BAMOE provides a useful VS Code extension that combines graphical editors for BPMN, DMN, and SCESIM files. To run and test applications through VS Code, you need to have the [BAMOE Maven Repository](#) running and perform the following steps:




[BAMOE Developer Tools for VS Code Doc](#)

- Install VS Code on your computer.
- Search and install the IBM BAMOE Developer Tools extension – [VS Code Marketplace](#).

Now we need to install Java 21:

- JDK 21 - <https://developer.ibm.com/languages/java/semeru-runtimes/downloads/>
- It is important to check and configure a JAVA_HOME environment variable on Windows.
- To ensure that the JDK settings are correct, run the command in CMD:

```
java --version
```



Now we need to download and configure Apache Maven:

- Access and follow the instructions to download Apache Maven 3.9.x <https://maven.apache.org/index.htmlhttps://maven.apache.org/index.html>

- Save the folder in the path you want, in my case, I extracted Maven in:

```
C:\maven\apache-maven-3.9.10
```

- It is important to create M2_HOME in the Windows environment variables, just as we did with JAVA_HOME.
- Now that everything is configured, run this command to verify your Maven configuration:

```
mvn -v
```

```
Administrator: C:\WINDOWS\system32\cmd.exe
Microsoft Windows [Version 10.0.19045.5487]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Administrator>mvn -v
Apache Maven 3.9.1 (2e178502fcd9bfc201671fb2537d0cb4b4cc58f8)
Maven home: C:\ProgramData\chocolatey\lib\maven\apache-maven-3.9.1
Java version: 11.0.25, vendor: Eclipse Adoptium, runtime: C:\Program Files\Temurin
Default locale: en_US, platform encoding: Cp1252
OS name: "windows 10", version: "10.0", arch: "amd64", family: "windows"
```

Now that Apache Maven is configured, we need to configure the `settings.xml` file pointing to our [Maven Repository](#) available in the container. To see more details about this configuration, go to: [Configure Maven with the container image URL](#).

- You need to create a file called `settings.xml` and insert it into your `~/ .m2/` folder, see my example: `C:\Users\Administrator\.m2`
- Now insert this content into the `settings.xml` file and save it.

```
<?xml version="1.0" encoding="UTF-8"?>
<settings xmlns="http://maven.apache.org/SETTINGS/1.2.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/SETTINGS/1.2.0
https://maven.apache.org/xsd/settings-1.2.0.xsd">
  <pluginGroups>
  </pluginGroups>
  <proxies>
  </proxies>
  <servers>
  </servers>
  <profiles>
    <profile>
      <id>ibm-bamoe-enterprise-maven-repository</id>
      <repositories>
        <repository>
          <id>ibm-bamoe-enterprise-maven-repository</id>
          <url>http://localhost:31000</url>
          <releases>
            <enabled>true</enabled>
          </releases>
          <snapshots>
            <enabled>false</enabled>
          </snapshots>
        </repository>
      </repositories>
      <pluginRepositories>
        <pluginRepository>
          <id>ibm-bamoe-enterprise-maven-repository</id>
          <url>http://localhost:31000</url>
          <releases>
            <enabled>true</enabled>
          </releases>
          <snapshots>
            <enabled>false</enabled>
          </snapshots>
        </pluginRepository>
      </pluginRepositories>
    </profile>
  </profiles>
  <activeProfiles>
    <activeProfile>ibm-bamoe-enterprise-maven-repository</activeProfile>
  </activeProfiles>
</settings>
```

4.1 Other components:

4.2 Langflow:

```
podman run -d \  
-p 7860:7860 \  
-e LANGFLOW_SUPERUSER_USERNAME=langflow \  
-e LANGFLOW_SUPERUSER_PASSWORD=sua_senha_forte_aqui \  
-e LANGFLOW_SSRF_ALLOWED_HOSTS="172.20.128.1" \  
langflowai/langflow:1.12.0
```

4.3 PostgreSQL:

```
podman run -d --name postgresql -e POSTGRES_USER=bamoe-adm -e  
POSTGRES_PASSWORD=bamoe -e POSTGRES_DB=bamoe-db -p 127.0.0.1:5433:5432  
postgres:18
```

4.4 Prometheus:

Create a new file named `prometheus.yml` using the following structure. Replace the IP address 172.20.128.1 with your local IP address.

- `prometheus.yml`

```
global:  
  scrape_interval: 5s  
scrape_configs:  
  - job_name: 'bamoe-quarkus-app'  
    metrics_path: '/q/metrics'  
    static_configs:  
      - targets: ['172.20.128.1:8080']
```

```
podman run -d --name prometheus -p 6061:9090 -v  
./prometheus.yml:/etc/prometheus/prometheus.yml:Z prom/prometheus:v3.15.0
```

4.5 Grafana:

```
podman run -d --name grafana -p 3000:3000 -e GF_SECURITY_ADMIN_PASSWORD=admin  
grafana/grafana:13.1.2
```

4.6 Keycloak:

```
podman run -d --name keycloak \  
-p 8180:8180 \  
-e KEYCLOAK_ADMIN=admin \  
-e KEYCLOAK_ADMIN_PASSWORD=admin \  
quay.io/keycloak/keycloak:26.7 start-dev --http-port 8180
```

Congratulations, your environment is ready!

You now have everything you need to explore IBM Business Automation Manager Open Editions 9.2 on your local machine.

5 Reference Documentation and Communities

- [IBM BAMOE Official Documentation](#)
- [IBM Business Automation Community: Open Editions](#)