

IBM Business Automation Manager Open Editions Demos and Labs 2026

Introduce AI Capabilities in your BAMOE Workflow

V 2.0 (for IBM BAMOE 9.5.2)

Raul Mariano
raul.mariano@ibm.com

NOTICES

This information was developed for products and services offered in the USA.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
United States of America

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

TRADEMARKS

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the web at "Copyright and trademark information" at www.ibm.com/legal/copytrade.shtml.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

IT Infrastructure Library is a Registered Trade Mark of AXELOS Limited.

ITIL is a Registered Trade Mark of AXELOS Limited.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Linear Tape-Open, LTO, the LTO Logo, Ultrium, and the Ultrium logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

© Copyright International Business Machines Corporation 2024.

This document may not be reproduced in whole or in part without the prior written permission of IBM.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Table of Contents

1	Introduction.....	4
1.1	IBM Business Automation Manager Open Editions.....	4
2	Lab Setup Instructions	5
2.1	Access the environment.....	5
2.1.1	About the Environment:	5
3	The use case for Lab	6
4	Exercise 1: Configure and Test Gen AI Task with Ollama.....	7
5	Exercise 2: Configure and test the AI agent task with Langflow	15
5.1	About Langflow	15
5.2	Configuring BAMOE Workflow with Langflow Agent	21
6	Exercise 3: Run your project using VS Code	27
7	Consult Documentation and Communities	34

1 Introduction

These hands-on lab exercises are designed to guide you through the essential aspects of process automation using BAMOE Development Tools for VS Code. Whether you're a developer or an architect, these labs will provide the skills needed to use BAMOE Canvas and VS Code to effectively create workflow automation and decision-making designs in modern, cloud-native business automation solutions.

Notes:

- *Includes **four** exercises. We recommend completing them sequentially.*
- **Duration:** *Approximately 1 hour.*
- **Target audience:** *Anyone who wants to learn how to use IBM Business Automation Manager Open Editions.*

1.1 IBM Business Automation Manager Open Editions

IBM Business Automation Manager Open Editions (IBM BAMOE) is a powerful open-source solution that serves as a foundation platform for tailoring long-lasting business automation solutions for the hybrid cloud.

With a developer-centric approach, this comprehensive and flexible platform makes it easy for teams to collaborate through Open Standards and efficient development tools suited for different personas.

Each automation solution can be shaped to perfectly address each scenario: business applications are flexible and can effortlessly integrate with external systems of your existing architecture.

Designed for the hybrid cloud, IBM Business Automation Manager Open Editions, accelerates the application modernization and cloud adoption journeys, as the lightweight design tools, business applications and other product components can be containerized and deployed with popular technologies such as Kubernetes and OpenShift.

For more information, see IBM documentation and other useful links:

- [IBM Business Automation Manager Open Editions Documentation](#)
- [Open Editions Community](#)

2 Lab Setup Instructions

2.1 Access the environment

You received this email with instructions on how to access the environment using your IBMid. Otherwise, click [here](#) to reserve it.


If necessary, this is the Windows credential:

```
User: techzone
Password: IBMDemOs!
```


2.1.1 About the Environment:

We have built this environment to facilitate practical use IBM Business Automation Manager Open Editions, therefore, all applications are installed locally. To perform in this lab, it will not be necessary to use any external services. Basically, we have this architecture:

- [Development](#) and [Runtime](#) applications are running in containers on Podman.



- For deployment and testing of your applications, VS Code with the [BAMOE Developer Tools](#) extension will be used.




3 The use case for Lab

You've probably seen this Credit Card Application use case before, as it's been used in other labs for different research purposes. But here we'll use it to configure and test two types of AI tasks.

To recap, this is a workflow that executes a DMN model to check a person's eligibility when applying for a credit card. The result of this rule is:

- **Automatically approved:** If the applicant's data meets the requirements, the card will be generated automatically.
- **Automatically rejected:** If the applicant's data does not meet the minimum requirements, the application will be automatically rejected.
- **Manually approved:** There is a scenario where the application analysis needs to be done manually by a user, who can also approve or reject the application.



Currently in IBM BAMOE v9.5.2, we have the following capabilities for integrating a workflow with AI:

- [Using a Gen AI Task in Workflows](#)
- [Using AI Agent Tasks in Workflows](#) #TechPreview

For this reason, in this lab we will focus on 2 example tasks, "Agent AI task" and "Gen AI Task", and you will perform the following exercises:


- Exercise 1: Configure and Test Gen AI Task with Ollama
- Exercise 2: Configure and Test AI Agent Task with LangFlow
- Exercise 3: Run your project using VS Code

To complete this lab, we assume you already have basic knowledge and know-how of IBM BAMOE, therefore, some navigation or explanations that we consider "basic" will not be covered in detail.


Next, the first exercise begins. Happy studying!

4 Exercise 1: Configure and Test Gen AI Task with Ollama


In this exercise, I will be demonstrating the configuration of the Gen AI Task using BAMOE Canvas, but you can access the [documentation](#) to do the same using VS Code.



- To begin with, open Ollama using the executable on your desktop. You can also test it by visiting <http://localhost:11434/>




- Open the **Chrome browser** and access the **BAMOE Canvas** (saved in your bookmarks bar):




- On the Canvas homepage, go to the Import section and in the 'From URL', enter this **URL**:

<https://github.com/raulmariano/credit-card-approval>


- Click the **Clone** button.




- Ensure that you have the correct **"ApplicantApproval"** workflow, located in **"src>main>resources"**.




- Access the **'Connected accounts'** button in the upper right corner



- If it is not there, click on **Connect to an account** and select 'Ollama'.




- Fill in the following parameters around name and URL and click on 'Connect'. You will receive a success message.




Returning to the use case and scenario where, even with the Manual Review, the card does not get approved. Let's set up a task so that Generative AI writes a message informing user that the card was not approved.


- Let's create a new variable to store the message, so click on the 'Process Variables' button. And we're going to add the following output variable of **genAiOutput** to store the result of Gen AI activity.




- Add a new "Task" to your flow.



- Remember that we have a condition configured on this **"Manual Rejection"** arrow. So, do not delete it! Just reposition the connections.



- Let's call this new task **"Generate message"** and change its type to **"Gen AI Task"**.



- Check at the flow of Manual Rejection if there is some value in Conditional Expression, if not, add the rule (Java code) to the expression.

```
return approval.toLowerCase().equals("rejected");
```

- We will use Ollama as the provider to generate a message for a user whose credit card was not approved.
- In the task properties, choose the following parameters:

AI Provider * ⓘ

Ollama - ollama

Model * ⓘ

llama3.2:latest

Temperature * ⓘ

2.0

Token Limit * ⓘ

1400

Prompt * ⓘ

Write a short email to a customer whose card was not approved. Be objective and empathetic, do not add extra explanations. Your response should be a maximum of 4 lines.


ⓘ This prompt includes a system message that helps guide the response. Click [here](#) to view it.

Preview

- Insert this prompt:

Write a short email to a customer whose card was not approved. Be objective and empathetic, do not add extra explanations. Your response should be a maximum of 4 lines.

- Click on **preview** to evaluate the result.



This might take a while...

- Let's configure the input and output data in the menu **"Data mapping"**

↔ Data mapping (in: -, out: 1) ✎

- In the inputs section, we'll add the Applicant's data to personalize our message.

Then click on the button

Add Input data mapping

Data mapping for 'Gen AI Task' ✕

Inputs

Name	Data Type	Source
Applicant	org.acme.cc_approv... ✕ ▼	Var applicant ✕ ▼

- In the output, we will only need to point the 'Target' to the variable we created at the beginning and click on Save.

Data mapping for 'Gen AI Task' ✕

Inputs


Name	Data Type	Source
Applicant	org.acme.cc_approv... ✕ ▼	Var applicant ✕ ▼

Outputs

Name	Data Type	Target
genAiOutput	String ✕ ▼	Var genAiOutput ✕ ▼

Save

- Now that we have configured the workflow variables in this task, we can pass them as parameters in the prompt. Take a look:
- Include in the prompt `{{` to see the mapped inputs.



- You now have a new preview field; you can enter your name and test it by clicking "**Preview**"

Prompt * ?

Write a short email to a customer {{Applicant}} whose card was not approved. Be objective and empathetic; do not add extra explanations. Your response should be a maximum of 4 lines.

! This prompt includes a system message that helps guide the response. Click [here](#) to view it.

Preview ?

Variable	Value
Applicant	Raul

[Preview](#)

This might take a while...

- Check the result and adjust the prompt again if necessary.

Result

Token Usage

Input Token: 660

Output Token: 70

Total Token: 730



Subject: Approval for Application Raul

Dear Mr. Raul,

Thank you for applying with us. Unfortunately,
your application was not approved due to
insufficient credit history. We will keep your
information on file and may review it in the
future if our requirements change. Please
contact us if you have any questions.

Best regards,
[Your Name]

Great, you've finished the first exercise in this lab.

5 Exercise 2: Configure and test the AI agent task with Langflow

In this exercise, you will learn how to integrate your workflow with Langflow Agents. To do this, we will include an "Agent AI Task" in our use case; while this feature is still in Tech Preview in this version of BAMOE (v9.5.2), it is already available for testing.


5.1 About Langflow

Langflow is already deployed and configured in the provided environment; a simple agent is already saved within it, designed to write a "Welcome" message to an applicant whose card has been approved.

Pay attention:

Do not confuse the two features we are presenting in this Lab. In the previous exercise, you saw Generative AI used to configure a "Gen AI Task," utilizing Ollama as the provider to generate text directly within the workflow. Here and now, however, when configuring an "AI Agent", even though the output is still **"text"**, the use of Langflow Agents can be far more powerful and complex. I would like to reiterate that our goal is to demonstrate the integration capabilities and features of IBM BAMOE.

With these points settled, let's get back to the practical side. Open Langflow in your browser at <http://localhost:7860/>




Langflow Credentials:


Username: langflow
Password: langflow123

Now, let's create a simple agent to integrate with BAMOE. Keep in mind that our goal is not to build agents in Langflow, but rather to integrate it easily with the BAMOE Workflow.


- After logging in, right on the "Welcome" page, click the **"Create first flow"** button.




- In the side menu, under components, add **"Chat Input"** and **"Chat Output"** to the board.




- In **"Models & Agents"** add the "Agent" component to the board.




- Connect the components by creating the flow **"Chat Input" > "Agent" > "Chat Output"**.




- Let's configure the **"Agent"** and select Ollama as the provider. Then, click **"Setup Provider"**.




- Select Ollama



- Since Langflow is running in a container, “localhost:11434” won't work to connect to the Ollama instance installed locally on Windows. Therefore, use <http://host.containers.internal:11434> after click in “Save”




- We will use the lighter model for our tests (llama3.2) to ensure better fluidity in this lab. You can then close this screen.




- Include this prompt in **"Agent Instructions"** to direct the agent's output:

Act professionally and directly. Task: Write a welcome message for an approved credit card. Rules: 1. Introduce yourself. 2. Congratulate the customer [name]. 3. Ask them to download the app (to unlock the card and receive digital statements). 4. Use a maximum of 30 words.




- I'm going to rename the agent (choose the name you prefer) and then you can test the agent by clicking on **"Playground"**.




5.2 Configuring BAMOE Workflow with Langflow Agent


Following the same logic as the previous exercise, we need to add Langflow to the BAMOE Canvas. So:

- Back on BAMOE Canvas, let's connect to the Langflow account; click the **"Accounts"**

button .



- Click the **"Add"**.




- In the AI section, select the  Langflow option.


- Fill in the details:

- Name: *myLangflow*
- Service URL: <http://localhost:7860>
- API KEY:

- In Langflow, click the profile icon in the upper right corner and access the settings.



2. Select "Langflow API Keys"



3. Let's create a description to make identification easier and click the button to generate the key.

Create API Key

Create a secret API Key to use Langflow API.

Description (optional)

myBAMOE

Expiration date (optional)

No expiration

1 week from today


1 month from today

1 year from today

Cancel

Generate API Key

4. Simply click the button to copy your key.



- Going back to Canvas in the browser, paste the key into the API Key field. Select the option to disable TLS certificate validation for our case.

< Back

Connect to Langflow

① New to Langflow?
Build and deploy AI agents with visual flow-based programming. Create powerful workflows by connecting LLMs, prompts, and tools through an intuitive drag-and-drop interface.
[Installation](#) [Create API Key](#) [Documentation](#) Default URL: <http://localhost:7860>

Name *

Service URL *

API Key *


☒ Insecurely disable TLS certificate validation
Checking this option will insecurely disable TLS certificate verification for this account. This is an alternative to not having to deal with the browser's restrictions when your cluster is behind an HTTPS endpoint with a self-signed certificate. Please be advised that the use of self-signed certificates is a weaker form of security, so consider contacting your cluster admins to use a trusted certificate. For more information, refer to <https://cwe.mitre.org/data/definitions/295.html>.

You will receive the following success message.




Let's go back to our workflow to configure it.


- The configuration is very similar to the previous one; we will create variables to store the agent's output. Then click the **"Process Variables"** button and let's register “:




- Add a new task



- Position it after the task that generates the card data, then you can connect it to the final event.



- Change the task name to "AI Agent task" and change the task type by selecting "AI Agent Task".



- Now, in the properties of this task, configure the fields:

- Navigate to **"Data mapping"**  Data mapping (in: 1, out: 1) . Remove the automatically generated input data **"aiAgentInput"**. And we'll register the **"Applicant"** as an input. And point to the variable we created in the output target.

Data mapping for 'Agent AI Task' ✕

Inputs		
Name	Data Type	Source
Applicant	org.acme.cc.approv... ✕ ▼	Var applicant ✕ ▼

1

Outputs		
Name	Data Type	Target
aiAgentOutput	String ✕ ▼	Var aiAgentOutput ✕ ▼

2

Save 3

- Back in properties, fill in the fields to run a test.

Input ⓘ

↺

The input data for the agent. Use {{variableName}} for dynamic content.

Preview ⓘ

Variable	Value
Applicant	Raul

Test Agent

Agent Execution Log

[2:59:49 AM] 🚀 Starting agent execution...

[2:59:49 AM] 📄 Agent ID: c54cd2a2-4164-45a1-bb29-26d2aa145ee5


[3:00:14 AM] ✅ Execution completed in 24423ms

I hope your test worked, because here we conclude another exercise.


6 Exercise 3: Run your project using VS Code

Let's put our project to the test now. You should also have explored that it's possible to connect to some providers (for example, GitHub), but we can also download the project folder (.zip) locally. So now, let's use this feature to explore this project in more depth using VS Code, as well as test it.


- In the upper right corner, click **"Share" > "All Files"** and save it to a folder on your computer.



- Open VS Code , pinned to the taskbar. Open the project folder in VS Code and explore the project structure and see what features have already been created in this use case.




- Navigate to the **"Resources"** folder, select the **"ApplicantApproval.bpmn"** file, and click the **"SVG"** button to generate the workflow image. We will use this image to visually monitor the instances.



Did you know?

You can also perform all the modeling and testing we did in BAMOE Canvas right here in VS Code. And speaking specifically about these two capabilities, you can add Ollama and Langflow like this:

Click the "Accounts" button to access the setup process for each account. Simply follow the steps and provide the same details we already use in Canvas.



Ollama:

Enter your Ollama Service URL (Press 'Enter' to confirm or 'Escape' to cancel)

Langflow:

Enter your Langflow Service URL (Press 'Enter' to confirm or 'Escape' to cancel)

Enter your Langflow API key (Press 'Enter' to confirm or 'Escape' to cancel)

Now that you've connected, the task preview feature also works in VSCode. This means you don't need to run the project in development mode just to tweak a prompt or view the output.

The screenshot displays the Visual Studio Code interface with a BPMN workflow editor. The workflow, named 'ApplicantApproval.bpmn', is shown in the center. It includes tasks like 'Log application received', 'AI Engine', 'Generate CC Details', and 'AI Agent Task'. A red dashed box highlights the 'Generate Prompt' task. To the right, a 'Preview' panel shows the output of the workflow. It includes a table for 'Token Usage' and a 'Result' section with a subject and a message.

Variable	Value
Applicant	Raul

Preview

Result

Token Usage


- Input Token: 660
- Output Token: 74
- Total Token: 734

Subject: Request for Card Approval Reconsideration

Dear Raul,

We regret to inform you that your card application was not approved at this time. Please review the reasons listed on our website for further details.

- Before running the project, let's access the "application.properties" file to configure Ollama and Langflow. Let's run the application and test our workflow.



- Let's configure Ollama first, since we're using it in the Gen AI Task.
Navigate through the file and you will find these commented lines; simply remove the # at the beginning and fill them in like this:


```
# Ollama
bamoe.workflow.gen-ai-task.provider.ollama.base-url=http://localhost:11434
bamoe.workflow.gen-ai-task.provider.ollama.log-requests=false
bamoe.workflow.gen-ai-task.provider.ollama.log-responses=false
```

- Do the same to configure Langflow. Remember to use the same API Key that you generated at the beginning of exercise 2.

```
#####
# BAMOE AI Agent Task #
#####
# Langflow
bamoe.workflow.ai-agent-task.provider.langflow.base-url=http://localhost:7860/
bamoe.workflow.ai-agent-task.provider.langflow.api-key=sk-I4 B1brw
bamoe.workflow.ai-agent-task.provider.langflow.log-requests=false
bamoe.workflow.ai-agent-task.provider.langflow.log-responses=false
```

Important! Save the file.

- Open a new terminal, **"Terminal". "New Terminal".**




- Execute this command to deploy to development:
`mvn clean quarkus:dev -Pdevelopment`

- Wait for the process to start. You should see the message Listening on: <http://localhost:8080>. This may take a few minutes.

```


PS C:\Users\techzone\Desktop\Credit-Card-Approval-931> mvn clean quarkus:dev -Pdevelopment
) started in 39.719s. Listening on: http://localhost:8080
2026-02-16 09:39:49,473 INFO [io.quarkus] (Quarkus Main Thread) Profile dev activated. Live Coding activated.
2026-02-16 09:39:49,474 INFO [io.quarkus] (Quarkus Main Thread) Installed features: [agroal, bamoe-ai-agent-task-work-item-handler, bamoe-pi
m, bamoe-quarkus-devui, cdi, flyway, hibernate-orm, jbpmm-addon-usertask-storage-jpa, jdbc-h2, jdbc-postgresql, kie-addon-persistence-jdbc-ext
ension, kie-addon-process-management-extension, kie-addon-process-svg-extension, kie-addon-source-files-extension, kie-flyway, kogito-addons-
quarkus-data-index-jpa, kogito-addons-quarkus-data-index-persistence-jpa, kogito-decisions, kogito-predictions, kogito-processes, kogito-rule
s, messaging, narayana-jta, oidc, reactive-routes, resteasy, resteasy-client, resteasy-jackson, resteasy-multipart, security, security-proper
ties-file, servlet, smallrye-context-propagation, smallrye-fault-tolerance, smallrye-health, smallrye-openapi, smallrye-reactive-messaging-ht
tp, swagger-ui, vertx, vertx-graphql]
  
```

- Open Google Chrome and navigate to <http://localhost:8080/q/dev-ui>. Let's understand more about the use case by accessing the **"Process instances"**.




We will use this development area to start the workflow and monitor the results.

- Navigate now to "Process Definitions" and click the button available in actions.




- We will run the scenarios that go through the 2 cases of interaction with AI.




AGE	ANNUAL INCOME	CREDIT SCORE	IS STUDENT	SCENARIO
20	19000	600	NO	Manual Review


- For manual approval, you will need to navigate to the Task and answer "rejected" to reach the Gen AI Task.
- Return to the top of the page and go to "Processes".



- In **"process instances"**, change the filter to show all states.



Now you can access the instances to validate the processing result; especially in variables, you will have the return generated by the AI for each scenario.



Congratulations! You have completed this lab.

Stay tuned for new product updates and official IBM documentation. I hope that from now on you will be able to create and explore your own use cases.

7 Consult Documentation and Communities

- [IBM BAMOE Official Documentation](#)
- [IBM Business Automation Community: Open Editions](#)