


# Pac-Man

In this project you will create a Pac-Man game in Scratch that is able to learn from how you play.

You won't give it instructions for how to play, or tell it what the objective or rules of the game are.


Instead, you'll show it examples of you playing the game.




This project worksheet is licensed under a Creative Commons Attribution Non-Commercial Share-Alike License  
<http://creativecommons.org/licenses/by-nc-sa/4.0/>

1. Go to <https://machinelearningforkids.co.uk/scratchx> in a browser.
2. Open the **Pac-Man** template for this project.

*Click Project templates -> Pac-Man*



3. Click the **full-screen** button, and then click the Green Flag




4. Play a few games of Pac-Man

*You control Pac-Man, and have to avoid the ghost as long as you can.  
Use the arrow keys to control Pac-Man's next move.  
Click the green flag to start a new game.*

5. Try to come up with a plan for how Pac-Man can avoid the ghost

# Representing Pac-Man in Scratch



The game board is a graph.  
Pac-Man and the ghost can only travel along lines.


The location of each character is stored as:  
\* an x-value (a number from 1 to 7)  
\* a y-value (a number from 1 to 5)

For example, the ghost on the left is at:

X = 5  
Y = 2

At each turn, each character has to choose between four moves: up, down, left, right.


(There are no diagonal moves.)



## What are you going to do?

You're going to train Pac-Man to avoid the ghost. You'll do this by showing it examples of how you play the game.


Imagine the board looks like this:



Imagine you decide to go up:

pacman x	2
pacman y	2
ghost x	5
ghost y	3
choice: up	

Imagine the board looks like this:



Imagine you decide to go down:

pacman x	5
pacman y	5
ghost x	2
ghost y	3
choice: down	

The computer will learn from the decisions that you make when you play the game.

If you make moves that avoid the ghost for a long time, the computer should learn how to avoid the ghost!

**6.** Close the Scratch window.

**7.** Go to <https://machinelearningforkids.co.uk/> in a web browser


**8.** Click on “Get started”

- 9.** Click on “**Log In**” and type in your username and password  
*If you don't have a username, ask your teacher or group leader to create one for you.*  
*If you can't remember your username or password, ask your teacher or group leader to reset it for you.*

**10.** Click on “**Projects**” on the top menu bar


**11.** Click on the “**+ Add a new project**” button.

**12.** Name your project “pacman” and set it to learn how to recognise “numbers”



The screenshot shows a web-based application for creating a machine learning project. At the top, there is a navigation bar with links: ml-for-kids, Welcome, About, Projects, Worksheets, News, Help, and Log Out. Below the navigation bar, the title "Start a new machine learning project" is displayed. The main form has two input fields: "Project Name \*" containing "pacman" and "Recognizing \*" containing "numbers". A blue "ADD A VALUE" button is located below the "Recognizing" field. To the right of the "Recognizing" field is a tooltip box with the text: "Start to describe the values that you'll include with each example to train the computer with by clicking the 'Add a value' button." At the bottom right of the form are "CREATE" and "CANCEL" buttons.

**13.** Click “**Add a value**” and name a value “pacman x” and make it a “number”.



The screenshot shows a configuration dialog for adding a value. It has two main input fields: "Value 1 \*" containing "pacman x" and "Type of value \*" containing "number". Below these fields is a "ADD ANOTHER VALUE" button. To the right of the input fields is a callout box with the following text:  
If pacman x can be described as numbers, choose "number".  
If it can be described as choosing from a few options, choose "multiple-choice".  
A red "X" icon is in the top right corner of the callout box.

- 14.** Click “Add another value” again and repeat to add values for the other three positions: “pacman y”, “ghost x”, “ghost y”

Project Name \*  
pacman

Recognizing \*  
numbers

Value 1 * pacman x	Type of value * number	X
Value 2 * pacman y	Type of value * number	X
Value 3 * ghost x	Type of value * number	X
Value 4 * ghost y	Type of value * number	X

ADD ANOTHER VALUE

CREATE CANCEL

- 15.** Click **Create**.

- 16.** You should see “pacman” in the list of your projects. Click on it.

ml-for-kids Welcome About Projects Worksheets News Help Log Out

Your machine learning projects

Add a new project

car or cup  
Recognising images as car or cup

pacman  
Recognising numbers

- 17.** Click the “Train” button

ml-for-kids Welcome About Projects Worksheets News Help Log Out

"pacman"


Train  
Collect examples of what you want the computer to recognise.  
Train

Learn & Test  
Use the examples you've collected to recognise numbers.  
Learn & Test

Scratch  
Use the machine learning model you've trained to make a game in Scratch.  
Scratch


## 18. Click “+ Add new label” and create a label called “left”

*Examples of the locations of the Pac-Man and ghost when you go left will go in this bucket.*



## 19. Click “+ Add new label” again and create labels for the other three moves in the game.

“right”, “up”, “down”




**20.** Click the “< Back to project” link then click **Scratch**


**21.** Click the **Open in Scratch** button

*It will warn you that you haven't trained the computer yet – but that's okay, as you'll use Scratch to collect the training examples.*

*Click the “go straight into Scratch now” link.*



**22.** You should see new blocks in the “More blocks” section from your “pacman” project.




**23.** Open the Pac-Man template project again.

*Click **Project templates** -> **Pac-Man***


**24.** Click on the “Stage” and find the “when green flag clicked” script that sets the “left”, “right”, “up”, “down” constants



**25.** Modify the script to use your new blocks from the pacman project



**26.** Find the custom block “pacman-decision”



## 27. Update the “pacman-decision” block to add every move you make to your machine-learning training data



## 28. Train the computer by playing the game!

*Click on full-screen again, and then the Green Flag.*

*Play a few games of Pac-Man, doing your best to avoid the ghost.*

*The better you play, the better moves the computer has to learn from.*

## 29. Save your project

*Click File -> Save project*

*Name the file “pacman-learn.sbx” to remind yourself that this version of the project is the one to train Pac-Man.*

## 30. Go back to the training tool

## 31. Click the “< Back to project” link, then click the “Train” button

*You should see the training examples you collected by playing Pac-Man.*

The screenshot shows a web-based training tool interface. At the top, it says "Recognising numbers as left, right or 2 other classes". Below this are four sections: "left", "right", "up", and "down". Each section contains a grid of 10 training examples, each with four coordinates: pacman x, pacman y, ghost x, and ghost y. At the bottom of each section is a button labeled "+ Add example". The sections are numbered 14, 16, 15, and 11 respectively from left to right.

Category	Example 1	Example 2	Example 3	Example 4	Example 5	Example 6	Example 7	Example 8	Example 9	Example 10
left	[pacman x: 6, pacman y: 2, ghost x: 6, ghost y: 4]	[pacman x: 5, pacman y: 2, ghost x: 6, ghost y: 3]	[pacman x: 4, pacman y: 1, ghost x: 5, ghost y: 2]	[pacman x: 2, pacman y: 7, ghost x: 4, ghost y: 1]	[pacman x: 6, pacman y: 2, ghost x: 7, ghost y: 3]	[pacman x: 4, pacman y: 2, ghost x: 5, ghost y: 3]	[pacman x: 2, pacman y: 5, ghost x: 7, ghost y: 4]	[pacman x: 5, pacman y: 5, ghost x: 4, ghost y: 4]	[pacman x: 2, pacman y: 5, ghost x: 1, ghost y: 4]	[pacman x: 4, pacman y: 5, ghost x: 2, ghost y: 5]
right	[pacman x: 1, pacman y: 5, ghost x: 3, ghost y: 3]	[pacman x: 2, pacman y: 5, ghost x: 2, ghost y: 3]	[pacman x: 3, pacman y: 5, ghost x: 2, ghost y: 4]	[pacman x: 5, pacman y: 4, ghost x: 4, ghost y: 4]	[pacman x: 1, pacman y: 5, ghost x: 1, ghost y: 3]	[pacman x: 5, pacman y: 5, ghost x: 1, ghost y: 4]	[pacman x: 2, pacman y: 5, ghost x: 1, ghost y: 5]	[pacman x: 3, pacman y: 5, ghost x: 3, ghost y: 4]	[pacman x: 1, pacman y: 5, ghost x: 1, ghost y: 5]	[pacman x: 2, pacman y: 5, ghost x: 1, ghost y: 6]
up	[pacman x: 1, pacman y: 1, ghost x: 5, ghost y: 4]	[pacman x: 1, pacman y: 2, ghost x: 4, ghost y: 4]	[pacman x: 1, pacman y: 3, ghost x: 3, ghost y: 3]	[pacman x: 1, pacman y: 4, ghost x: 2, ghost y: 3]	[pacman x: 1, pacman y: 1, ghost x: 1, ghost y: 1]	[pacman x: 1, pacman y: 2, ghost x: 2, ghost y: 2]	[pacman x: 1, pacman y: 3, ghost x: 1, ghost y: 1]	[pacman x: 1, pacman y: 4, ghost x: 1, ghost y: 2]	[pacman x: 1, pacman y: 5, ghost x: 1, ghost y: 3]	[pacman x: 2, pacman y: 3, ghost x: 1, ghost y: 2]
down	[pacman x: 6, pacman y: 4, ghost x: 5, ghost y: 5]	[pacman x: 6, pacman y: 5, ghost x: 4, ghost y: 5]	[pacman x: 6, pacman y: 3, ghost x: 5, ghost y: 5]	[pacman x: 4, pacman y: 2, ghost x: 6, ghost y: 5]	[pacman x: 7, pacman y: 5, ghost x: 5, ghost y: 5]	[pacman x: 7, pacman y: 5, ghost x: 6, ghost y: 5]	[pacman x: 7, pacman y: 3, ghost x: 7, ghost y: 5]	[pacman x: 6, pacman y: 4, ghost x: 5, ghost y: 5]	[pacman x: 6, pacman y: 3, ghost x: 6, ghost y: 5]	[pacman x: 6, pacman y: 4, ghost x: 4, ghost y: 5]

## What have you done so far?


You're teaching a computer to play Pac-Man.

You updated a Scratch Pac-Man game so that it can collect examples of how you play and add them to a set of examples. You'll use those examples to train a machine learning "model".

**32.** Click the "**< Back to project**" link

**33.** Click the "**Learn & Test**" button

**34.** Click the "**Train new machine learning model**" button




**35.** Go back to the Scratch window.

*If you accidentally closed it, you can get back to it by doing this:*

- \* **Click the "*< Back to project*" link**
- \* **Click the "*Scratch*" button**
- \* **Click the "*Open in Scratch*" button**
- \* **Open the Scratch project you saved before, with "*File*" -> "*Load Project*"**

## 36. Click on the Stage



37. Delete the key-press scripts because it's the computer's turn!  
(Delete a script by right-clicking on it and choose "Delete")  
These are the scripts you don't need any more:




## 38. Modify the custom “pacman-decision” block

Instead of learning from what you are doing, now you want it to use your machine learning model



- 39.** Modify the “Click Green Flag” script to remove “wait 1 second”.  
*You want the script to end up looking like this:*



- 40.** Save your project

*Click **File** -> **Save project***

*Name the file “pacman-play.sbx” to remind yourself that this version of the project is where the computer controls Pac-Man.*

- 41.** Test the computer!

*Click on full-screen again, and then the Green Flag.*

*Watch the Pac-Man you’ve trained try to avoid the ghost.*

- 42.** Open the training project “pacman-learn.sbx”.

*Make sure you save your pacman-play project first!*

*Click **File** -> **Load Project***

- 43.** Train the computer some more by playing a few more games.

- 44.** Go back to the training tool

**45.** Go back to the “Learn & Test” page

*Click the “< Back to project” link, and then click “Learn & Test”*

**46.** Click the “Train new machine learning model” button again

**47.** Switch back to the Scratch window.

*If you accidentally closed it, you can get back to it by doing this:*

- \* Click the “< Back to project” link
- \* Click the “Scratch” button
- \* Click the “Open in Scratch” button

**48.** Open the testing project “pacman-play.sbx”

*Click File -> Load Project*

**49.** Test the computer again

*Did the computer do any better after more training?*

## What have you done?

You’ve trained a computer to play Pac-Man.

You didn’t have to describe the rules to the computer.

You didn’t tell it that it should try to avoid the ghost.

You didn’t describe the boundaries of the board.

(The rules are in the Scratch game, but that doesn’t count – that wasn’t used in the machine learning model).

Instead, you showed it how you play, by collecting examples of decisions that you made when you play.

## Tips

### **Getting stuck in a loop**

Sometimes the computer can get lucky, and find a circular route around the board that gets into a never-ending loop.

When this happens, Pac-Man will never lose!

You can press the red stop button if you need to stop though.

### **Don't be kind!**

You might be tempted to go easy on the ghost when you're playing against it.

Don't. It is learning from the way that you play. If you don't play well, it can't learn how to play well.

If you want it to get better quickly, **play as well as you can**.

### **Keep training**

The more examples the computer has to learn from, the better it will get. If you have time, play a lot of games and train a new model again.

## Ideas and Extensions

Now that you've finished, why not give one of these ideas a try?

Or come up with one of your own?

### Add another ghost

The game is beatable with only one ghost – Pac-Man can just carry on avoiding the ghost forever.

But with a second ghost chasing after Pac-Man, it will get really hard.

### Change the game board

Try making the game board bigger.

Or add obstacles that Pac-Man and the ghost will need to go around.

### Make your own game

This doesn't only work with Pac-Man.

Why not make your own game in Scratch, and then train a machine learning model to be able to play it?