

App Modernization – Migration approaches

WW Developer Advocacy Team

IBM Developer



Moving apps
to **modern**
architectures
starts with
planning

Assessment for each legacy app

i. Business value

- Measure cost of migration vs benefits gained by migrating
 - Good value usually found in apps that have
 - Multiple upgrades per year
 - ✓ Lots of business rules requiring complex regression testing and extended service outages to implement
 - ✓ Large, stable (or growing) user base

ii. Technical effort

- This is where Transformer Advisor helps


Best candidates are those with relatively high business value and relatively small technical effort

The three ways to migrate...

Replatform




Repackage




Refactor

A few ways to migrate...




Three ways to migrate...




Replatform example

- Legacy app migrated in full from WebSphere Application Server to WebSphere Liberty running in a Kubernetes cluster
- Transformation Advisor provides guidance with equivalent Liberty config for migrated app
- Associated middleware is **left in place** and still used by migrated app



Repackage to “macroservices”


- ❑ Components (.war files) of legacy app (.ear) **migrated to separate** Liberty containers
- ❑ DB2 is **left in place** and still used by migrated app
- ❑ IBM MQ is partitioned
 - Container version handles communications **between migrated modules**
 - Legacy version handles communications between migrated modules and other legacy apps



Refactor using the Strangler Pattern


- Component (war 3) of legacy app is **rebuilt as a web app** and a set of microservices
- New microservices and app use their own **containerized data and messaging middleware**
- Legacy app **proxies all requests for war 3** to new implementation and handles everything else
Over time more of the legacy app is rebuilt and eventually it will be no longer be needed

Before



IBM Developer

After



IBM Transformation Advisor


Collects information about your existing WebSphere/JBoss Environment and Applications,
combines that with rules and insights gained from years of working with JavaEE applications, and provides recommendations for your cloud journey

CHALLENGES ADDRESSED

- Leveraging existing application logic
- Need to accelerate application development and maintenance
- Monolithic applications that are complex and tightly coupled

BENEFITS

- Included and deployed with IBM Cloud Pak for Applications
- Introspects existing WebSphere/JBoss Deployments
- Provides recommendations, guidance and artifacts for deployment in Liberty containers and Kubernetes clouds



<https://developer.ibm.com/app-modernization/>

IBM Transformation Advisor

Creates application inventory assesses modernization effort and provides insights and guidance ...

Simple:
No code changes

Moderate:
Some refactoring
needed

Complex:
May decide to run
in WAS/JBoss in VMs before
re-engineering


The screenshot shows the IBM Transformation Advisor interface. On the left, there's a sidebar with 'Workspace' (My_Workspace), 'Collections' (Another_collection, My_collection), and 'What's new' / 'Join us on Slack' links. The main area is titled 'Transformation Advisor' and has tabs for 'Data collector' and 'Recommendations'. Below the tabs, there's a header with 'Profile' (Dmgr01), 'Preferred migration' (Liberty on Private Cloud), 'Source Environment' (IBM WebSphere Application Server Network Deployment), and 'Source Version' (9.0.0.4). A search bar is present. The main table lists applications with columns: Application, Tech match, Dependencies, Issues, Est. dev cost (in days), Total effort (in days), and a 'Migration plan' button. The table shows 6 items, with 10 items per page. The first three items are 'Simple', 'Moderate', and 'Complex' respectively. Blue arrows point from the text labels to these rows.

Application	Tech match	Dependencies	Issues	Est. dev cost in days	Total effort in days	Migration plan
ipetstore_war.ear Liberty on Private Cloud	Simple	100%	2	0	5	Migration plan
StatelessEJB3.ear Liberty on Private Cloud	Simple	100%	1	0	5	Migration plan
HealthServices.ear Liberty on Private Cloud	Moderate	80%	1	2	7	Migration plan
HealthServices.ear Liberty on Private Cloud	Moderate	50%	0	2	7	Migration plan
DefaultApplication.ear Liberty on Private Cloud	Complex	88%	4	13	18	Migration plan
DayTrader-EE6.ear Liberty on Private Cloud	Moderate	100%	3	1	6	Migration plan

Transformation Advisor automates simple migrations


IBM Transformation Advisor


← Recommendations

 Your migration bundle is ready!


MIGRATION BUNDLE

The files included in your migration bundle help you migrate to IBM WebSphere Liberty, create an image, and package your application as a helm chart for easy deployment.

Download bundle 

Migration files 

✓ libertyserver.xml	Download
✓ Dockerfile	Download
✓ Deployment.yaml	Download
✓ Helm chart	Download

Application dependencies 

✓ application_binary1.ear	application_binary1.ear	✕
✓ application_binary2.ear	application_binary2.ear	✕
✓ application_binary3.ear	application_binary3.ear	✕
✓ application_binary4.ear	application_binary4.ear	✕

APPLICATION

jpetstore_war.ear
WebSphere Traditional

MIGRATE TO


IBM WebSphere Liberty
on IBM Cloud Private


Deploy


First time? Get started →

HOW IT WORKS

View the steps →

 1 Migrate to IBM WebSphere Liberty

 2 Containerize WebSphere Liberty

 3 Deploy Liberty on to IBM Cloud Private

“Easy button” to enable simple migrations into IBM Cloud Private

Steps that occur behind the scenes to move the app over to Cloud Pak for Apps

IBM Developer

12

References

- Newman, Sam. *Building Microservices: Designing Fine-grained Systems*. S.I.: O'Reilly Media, Inc, USA, 2018.
 - *Chapter 5 – Splitting the Monolith* specifically covers rebuilding a legacy app as a set of microservices
- Evans, Eric. *Domain-driven Design: Tackling Complexity in the Heart of Software*. Boston, MA: Addison-Wesley, 2014.
 - *Chapter 14 – Maintaining Model Integrity* defines a *bounded context*. Identifying bounded contexts is the first step in splitting a monolithic application.
- BoundedContext – *Martin Fowler*
 - <https://martinfowler.com/bliki/BoundedContext.html>
- Feathers, Michael C. *Working Effectively with Legacy Code*. Upper Saddle River, N.J: Prentice Hall PTR, 2013.
 - *Chapter 4 – The Seam Model* defines a *seam*. Identifying seams with the appropriate level of granularity is an important step in defining microservice boundaries
- Apply the Strangler Application pattern to microservices applications – *Kyle Brown IBM Fellow*
 - <https://www.ibm.com/developerworks/cloud/library/cl-strangler-application-pattern-microservices-apps-trs/index.html?ca=drs->
- Transformation Advisor
 - <https://developer.ibm.com/recipes/tutorials/using-the-transformation-advisor-on-ibm-cloud-private/>
- Introduction to IBM's app modernization approach
 - <https://www.ibm.com/cloud/garage/content/culture/app-modernization-field-guide/>

IBM