Introduction to Artificial Intelligence

Dr.Bayan O. Mohammed

2024-2025

Search Problem

- **Uninformed Search:** search strategy that uses no problem- specific knowledge

Informed search

- search strategy that uses problem-specific knowledge to find solutions more efficiently.

greedy best-first search

search algorithm that expands the node that is closest to the goal, as estimated by a heuristic function $h(n)$

Heuristic function?

Heuristic functions are the most common form in which **additional knowledge** of the problem is passed to the search algorithm.



Heuristic function?

h(n)=*estimated* cost of the cheapest path from the state at node *n* to a *goal state*.

A key component is a heuristic function h(n):

- h(n) = estimated cost of the cheapest path from node n to a goal node
- h(n) = 0 if n is the goal



Heuristic function?



greedy best-first search example



State	Heuristic: h(n)
A	366
B	374
C	329
D	244
E	253
F	178
G	193
H	98
I	0

Path Cost (A, E, F,I) = (253+178+0)=413

Distains Cost (A, E, F,I) =140+99+211=450

greedy best-first search example



node	H (n)
A	12
B	4
C	7
D	3
E	8
F	2
H	4
I	9
S	13
G	0

Path Cost (?) = (?)=?

Distains Cost (?) =?=?



Example

suppose we have to find the path from A to G. using Greedy Best-First Search.



Example



Example



Example

A , C , F , G



Greedy Best-First Search

11		9		7				3	2		**B**
12		10		8	7	6		4			1
13	12	11		9		7	6	5			2
	13			10		8		6			3
	14	13	12	11		9		7	6	5	4
			13			10					
A	16	15	14			11	10	9	8	7	6

Greedy Best-First Search

11		9		7				3	2		**B**
12		10		8	7	6		4			1
13	12	11		9		7	6	5			2
	13			10		8		6			3
	14	13	12	11		9		7	6	5	4
			13			10					
A	16	15	14			11	10	9	8	7	6

Greedy Best-First Search

11		9		7				3	2		**B**
12		10		8	7	6		4			1
13	12	11		9		7	6	5			2
	13			10		8		6			3
	14	13	12	11		9		7	6	5	4
			13			10					
A	16	15	14			11	10	9	8	7	6

Greedy Best-First Search

11		9		7				3	2		**B**
12		10		8	7	6		4			1
13	12	11		9		7	6	5			2
	13			10		8		6			3
	14	13	12	11		9		7	6	5	4
			13			10					
A	16	15	14			11	10	9	8	7	6

Greedy Best-First Search

11		9		7				3	2		**B**
12		10		8	7	6		4			1
13	12	11		9		7	6	5			2
	13			10		8		6			3
	14	13	12	11		9		7	6	5	4
			13			10					
A	16	15	14			11	10	9	8	7	6

Greedy Best-First Search

11		9		7				3	2		**B**
12		10		8	7	6		4			1
13	12	11		9		7	6	5			2
	13			10		8		6			3
	14	13	12	11		9		7	6	5	4
			13			10					
A	16	15	14			11	10	9	8	7	6

Greedy Best-First Search

11		9		7				3	2		**B**
12		10		8	7	6		4			1
13	12	11		9		7	6	5			2
	13			10		8		6			3
	14	13	12	11		9		7	6	5	4
			13			10					
A	16	15	14			11	10	9	8	7	6

Greedy Best-First Search

11		9		7				3	2		**B**
12		10		8	7	6		4			1
13	12	11		9		7	6	5			2
	13			10		8		6			3
	14	13	12	11		9		7	6	5	4
			13			10					
A	16	15	14			11	10	9	8	7	6

Greedy Best-First Search

11		9		7				3	2		**B**
12		10		8	7	6		4			1
13	12	11		9		7	6	5			2
	13			10		8		6			3
	14	13	12	11		9		7	6	5	4
			13			10					
A	16	15	14			11	10	9	8	7	6

Greedy Best-First Search

11		9		7				3	2		**B**
12		10		8	7	6		4			1
13	12	11		9		7	6	5			2
	13			10		8		6			3
	14	13	12	11		9		7	6	5	4
			13			10					
A	16	15	14			11	10	9	8	7	6

Greedy Best-First Search

11		9		7				3	2		**B**
12		10		8	7	6		4			1
13	12	11		9		7	6	5			2
	13			10		8		6			3
	14	13	12	11		9		7	6	5	4
			13			10					
A	16	15	14			11	10	9	8	7	6

Greedy Best-First Search



Greedy Best-First Search

11		9		7				3	2		**B**
12		10		8	7	6		4			1
13	12	11		9		7	6	5			2
	13			10		8		6			3
	14	13	12	11		9		7	6	5	4
			13			10					
A	16	15	14			11	10	9	8	7	6

Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search



Greedy Best-First Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		10	9	8	7	6	5	4		2
	13		11						5		3
	14	13	12		10	9	8	7	6		4
			13		11						5
A	16	15	14		12	11	10	9	8	7	6

Greedy Best-First Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		10	9	8	7	6	5	4		2
	13		11						5		3
	14	13	12		10	9	8	7	6		4
			13		11						5
A	16	15	14		12	11	10	9	8	7	6

Greedy Best-First Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		10	9	8	7	6	5	4		2
	13		11						5		3
	14	13	12		10	9	8	7	6		4
			13		11						5
A	16	15	14		12	11	10	9	8	7	6

Advantages of Greedy Best-First Search:

- **Simple and Easy to Implement:** Greedy Best-First Search is a relatively straightforward algorithm, making it easy to implement.
- **Fast and Efficient:** Greedy Best-First Search is a very fast algorithm, making it ideal for applications where speed is essential.
- **Low Memory Requirements:** Greedy Best-First Search requires only a small amount of memory, making it suitable for applications with limited memory.
- **Flexible:** Greedy Best-First Search can be adapted to different types of problems and can be easily extended to more complex problems.
- **Efficiency:** If the heuristic function used in Greedy Best-First Search is good to estimate, how close a node is to the solution, this algorithm can be a very efficient and find a solution quickly, even in large search spaces.

Disadvantages of Greedy Best-First Search:

- **Inaccurate Results:** Greedy Best-First Search is not always guaranteed to find the optimal solution, as it is only concerned with finding the most promising path.
- **Local Optima:** Greedy Best-First Search can get stuck in local optima, meaning that the path chosen may not be the best possible path.
- **Heuristic Function:** Greedy Best-First Search requires a heuristic function in order to work, which adds complexity to the algorithm.
- **Lack of Completeness:** Greedy Best-First Search is not a complete algorithm, meaning it may not always find a solution if one is exists. This can happen if the algorithm gets stuck in a cycle or if the search space is a too much complex.

A* search

search algorithm that expands node with lowest value of f(n)= $g(n) + h(n)$

$g(n)$ = cost to reach node
$h(n)$ = estimated cost to goal

A* search



A* Search: Tree Search



State	Heuristic: h(n)
A	366
B	374
C	329
D	244
E	253
F	178
G	193
H	98
I	0

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		10	9	8	7	6	5	4		2
	13		11						5		3
	14	13	12		10	9	8	7	6		4
			13		11						5
A	16	15	14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		10	9	8	7	6	5	4		2
	13		11						5		3
	14	13	12		10	9	8	7	6		4
			13		11						5
A	1+16	15	14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		10	9	8	7	6	5	4		2
	13		11						5		3
	14	13	12		10	9	8	7	6		4
			13		11						5
A	1+16	2+15	14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		10	9	8	7	6	5	4		2
	13		11						5		3
	14	13	12		10	9	8	7	6		4
			13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		10	9	8	7	6	5	4		2
	13		11						5		3
	14	13	12		10	9	8	7	6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		10	9	8	7	6	5	4		2
	13		11						5		3
	14	13	5+12		10	9	8	7	6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		10	9	8	7	6	5	4		2
	13		6+11						5		3
	14	13	5+12		10	9	8	7	6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		7+10	9	8	7	6	5	4		2
	13		6+11						5		3
	14	13	5+12		10	9	8	7	6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		7+10	8+9	8	7	6	5	4		2
	13		6+11						5		3
	14	13	5+12		10	9	8	7	6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		7+10	8+9	9+8	7	6	5	4		2
	13		6+11						5		3
	14	13	5+12		10	9	8	7	6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		7+10	8+9	9+8	10+7	6	5	4		2
	13		6+11						5		3
	14	13	5+12		10	9	8	7	6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		7+10	8+9	9+8	10+7	11+6	5	4		2
	13		6+11						5		3
	14	13	5+12		10	9	8	7	6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		7+10	8+9	9+8	10+7	11+6	12+5	4		2
	13		6+11						5		3
	14	13	5+12		10	9	8	7	6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	13		6+11						5		3
	14	13	5+12		10	9	8	7	6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	13		6+11						14+5		3
	14	13	5+12		10	9	8	7	6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	13		6+11						14+5		3
	14	6+13	5+12		10	9	8	7	6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	13		6+11						14+5		3
	14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	**B**
	11										1
	9+12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	10	9	8	7	6	5	4	3	2	1	B
	10+11										1
	9+12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	11+10	9	8	7	6	5	4	3	2	1	**B**
	10+11										1
	9+12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	11+10	12+9	8	7	6	5	4	3	2	1	**B**
	10+11										1
	9+12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	11+10	12+9	13+8	7	6	5	4	3	2	1	**B**
	10+11										1
	9+12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	11+10	12+9	13+8	14+7	6	5	4	3	2	1	**B**
	10+11										1
	9+12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	11+10	12+9	13+8	14+7	15+6	5	4	3	2	1	**B**
	10+11										1
	9+12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	11+10	12+9	13+8	14+7	15+6	16+5	4	3	2	1	**B**
	10+11										1
	9+12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	11+10	12+9	13+8	14+7	15+6	16+5	17+4	3	2	1	**B**
	10+11										1
	9+12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	11+10	12+9	13+8	14+7	15+6	16+5	17+4	18+3	2	1	**B**
	10+11										1
	9+12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	11+10	12+9	13+8	14+7	15+6	16+5	17+4	18+3	19+2	1	**B**
	10+11										1
	9+12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* Search

	11+10	12+9	13+8	14+7	15+6	16+5	17+4	18+3	19+2	20+1	**B**
	10+11										1
	9+12		7+10	8+9	9+8	10+7	11+6	12+5	13+4		2
	8+13		6+11						14+5		3
	7+14	6+13	5+12		10	9	8	7	15+6		4
			4+13		11						5
A	1+16	2+15	3+14		12	11	10	9	8	7	6

A* search

optimal if

- $h(n)$ is admissible (never overestimates the true cost), and
- $h(n)$ is consistent (for every node n and successor n' with step cost c, $h(n) \leq h(n') + c$)

Find the solution from intial node to gool node using GBS and A* Algorithms



Thanks