INTERNATIONAL COUNCIL ON ARCHIVES CONSEIL INTERNATIONAL DES ARCHIVES EXPERT GROUP ON ARCHIVAL DESCRIPTION



RECORDS IN CONTEXTS CONCEPTUAL MODEL

Version 1.0 November 2023

Comments are welcome at egad@ica.org or https://github.com/ICA-EGAD/RiC-CM/issues



Table of Contents

1	Intro	duction	1
	1.1	Overview of Records in Contexts	1
	1.2	Purpose and Scope	1
	1.3	Audiences	2
	1.4	Conceptual Model	4
	1.5	Record Description in Transition	5
	1.5.1	Current Description	5
	1.5.2	Description and Communication Technologies	5
	1.5.3	Expanding the Understanding of Provenance	7
	1.6	Relationships between RiC-CM and Other Models and Standards for Describing Records	7
	1.6.1	The Existing ICA Description Standards	7
	1.6.2	From ISAD(G) to RiC-CM	8
	1.6.3	RiC-CM and ISO 23081	12
	1.6.4	Transition to RiC-CM	13
	1.7	Background and Process of Development	13
	1.8	Brief Overview of Changes in RiC-CM 1.0	15
	1.9	Extending RiC-CM	15
	1.10	Acknowledgements	16
2	Entiti	es	17
	2.1	Introduction	17
	2.1.1	Presentation of the Entities	19
	2.2	Description of Entities	19
	2.2.1	Thing	19
	2.2.2	Record Resource and Instantiation	20
	2.2.3	Agent	26
	2.2.4	Event	32
	2.2.5	Rule	34
	2.2.6	Date	36
	2.2.7	Place	37
3	Attrib	outes	39
	3.1	Introduction	39
	3.2	Attribute Definition Template	39
	3.3	Entities versus Attributes	39
	3.4	Record Resource, Record Set, Record, and Record Part Attributes	40
	3.5	Value Schema	41
	3.6	Description of Attributes	42
4	Entiti	es with Attributes	66
	4.1	Attributes of Thing	66
	4.2	Attributes of Record Resource	66

	4.2.1	Attributes of Record Set	67
	4.2.2	Attributes of Record	68
	4.2.3	Attributes of Record Part	68
	4.3	Attributes of Instantiation	69
	4.4	Attributes of Agent	69
	4.4.1	Attributes of Person	70
	4.4.2	Attributes of Group	70
	4.4.3	Attributes of Position	71
	4.4.4	Attributes of Mechanism	71
	4.5	Attributes of Event	71
	4.5.1	Attributes of Activity	72
	4.6	Attributes of Rule	72
	4.6.1	Attributes of Mandate	72
	4.7	Attributes of Date	73
	4.8	Attributes of Place	73
5	Relat	ions	74
	5.1	Introduction	74
	5.2	Types of Relations	75
	5.3	Hierarchical Chart of Relations	76
	5.4	Description of Relations	83
	5.5	Attributes of Relations	115
	5.6	List of Relations	118
6	Docu	menting Description	125
	6.1	Introduction	125
	6.2	Holding Agent	125
	6.3	Position	126
	6.4	Archival Resource Description	127
	6.5	Description Assertion Verification	128
7	Appe	ndices	130
	7.1	Appendix 1 – EGAD Members	130
	7.1.1	Current Members	130
	7.1.2	Past Members	131
	7.2	Appendix 2 – Overview of RiC-CM 0.1 to 0.2 Changes	132

1 Introduction

1.1 Overview of Records in Contexts

Records in Contexts (RiC) addresses the activity of describing records in four complementary parts:

- 1. Records in Contexts-Foundations of Archival Description (RiC-FAD). RiC-FAD is a brief description of the foundational principles and purposes of archival description.
- 2. Records in Contexts-Conceptual Model (RiC-CM) (this document).
- 3. Records in Contexts-Ontology (RiC-O). RiC-O is a specific implementation of RiC-CM formally expressed in the World Wide Web Consortium standard Web Ontology Language (OWL). RiC-O provides the archival community with the ability to make archival description available using the techniques of Linked Open Data (LOD) employing a conceptual vocabulary and structure that is specific to archival description. As a specific implementation, it conforms to the high-level RiC-CM, though includes the greater detail required for implementation as an ontology.
- 4. Records in Contexts-Application Guidelines (RiC-AG). RiC-AG, when completed, will provide practitioners and software developers with concrete guidance and examples to assist them in implementing RiC-CM and RiC-O in records and archival management systems. Work on this fourth part has begun.

1.2 Purpose and Scope

RiC-CM is a high-level conceptual model that focuses on intellectually identifying and describing records, the people that created and use(d) them, and the activities pursued by the people that the records both facilitate and document. As a high-level model, RiC-CM is a broad conceptual framework. It does not address the full range of activities needed to manage records, nor does it address the full detail that may be required in any possible context in which it may be applied.

As a point of departure, RiC-CM covers all of the essential content of the four existing International Council on Archives (ICA) description standards: General International Standard Archival Description (ISAD(G))²; International Standard Archival Authority Records for Corporate Bodies, Persons, and Families (ISAAR(CPF))³; International Standard for Describing Functions

¹ For further information, see https://www.w3.org/OWL/ <accessed 20160620>.

² Available at http://www.ica.org/en/isadg-general-international-standard-archival-description-second-edition <accessed 20160620>.

³ Available at http://www.ica.org/en/isaar-cpf-international-standard-archival-authority-record-corporate-bodies-persons-and-families-2nd <accessed 20160620>.

(ISDF)⁴; and International Standard for Describing Institutions with Archival Holdings (ISDIAH).⁵ RiC-CM replaces these four standards in one overarching standard. It incorporates from them the core descriptive entities, the properties or attributes of these entities, and the essential relations between the entities.

RiC-CM differs from the existing ICA standards in an important way. The existing ICA standards model description, that is, they model a finding aid, whereas RiC-CM models the entities as such, as a basis for describing but without anticipating any particular end product.

RiC-CM emphasizes the intellectual description of records and record contexts. Because analogue and digital records are represented in a wide variety of physical forms, RiC-CM also necessarily addresses description of physical instances of records, but it does not cover all of the attributes and relations that will be required for physically (as opposed to intellectually) managing record instances, for example, the exact physical locations of record instantiations or descriptions of their instantiation containers. To accommodate additional description related to physical management, RiC-CM is designed to be extensible, either through the formal ICA standards development and maintenance process, or through the use of existing standards that address the attributes and relations needed for physical management and preservation of records.

It follows that RiC-CM is not any of the following, though it may inform the development of each:

- A standard or set of rules for composing or forming descriptive content.
- An implementation specification for developing records management and public access systems.
- A model for physically managing records, though it does provide a framework for the intellectual component of such management.
- A data communication or exchange standard.

1.3 Audiences

The primary audience for RiC-CM is the archival community, so the model takes as its point of departure established archival description principles and practices. At the same time, the model takes into consideration ongoing scholarly and practical critiques of archival description principles and practices as well as emerging communication and network technologies that provide new opportunities to improve and build upon established descriptive practices. While the current ICA description standards largely emerged in a world of non-digital records, RiC-CM is intended to address the description of traditional analogue records and digital records.

⁴ Available at http://www.ica.org/en/isdf-international-standard-describing-functions <accessed 20160620>.

⁵ Available at http://www.ica.org/en/isdiah-international-standard-describing-institutions-archival-holdings <accessed 20160620>.

RiC-CM is also intended to be of interest to the records management community. The work of records managers and archivists overlaps: description and intellectual control are essential components of the management of records in the contexts in which they are created, accumulated, and used, and for archivists who assume responsibility for preserving and providing access to those records subsequently. In the world of analogue records, cooperation and collaboration between records managers and archivists was highly desired and perhaps essential for enabling archival repositories to cope with vast quantities of records transferred into their custody. The explosive growth of digital records make such collaboration and cooperation not merely desirable but an absolute necessity. Archival repositories, quite simply stated, are and will continue to be unable to cope with the huge volumes of digital records if those records are not created, used, and managed in a way that ameliorates subsequent preservation and access challenges. Cooperation between records managers and archivists is an urgent necessity. Such cooperation necessarily includes the activity of description, but it needs to be extended to address many technological challenges. It is hoped that RiC-CM will play a significant role in discussions aimed at the alignment of descriptive practices between the two professional communities.

Furthermore, RiC-CM is intended to facilitate collaboration with allied cultural heritage communities. Integrated access to cultural heritage held by libraries, archives, museums, and curated cultural sites and monuments is increasingly the focus of professional communities, policymakers, funding agencies, and user communities. Different cultural heritage communities have fundamentally different understandings of the nature of the objects for which they have curatorial responsibility. These understandings and practices are well-established and adapted (and adapting) to the particular challenges of each community and the nature of the objects in their care. While many of the efforts to realize the objective of integrated access have focused on developing a shared standard for description, reducing the different descriptive practices to one is intellectually and politically challenging. The integrated access objective, though, does not require such a reduction, as the communities need only cooperate where there are identifiable shared (or largely shared) concepts and practices that can serve to provide common paths into and across cultural heritage resources, each described according to the principles and needs of each community. It is hoped that RiC-CM will serve cross-domain collaboration in providing integrated access.

It is essential that those developing systems to support the work of records managers and archivists are members of the RiC-CM audience. Though high-level, RiC-CM is nevertheless detailed and complex. The developers of systems, however, can ameliorate the intellectual, technological, and economic challenge of data creation and maintenance by designing and implementing systems with user interfaces that mask the complexity.

Finally, RiC-CM is intended to be of interest to those who use archives for research. Description based on RiC-CM will enhance users' experience and understandings of records by enabling a fuller representation of the contexts within which the records were created and used over time. RiC-CM will also benefit researchers interested in using RiC-CM to describe archival records from their own disciplinary perspective. Though RiC-CM primarily focuses on description that is

based on archival principles and responsibilities, it may be used to support scholarly descriptions of individual records or sets of records that are based on other perspectives and requirements.

1.4 Conceptual Model

A conceptual model is an abstract representation of selected phenomena created from a disciplinary perspective in order to serve the needs or interest of the discipline. Current methods of modelling emerged from the representation of surrogates of real-world phenomena in computer systems. There are a variety of methods for developing and conventions for representing models. Methods differ based on the kinds of phenomena to be represented, and the intended use or uses of the model. Despite the differences among the different modelling systems, all of the approaches involve a rigorous analysis of the needs and responsibilities of a person or group, identifying the phenomena of interest, the characteristics of each, and relations among the phenomena.

The phenomena represented in a model may be physical or conceptual. Further, the phenomena may be relatively stable things, processes that unfold in time, or relations among the things. A model may simply serve to further understanding, or it may serve as the foundation for developing systems for facilitating complex interrelated objectives such as production, management, and use of the things represented.

One formal modelling system is the Entity-Relationship Model (ERM). The ERM has as a primary focus modelling things and relations among them for representation in information systems. In ERM, the things of interest are called "entities," the characteristics of each "attributes," and the relations among the entities "relations." RiC-CM is represented using ERM, specifically as a high-level conceptual model (see Figure 1 below)




Figure 1: Basic ERM representation showing entity, attribute, and relation.

As a conceptual model, RiC-CM is intended to serve as a foundation for describing records to facilitate their near- and long-term preservation and use. It provides a conceptual framework based on archival principles for designing and implementing standardized systems for the intellectual control and description of analogue and digital resources in records management

and archival programs, including description of the contexts in which the resources originated and were used, as well as the contexts of ongoing subsequent management and use.

1.5 Record Description in Transition

1.5.1 Current Description

Current archival description is predominantly based on the traditional understanding of the Principle of Provenance. In the traditional understanding, the principle has two major facets: Respect des fonds and Respect for original order. Respect des fonds stipulates that the records created, accumulated, and used by a person or group in the course of life and work are to be kept together and not intermixed with records from other sources. Respect for original order stipulates that the interrelations among the records in a fonds established in the context of accumulation and use is to be preserved.⁶

Traditional description is a largely self-contained, inward-looking hierarchical description of a single fonds. Description begins with a description of the fonds, and proceeds to describe the components of the fonds, and the subcomponents of the components, and so on. The hierarchy may terminate in the description of an individual record, although in practice it commonly does not. It is this model of archival description that is embodied in ISAD(G), and description based on this model is currently created and maintained using a variety of communication technologies (for example, word processors, databases, or Encoded Archival Description (EAD)⁷ XML-encoded documents). Most such description anticipates the production of the traditional print finding aid, or an online presentation that is more or less an analogue of it.

1.5.2 Description and Communication Technologies

Archival description (and resource description in general) is dependent on available communication technologies. As new methods for representing and communicating information become available, they offer the opportunity to re-envision archival description. This re-envisioning generally emphasizes separating and interrelating key components of description to accommodate the production of familiar and proven modes of access, and at the same time, open new paths into and present new perspectives on described resources. Two interdependent motivations for the separation are commonly cited: improving the economy and accuracy of description; and enhancing access to and understanding of the described resources.

Communication technologies that emerged in the last two decades of the twentieth century have gradually been transforming the methods used by archivists to describe and provide access to them. Both markup (XML and related standards) and relational database (SQL)

⁶ A fuller discussion of the Principle of Provenance will be found in Records in Contexts-Foundations of Archival Description (RiC-FAD).

⁷ For further information, see https://www.loc.gov/ead/ <accessed 20160620>.

technologies, in particular, have enabled many archives to successfully transition from paperbased finding aids to computer-based production.

As powerful as the two technologies have been, much and perhaps most real-world information is not represented well in either one or the other. Archival description, particularly in the single fonds-level description, is adequately but not optimally accommodated by database technologies in some parts and by markup technologies in other parts. That neither technology clearly dominates the archival implementation landscape reflects the betwixt and between nature of the traditional single fonds-level description. Many description systems use either one or the other or a carefully crafted combination of the two. Technological developments within and between the two technologies ameliorate if not eliminate the weakness of each and thus help sustain their dominance over the representation landscape. But, given that the real world within which we live and work may be understood as a vast, dynamically interrelated network of people and objects situated in space and time, graph technologies offer new and more expressive forms of representation.

Graph technologies have existed in various forms since the 1960s, though their use did not become widespread until the late 1990s when the W3C released Resource Description Framework (RDF⁸), a standard for the representation of graph data. Graph technologies introduce data representation as nodes (entities) interconnected by arcs (relations), enabling querying the relations and navigating from one node to another. One of the methods for storing these graphs is to use RDF triples, each triple being a subject-predicate-object statement. While XML supports a specific form of graphs, the hierarchy (or "tree"), graph technologies enable unbounded representation of networks of interconnected data objects as well as real world objects (represented by data).

RiC-CM provides a foundation for producing high quality knowledge graphs describing records and their contexts. RiC-O is a formal implementation of RiC-CM that defines the vocabulary and rules for representing archival description as RDF graphs.




Figure 2: Left: Representation of data in a hierarchical structure like XML or other markup-language. Right: Representation of data in triples that results in a graph-structure.

⁸ For further information, see https://www.w3.org/RDF/ <accessed 20160620>.

1.5.3 Expanding the Understanding of Provenance

In recent decades, theorists and practitioners have intellectually and ethically challenged the traditional understanding of the Principle of Provenance. While accepting the traditional understanding of Respect des fonds, the intellectual criticism argues that a fuller understanding must include recognizing that provenance is much more complex, that the origins and history of records include not only the person or group that accumulated a body of records, but also other persons and groups directly related to the records, and the activities that were and are being performed in relation to the records. Ethically, the traditional understanding has been criticized because it privileges the accumulator of a body of records and thereby obscures or elides other persons and groups related to them, either actively participating in their creation or use, or as the subject of them. RiC-CM affirms both the enduring methodological soundness of the traditional understanding of provenance, while embracing at the same time both the intellectual and ethical criticisms. RiC-CM recognizes that provenance is much more complex, that records originate and continue to exist within a complex network of dynamic relations with other records, activities, persons, and groups.

It is within the context of this expanded understanding of provenance and the established and emerging communication technologies that RiC-CM has been developed. RiC-CM is intended to accommodate existing description practices and at the same time to acknowledge new understandings, and to position archives to take advantage of opportunities presented by new and emerging communication technologies. RiC-CM aspires to reflect both facets of the Principle of Provenance, as these have traditionally been understood and practiced, and recognize a more expansive and dynamic understanding of provenance. It is this more expansive understanding that is embodied in the word "contexts." RiC-CM is intended to enable a fuller, if forever incomplete, description of the contexts in which records emerge and exist, in order to enable multiple perspectives and multiple avenues of access.⁹

1.6 Relationships between RiC-CM and Other Models and Standards for Describing Records

1.6.1 The Existing ICA Description Standards

ISAD(G) was first published in 1994, and of the four existing ICA description standards, it has been the most widely adopted. As stated above, it closely adheres to a traditional understanding of provenance, and it is based on the identification and description of a fonds. The prescribed fonds-down description contains a description of the fonds and dependent aggregations of records, as well as a description of the person, corporate body, or family that created, accumulated and used the records, and the holding repository. Description of the records and the context of the records is combined in a single, standalone description, with little or no relation to the world outside the immediate context.

⁹ A fuller discussion of the more expansive understanding of provenance will be found in Records in Contexts-Foundations of Archival Description (RiC-FAD).

Over the course of the fourteen years following the development of ISAD(G), three other standards were developed: ISAAR-CPF, ISDF, and ISDIAH. They envisioned the separation of primary components of the archival description (creator-accumulator of a fonds; the functions (or activities) that the records document; and the repository that holds the fonds). These additional standards were intended to encourage the development of systems of description in which the components of descriptions were separately maintained and interrelated, and then used, on demand, to produce complete archival description as it has traditionally been understood. At the same time, they were meant to enable the production of new and potentially powerful perspectives that facilitate the use and understanding of records.

However, the four standards were developed independently of each other over an extended period of time and without an overarching and persistent vision for how such separation would work in practice, for how the different components addressed would be related to one another to form a whole description. As a result, the standards do not represent a coherent, consistent model of archival description.

Though ISAD(G) has significantly influenced international archival descriptive practice, ISAAR(CPF) has some use, and both ISDF and ISDIAH very little.

The fonds-down hierarchical description prescribed by ISAD(G) remains and is likely to remain, for a variety of reasons, the prevailing approach to archival description for the near future: it addresses the traditional understanding of the Principle of Provenance; it is well understood by the community; a variety of existing methods and systems exist to facilitate creation, maintenance, and publication; and finally, it is a relatively economic approach to an exceptionally complex, labour-intensive challenge.

1.6.2 From ISAD(G) to RiC-CM

Archivists familiar with ISAD(G) may initially find RiC-CM challenging to understand. Both the conceptual perspective represented in and the presentation of RiC-CM differ significantly from ISAD(G). Descriptions based on ISAD(G) are accommodated by RiC-CM, though the latter enables situating ISAD(G)-based description within a broader, open network of contextual relations. As described above, the development and publication of the two editions of ISAD(G) during the 1990s reflected archival practice and consensus that existed at that time. Two factors, in particular, shaped ISAD(G), but which RiC-CM seeks to explicitly transcend.

The first factor was the common assumption and practice that the inputs and outputs of the activity of archival description were the same, that how description was represented in archival systems and how it was presented to users were the same. This assumption was explicitly rejected in section I.6 of ISAD(G), but it nevertheless was implied by the linear ordering of the descriptive elements within the standard. ¹⁰ Implementations of ISAD(G) commonly reflected this assumption. Although finding aids were produced increasingly using automated means

¹⁰ ISAD(G) Second Edition: https://www.ica.org/sites/default/files/CBPS_2000_Guidelines_ISAD%28G%29_Second-edition_EN.pdf <accessed 20210718>. See section I.6, page 7.

over the course of the 1990s, they were still overwhelmingly conceived of as being flat, linear documents (albeit with access points that could enable indexing) that were to be printed, or, when presented online, to have layout and presentation resembling linear printed documents.

Today, printed finding aids are an alternative to computer-based presentation, with the latter having become the predominant method of access. Many archival control and access systems are automated and based on relational database technology. In the world of relational databases, archival description is best carried out through the description of separate, but related entities and relations among them that form the inputs into the descriptive control system. Clever systems and user interface design can then enable the rendering of these descriptive inputs in a variety of outputs depending on the preferences of the archival program, the preferences of user communities, or the imperatives of data sharing arrangements across institutional boundaries.

Given this new world of automated archival description, RiC-CM is only intended to provide a framework for standardizing the inputs into the system and leave the rendering of outputs and user interfaces unconstrained by rules that might unwittingly hamper efforts aimed at innovation and experimentation. As such, unlike ISAD(G), RiC-CM does not resemble a traditional, linear, analogue finding aid. Rather, it presents a range of entities, attributes, and relations that can be used as the basis for creating inputs into an archival descriptive system that can then share and present the data to a variety of users, and in forms suited to the different needs of the users.

Related to the above change in approach is the second factor that shaped ISAD(G), but which is explicitly rejected by RiC-CM. ISAD(G) privileged description of records or aggregations of records and intermixed with this description a brief description of all other entities associated with the records or aggregations, primarily treated as "access points." The "access points" serve as surrogates for entities such as persons, groups, activities, places, and subjects that are otherwise not described. In recognizing "access points" and independent maintenance of the description of the entities represented by them, ISAD(G) implicitly recognized that records could only be understood in the context of their creation and use and as part of a wider network of relations with other entities.

By and large, this situation resulted from the fact that ISAD(G) was developed as a codification of traditional practice rather than as a standard based upon a coherent and agreed-upon conceptual model that understood archival materials within their broader relational and contextual universe. Rather than attempt to serially revise ISAD(G) and its companion standards to address this issue, the ICA instructed the EGAD to develop a single, comprehensive, multi-entity conceptual model. The objective was to enable descriptions that reflect the relational and contextual realities of archival materials by positioning records within a network of various entities and interrelations. This holistic approach to describing records in contexts is intended to enable archival control systems to reflect more accurately the realities of the diverse and dynamic ways in which records are made, kept, and used.

For these reasons RiC-CM looks very different from ISAD(G). It is acknowledged that this difference is likely to be unsettling for a generation of practitioners who are familiar with ISAD(G). There is nothing inherently wrong with archival description that conforms with ISAD(G). But ISAD(G) is limited in terms of what is possible using current and emerging communication technologies that enable describing records and the complex relations records have with one another, and in terms of the expectations of archivists and archival users inspired by what is made possible by those technologies. While RiC-CM is much more complex than ISAD(G), the world in which records are created and used is complex, and it is a fundamental responsibility of archivists to reflect that complex world to the best of their abilities.

In recognition of the complexity of RiC-CM, EGAD is committed to producing implementation guidance for archival practitioners that it hopes will make their job of creating and maintaining archival descriptions as efficient and effective as possible. EGAD also hopes that the release of RiC-CM will stimulate the developers of archival control and description software to implement RiC-CM. When that happens, archival practitioners will benefit from the existence of RiC-CM by virtue of having access to software tools and systems that comply with its comprehensive conceptual framework.

1.6.2.1 From Unit of Description to Record and Record Set

A core concept in ISAD(G) is "unit of description." ISAD(G) (and a major portion of the professional literature on description) assumes that individual records and sets of records that archivists call "fonds," "series," "file" and so on, may each be described in the same way, and, implicitly, that they are the same kind of thing. Though individual records and sets of records are both kinds of record resources, each comes into existence from different activities for distinct if perhaps interrelated purposes, and each may have different creators and different times of creation. For example, a fonds may be accumulated by a person or group, but the individual records in the fonds are highly likely to be of mixed provenance. Further, describing a single record differs from sets of records, as they differ with respect to identifying their characteristics and relations with other entities.

Archivists have long recognized that the two are not the same, but there has been no clear guidance on how to describe each, and this has led to inconsistent and ambiguous practice. RiC-CM treats each as a distinct kind of thing; though there are many shared attributes, the manner in which one should be described is not the same as the manner in which the other should be described. Treating each as a distinct kind of thing, created at different times and for different purposes, enables description that is unambiguous.

1.6.2.2 From Multilevel Description to Multidimensional Description

An additional core concept of ISAD(G) is "multilevel description." ISAD(G) is based on a "multilevel" model that assumes (though does not prescribe) that the focus of a single description is the set of all the records accumulated by a single person or group (a fonds), and that the description begins with a description of the record set, as a single and complete thing.

The description may then proceed to describe parts of the whole, and parts of the parts, all linked together to form a single, self-contained hierarchy.

RiC-CM models what may be described as "multidimensional description." Rather than a hierarchy, the description may take the form of a graph or network. Modelling description as a graph accommodates the single, fonds-based, multilevel description modelled in ISAD(G), but also enables a more open description of the often-complex and mixed provenance of records found in a fonds. The model makes it possible, using various relations between record resources and agents or activities, to describe sets of records with complex origination, for example, a record series that documents one activity that is performed serially by a succession of different groups, and at the same time, situate the series within the fonds of the different groups that serially had responsibility for the activity.

In a multidimensional approach to description, the records and record set(s), their interrelations with one another, their interrelations with persons, groups, and activities, and each of these with one another, are represented as a network within which an individual fonds may be situated. The immediate context of each fonds is established, though its boundaries are permeable, as it exists within a network of interrelated records and record sets, persons, groups, and activities.

While RiC-CM models describing records and the environments in which they are created, accumulated, used, and managed in a way that more fully captures and expresses the complex contextual realities than can be done using a single hierarchical description, it does not repudiate hierarchical description as such. In fact, the model assumes that sets of records, in addition to the possibility of having individual member records, may also have member sets of records, hierarchically arranged, such as a hierarchy that represents a series that contains subseries that in turn contains files.

In the modelling of sets of records, special care is taken to distinguish between the attributes and relations of the set of records as such, and individual records contained in the set. A record set, for example, has its own provenance. While the provenance of the record set may be related to the provenance of some if not all of the contained records, the provenance of the record set is distinct from the provenance of the contained records. In other words, while the creator (or accumulator) of a record set may be the same as the creator of all or some of the contained records, the act of creating the record is distinct from the act of creating the set of records.

Description of the records contained in a record set is further differentiated into two categories: summary description of the contained records (for example, a date range for the span of time within which the contained records were created); and the shared relations the records have that designate them as members of a record set (for example, all contained records document the same activity, or all share the same documentary form).

Distinguishing the kinds and scope of attributes and relations within a record set is intended to bring greater intellectual clarity to the description and to make it possible to make explicit and

machine-actionable "the inheritance of description." Description of the record set as such, and summary description of the contained records is only intellectually inheritable as "context" for the contained records. The summary attributes are not attributes of the contained records as such, but an overview of them, reduced to an abstract. The shared attributes or relations recorded at the level of the record set, however, are legitimately attributes or relations of each of the member records of a record set. For example, if all of the records in a record set reflect a particular activity, then the description of each individual record may also include a relation to the activity.

1.6.3 RiC-CM and ISO 23081

An important related suite of standards for describing and managing records is ISO 23081 (Information and documentation - Records management processes - Metadata for records).¹¹

Both RiC-CM and ISO 23081 provide internationally agreed-upon metadata frameworks for describing and managing records. The focus of RiC-CM is the metadata used to describe, control, and enable access to records of enduring value that are identified for ongoing preservation by an archival program; the focus of ISO 23081 is the metadata that is needed to protect, understand, and enable the usability of records as evidence from the point of creation by records creators and for as long as the records need to be retained. Clearly, there is a substantial commonality of purpose across the two frameworks - especially as they are both focused on metadata for managing and enabling the use of records. In practice, it is expected that a lot of metadata created and/or captured by records creators will be reused by archival programs in their descriptive systems. As such, it is highly desirable for both metadata frameworks to be as conceptually consistent and interoperable as possible with each other, notwithstanding their somewhat different target audiences and contexts of deployment.

The multi-entity conceptual framework for documenting and understanding the contextual inter-relationships within which records are created and used that is presented in ISO 23081 has greatly influenced and is reflected in the entity model presented in RiC-CM. While there nevertheless remain some differences between the entity models in the two frameworks, it is hoped that ongoing dialogue and collaboration between the professional communities responsible for their ongoing evolution and development will lead to an increasing alignment, convergence, and interoperability between the two frameworks as future iterations of each are developed in the years to come. Ultimately, it is in everyone's interests for the key metadata frameworks used by practitioners who manage records to be as consistent as possible with each other. The EGAD is committed to pursuing this objective.

¹¹ Available at https://committee.iso.org/sites/tc46sc11/home/projects/published/iso-23081-metadata-for-records.html <accessed 20231111>.

1.6.4 Transition to RiC-CM

Though RiC-CM accommodates the existing description practice that is codified in ISAD(G), it also goes well beyond the current ICA description standards, both conceptually and structurally. It has also been influenced by, and reflects, ISO 23081. RiC-CM then is intended to provide the semantic and structural foundation for developing record description systems or description modules within records management systems. It attempts to identify and accommodate a wide variety of description and access needs and is intended to be sufficiently detailed and precise in the modelling to support graph and semantic technologies.

RiC-CM thus conceptually differs from and is much more complex and detailed than the existing four ICA standards. It is anticipated that mastering the intellectual and technological complexity of RiC-CM by archivists, records managers, and the developers of systems that support their work will take time. Transitioning from the prevailing approach of records description (the single, stand-alone fonds-based hierarchical description) to a more flexible, open, graph- or network-based approach will be gradual.

Archives and libraries, museums, and other cultural heritage institutions with archival holdings vary greatly in size and resources, and they exist in many different social and political contexts. In developing RiC-CM, EGAD recognizes that many institutions will simply not have the resources to immediately embrace RiC-CM. At the same time, there are institutions that have the need and means to begin implementing description based on the RiC-CM model, and these institutions will be able to contribute feedback to benefit the ongoing development of RiC, and also "to pave the way" for others, demonstrating both the value of the RiC-CM model, and the methods required to successfully implement it.

Developers of records management and description access systems will also be essential in the promulgation and ongoing development of RiC. Developers with a good understanding of archival principles and practices, as well as competency in the development of relational and graph technologies will need to design systems that ameliorate the intellectual, technological, and economic challenge of data creation and maintenance.

1.7 Background and Process of Development

In 2012, the ICA Programme Commission (PCOM) formed the EGAD as the partial successor to the Committee on Best Practices and Standards. ICA charged the EGAD with developing a standard for the description of records based on archival principles that reconciles, integrates, and builds on the four existing standards: ISAD(G); ISAAR(CPF); ISDF; and ISDIAH.

Developing international consensus on a standard for archival description is a daunting challenge. Cultural differences coupled with differing theories and practices are at the core of this challenge. The members of the EGAD represent many (though certainly not all) of these differences. At the same time, they share a common commitment to developing a shared standard that respects and accommodates the past practices, and that respects and accommodates differences while remaining intellectually coherent and workable. EGAD also

recognizes that developing a consensus will necessarily be an ongoing process, a field of negotiation.

Over the course of development, the EGAD has included thirty-one members from fifteen countries. While the members are broadly representative of the global archival community, many areas with long and distinguished histories of administration and governance, and concomitant traditions of record creation, use, and management are not represented, such as much of Asia and eastern Europe. And while Africa and South America have been represented, the representation should be broader and more inclusive. Given this, the members of the EGAD welcome broader international participation in the ongoing development of an international archival description standard, to strengthen the intellectual foundation of the standard, and to ensure that the standard represents as broad a consensus as possible and addresses the needs of the global archival community.

From 2012 through 2016, the EGAD conducted the development of RiC primarily through a series of teleconferences. The EGAD had four in-person discussions:

• November 2013: Brussels, Belgium

October 2014: Girona, SpainMay 2015: Moeciu, Romania

• April 2016: Paris, France

In September 2016, the EGAD released the first draft of RiC-CM for public comment. Sixty-two individuals, groups, and institutions representing nineteen countries and two international organizations submitted comments on many aspects of the draft. When compiled, the comments represented hundreds of pages. In order to address the large volume, the comments were first analysed into various categories and compiled into six tables representing over 260 pages: broad comments by subject; introduction; entities; properties; relations; and appendices. A summary of comments was then compiled into a fifty-five page document that served as the basis for discussions for working on the second draft.

In reviewing the comments, it was clear to the members of the EGAD that the organization and presentation of the model in the first draft made it difficult for readers, in particular those familiar with ISAD(G), to understand how all of the various elements of description were to be interrelated and used together. The second draft was then reorganized to emphasize the entities that are the primary responsibility of records managers and archivists. This reorganization endeavoured to eliminate redundancy in the presentation of the attributes (called "properties" in the first draft) and relations. It was also clear that the first draft did not adequately distinguish describing the intellectual content of a record from the physical representation of the content. Clearly making this distinction is essential for the economic management of preservation of records.

From 2017 to July 2021, the EGAD had four in-person discussions:

October 2017: Rome, ItalyMay 2018: Paris, France

- December 2018: Seitenstetten, Austria
- October 2019: Windsor, United Kingdom

From August 2021 to the present, because of Covid-19 travel restrictions, the EGAD met online biweekly, though from October 2022 through the second quarter of 2023, the EGAD met weekly.

1.8 Brief Overview of Changes in RiC-CM 1.0

While there were several changes, some of which were significant, between the RiC-CM 0.1 and 0.2 draft releases (see appendix 7.2 below), RIC-CM 1.0 exhibits far less change from the latter draft. The changes made were again based on feedback from the professional community as well as new reflections on the part of the EGAD. The EGAD discussed each comment provided in the feedback in detail. A list of the comments with EGAD decisions will be made publicly available soon after publication of RiC-CM 1.0.

The lack of change does not reflect a lack of feedback as there were over 150 responses to the call. There were requests for significant structural change, with the addition of new entities or a greater granularity of modelling for exiting entities. However, as there were also calls for less complexity, sometimes for the same entities for which greater complexity had been requested, the EGAD endeavoured to balance the competing requests. RiC-CM 1.0 is designed to be extensible and will be developed by the community over time to reflect use-cases in particular contexts.

The one major change is to the date entity. The date sub-entities single date, date range, and date set have been removed, with date now encompassing the different kinds of dates. To allow for the often-complex description of creation dates of record resources in particular, seven relations (RiC-R80-86) and the date type attribute have been added and the certainty and date standard attributes have been removed.

There were also many responses asking for greater clarity about how to use the model and the EGAD feel that the place for that is in the Records in Contexts-Application Guidelines (RiC-AG) on which work has begun. Otherwise, to ensure clarity and consistency there has been editorial amendment in the definitions of entities, as well as the names, domains and repeatability models for some attributes. To allow for their categorization, type attributes have been added for the rule and mandate entities. Finally, examples have been reviewed and their layout made clearer.

1.9 Extending RiC-CM

The RiC-CM is a high-level conceptual model that focuses on archival information. The EGAD concentrated on identifying and describing entities, attributes, and relations essential for describing record resources and their contexts. In describing record resources, the EGAD focused primarily on the description of the information content, and secondarily on the

physical instantiation of the content, because the latter is not specific to the archival domain, but shared across all domains that involve the management and preservation of information.

Given the specific focus, the EGAD designed the RiC-CM to be extensible, that is, additional entities, attributes, and relations may be created, or each of the existing entities, attributes, and relations may be differentiated into more specific kinds. The RiC-CM anticipates that in any given use context, the RiC-CM may and likely will need to be augmented. For example, given the minimal focus on the physical instantiations of records, management and preservation of record instantiations will require additional description and management information. Because record resources can be about anything, to describe what a record resource is about may require describing types or kinds of things outside the scope of the RiC-CM.

The EGAD anticipates that extension of the RiC-CM may occur in different ways.

- 1. As RiC-CM is implemented, the records management and archival communities may formally request that the EGAD extend or refine the model. The essential criterion for formal extension of the model is that requested extensions be of general utility and thus not only specific to one or a few contexts.
- Extensions based on conceptual models or ontologies developed by allied or complementary professional communities. For example, using the PREMIS Data Dictionary for Preservation Metadata to augment RiC-CM for preservation, or ISO 23081 (Information and documentation - Records management processes - Metadata for records) for management of record resources.
- 3. Local contexts or special projects requiring additional or more highly specified entities, attributes, and relations.

1.10 Acknowledgements

The ICA PCOM has generously provided funding for EGAD meetings in Belgium (2013), Spain (2014), Romania (2015), France (2016), Italy (2017), France (2018), Austria (2018), and the United Kingdom (2019). In addition to support from the PCOM, the ICA Secretary General and other staff have provided both moral and logistical support to EGAD. Local support for meetings was provided by Archives générales du Royaume/Algemeen Rijksarchief (Belgium); Arxiu Municipal de Girona (Spain); Arhivele Naţionale ale României; Archives nationales de France; Service interministériel des Archives de France; Archivio Centrale di Stato; Verband Oestereichischer Archivarinnen und Archivare; and the Royal Archives, Windsor Castle. EGAD members' home institutions have also provided members with additional support for both travel and work.

2 Entities

2.1 Introduction

The entities identified and defined in the RiC-CM are the main objects of interest for professionals that manage records in the context of origin and use (records managers) or that manage records retained for long-term preservation and access (archivists). From the perspective of both records managers and archivists, the identified entities are those required to provide the intellectual context that serves physical management, preservation, discovery, use, and understanding of the records over the course of their history.

The entities represent a conceptual and extensible hierarchy, as shown in the table below. At the root of the hierarchy is the *thing* entity, as all other entities are kinds of *thing*. In the hierarchy are the *things* that records managers and archivists necessarily focus on to fulfil their responsibility of preserving and providing access to *records*.

RiC Entities Hierarchy			
First Level	Second Level	Third Level	Fourth Level
RiC-E01 Thing	RiC-E02 Record Resource	RiC-E03 Record Set	
		RiC-E04 Record	
		RiC-E05 Record Part	
	RiC-E06 Instantiation		
	RiC-E07 Agent	RiC-E08 Person	
		RiC-E09 Group	RiC-E10 Family
			RiC-E11 Corporate Body
		RiC-E12 Position	
		RiC-E13 Mechanism	
	RiC-E14 Event	RiC-E15 Activity	
	RiC-E16 Rule	RiC-E17 Mandate	
	RiC-E18 Date		
	RiC-E22 Place		

Among the entities are four core entities: **record resource** and the closely related **instantiation** entity, as well as the **agent** and **activity** entities. These entities are the core archival entities that are considered essential in describing records and the contexts within which the records emerge and are used over time. Together, these entities represent **agents** acting in the world while employing recorded information to facilitate the objectives of their **activities**. The recorded information is evidence of the performance of an **activity**. Identifying and describing the **agents**, the **activities** which they perform, and the **records** generated in the course of that performance is a fundamental responsibility of records managers and archivists. Description of these entities captures the origins of **records** and their ongoing history, as well as intellectually preserving the original and ongoing contexts of the **records**.

The core entities are similar to those expressed in existing professional descriptive standards for the records management and archival communities. They align relatively closely with the

existing ICA description standards: ISAD(G), ISAAR(CPF), and ISDF as well as the records management standard ISO 23081.¹²

The four core entities with the exception of *activity* are in the second level of the hierarchy. The other second level entities, *event*, *rule*, *date* and *place*, are important in relation to the core entities for fully describing those core entities (see also Figure 3 below).




Figure 3: Overview of the RiC Conceptual Model.

¹² Available at https://committee.iso.org/sites/tc46sc11/home/projects/published/iso-23081-metadata-for-records.html <accessed 20231111>.

2.1.1 Presentation of the Entities

The entities are presented as follows. The *thing* entity, as the all-encompassing entity, is set out first. It is followed by *record resource* and *instantiation*, presented together as they are conceptually closely related. Following are the remaining entities immediately below *thing*. Sub-entities of *record resource*, *agent*, *event*, and *rule* are presented following the immediately superior entity. The only entity in the third level of the hierarchy that has sub-entities is *group*.

Description of each entity is based on the following template:

ID Identifier of the entity	
Name	Name of the entity
Definition Brief definition of the entity	
Scope Notes	Detailed conceptual scope of the entity
Examples	Examples of the entity
Comments	Comments comparing the entity to similar concepts in other conceptual models and ontologies

2.2 Description of Entities

2.2.1 Thing

RiC-E01 Thing

The *thing* entity includes all possible concepts, material things, or events within the realm of shared human experience and discourse. *Thing* is the root or base entity in RiC and as such includes all of the entities that are of primary interest to records managers and archivists, as well as other entities used in the description of the primary entities. Further, *thing* encompasses all other possible entities that are not explicitly identified in RiC-CM as entities. Any possible *thing* may be the subject of a *record resource* or associated with an *activity*. Describing or referencing (for example, through a name) such entities may be necessary for the description of context. Entities that are not explicitly identified and described in RiC-CM are commonly the responsibility of allied cultural heritage communities, academic and research communities, or specialized or expert communities. RiC-CM is designed to be extensible to allow the incorporation of other such entities.

ID	RiC-E01	
Name	Thing	
Definition	Any idea, material thing, or event within the realm of human experience.	
Scope Notes	Includes all RiC-CM entities as well as any concept, material thing, or event that may be the subject of a <i>record resource</i> or associated with an <i>activity</i> .	
	Examples of entities not explicitly addressed in RiC-CM include but are not limited to the following: abstract concepts; cultural movements, named periods and events; named things, objects, and works; legendary, mythical or fictitious figures, characters or beings.	
Examples	Airplane [en] [material thing]	

	Impressionism [en] [art movement]
	Puck [en] [character in William Shakespeare's A Midsummer Night's dream]
	Renaissance [en] [art period]
	Slavery [en] [concept]
	Before Christian Era (BCE) [en] [year notations]
	French Revolution [en] [event]
	A copy of an edition of William Shakespeare's Hamlet [en] [specific bibliographic item]
	Leonardo da Vinci's Mona Lisa in the Musée du Louvre, Paris [en] [art object]
	The vertebrate zoology specimen collection at the American Museum of Natural History [en] [natural history museum collection]
	The Flatiron Building located at 175 Fifth Avenue, New York City [en] [buiding]
	Quilombo dos Palmares, símbolo da resistência do negro à escravidão no Brasil [pt] [material thing]
Comments	Compare further with: LRM-Res (Latin for Thing); and OWL-Thing (the root class of all ontologies expressed in OWL).

2.2.2 Record Resource and Instantiation

RiC-E02 Record Resource

RiC-E03 Record Set

RiC-E04 Record

RiC-E05 Record Part

RiC-E06 Instantiation

RiC-CM introduces several conceptual distinctions for identifying and describing *records*. These distinctions are intended both to improve the clarity and precision of the description of *record resources*, and to address common record-keeping phenomena that arise prominently though by no means exclusively with both original and derived digital *records*.

ISAD(G) used the concept "unit of description" for record resources of all types: "A document or set of documents in any physical form, treated as an entity, and as such, forming the basis of a single description"¹³. Further, ISAD(G) provides one set of "descriptive elements" or attributes for describing a "unit of description" whether the thing being described is an individual record, or a record set.

The RiC-CM record resource entity is conceptually comparable to "unit of description." RiC-CM, though, identifies three kinds of record resources: record set, record, and record part. Record set and record differ from one another in fundamental ways, and the ways in which they differ lead to differences in the way each is described. The origins of record sets and individual records within the set differ, in particular the agents related to the creation of each; and the

¹³ ISAD(G) Second Edition: https://www.ica.org/sites/default/files/CBPS_2000_Guidelines_ISAD%28G%29_Second-edition_EN.pdf accessed 20210717>. See page 11.

activities and purposes associated with each agent.¹⁴ Further, the activities associated with each may be and commonly are separated from one another in time.

The most prominent difference in the description of *record set* and *record* is that the identity of the *record* is directly derived from the *record* itself, and the identity of the *record set* is dependent on and derived from the members of the set. Though some of the description of the set will describe the set as such, much of the description provides an overview or summary of the *records* contained in it. Similarly, the difference between a *record* and a *record part* is that the identity of the *record* is directly derived from the *record* itself, whereas the identity of the *record part* is dependent on and derived from the *record* of which it is a part.

RiC-CM introduces another important distinction. The information content or message that is communicated in a *record* or *record part* is distinguished from the inscription or representation of that content in a physical form (digital or analogue), in other words an *instantiation*. A *record* or *record part* does not exist until it is represented in at least one *instantiation*. This distinction is introduced for practical reasons and not as an absolute epistemic assertion. ¹⁶

As a practical distinction it recognizes that information content (a record) may be inscribed in more than one instantiation. For example, a Word document (one instantiation) saved as a PDF document (a second instantiation), or information content printed on paper (one instantiation) and subsequently scanned and saved as a PDF document (second instantiation). Though a close comparison of the information content conveyed by the two instantiations in each of these examples may reveal differences, depending on the context, the differences may or may not be deemed significant. That the information content (record) conveyed in the two instantiations is the same is common in digital preservation, though there are analogue examples as well. If the differences are deemed significant in particular use contexts, the information conveyed in each of the instantiations can be regarded as two distinct though related records.

The relation between a *record* and an *instantiation* thus presents a dilemma; it enables presenting two or more equally conclusive alternatives. Which of the alternatives is viewed as correct depends on perspective and the context of use. When one perspective is that the physical characteristics of a specific *instantiation* contribute inalienable meaning to the intellectual content of the *record*, then it follows that any derived *instantiation* that does not maintain those physical characteristics results in a new *record*. Otherwise, the derived *instantiation* may be considered an *instantiation* of the same *record*.

¹⁴ Even if the same *agent* is responsible for both a *record set* and *records* that are members of the set, it is the performance of two different *activities* with distinct purposes that brings each into existence.

¹⁵ The distinction between the *record* and *instantiation* is comparable to the "Intellectual Entity" and "Representation" distinction in PREMIS: *PREMIS Data Dictionary for Preservation Metadata* (Version 3): https://www.loc.gov/standards/premis/v3/premis-3-0-final.pdf <accessed 20201216>.

¹⁶ For an in-depth analysis of the interplay of humans and technology in communicating using "new media," see Kirschenbaum, Matthew G. *Mechanisms: New Media and the Forensic Imagination*. Cambridge, MA: The MIT Press, 2012. Print.

The relation of *instantiation* to *record set*, *record* and *record part* differs in important ways. *Record* and *record part* have a *necessary* relation with *instantiation*. Each must be represented in at least one *instantiation* to exist. A *record set*, though, is an intellectual and not a physical aggregation. A *record set* represents *records* grouped together based on one or more shared attributes or relations, and thus it is indirectly dependent on the existence of instantiated *records*. A *record set*, however, may be instantiated if the group of *records* represented in it, subsequent to their creation, are instantiated by being bound together, either as a physical object, such as by a bound volume, or a computer file containing two or more identifiable *records*, for example, a sequence of page-images of analogue correspondence, or a sequence of photographs. Nevertheless, the *instantiation* of the *record set* is not a necessary condition of its existence.

RiC-CM thus introduces distinctions that are intended to improve the clarity and precision of the description of *record resources*, and to address phenomena that are common in record-keeping. While these distinctions introduce additional complexity into the processing and description of *record resources*, for perhaps the most common phenomenon, a *record* existing with one and only one *instantiation*, the description will remain much the same as in current practice.

2.2.2.1 Record Resource

ID	RiC-E02		
Name	Record Resource		
Definition	Information produced or acquired and retained by an <i>agent</i> in the course of life or work <i>activity</i> .		
Scope Notes	Record resource is a kind of Thing (RiC-E01).		
	Producing a <i>record resource</i> may imply either its initial creation or a reuse of previous existing information by combination, rearrangement, selecting, reformatting, etc.		
	Record set, record, and record part are kinds of record resource.		
	A record resource is evidence of the activity of an agent. More than one agent may be involved in the creation of a record resource. The role of the agent in creating the record resource may take different forms, for example, authoring of an individual record, accumulating a record set, or arranging a record set.		
	Though a <i>record, record set</i> , and <i>record part</i> , under most circumstances, may be easily distinguished from one another, identifying the boundary of each may frequently present particular challenges.		
	Documentary forms provide the rules governing the structure of many types of records, providing criteria for identifying a record's boundary, and identifying its essential parts. Many records, though, do not have well-established documentary forms, particularly in the case of digital records, where it may be difficult to determine whether individual elements represented in separate bitstreams are record parts, records, or record sets.		
	For example, is photographic information represented independently in a bitstream embedded in a text document a <i>record</i> or a <i>record part</i> ? Or is the same photographic		

Comments	riores [pt] [record set]
	Livro de registro de entrada de imigrantes na Hospedaria de Imigrantes da Ilha das Flores [pt] [record set]
	3rd Great Seal of King Charles I [en] [record part]
	Sketch Map of the Qatar Peninsula [en] [record]
Examples	Cotton Manuscripts Collection [en] [record set]
	Both designations are supported by RiC-CM, and the significance of the difference for users of the records is ameliorated by the fact that all of the attributes and relations employed in describing <i>record</i> and <i>record part</i> are shared, as are many of the attributes and relations employed in describing a <i>record set</i> .
	Determining when an information object is a <i>record, record set,</i> or <i>record part</i> is based on perspective and judgement exercised in a particular context. In one context, the <i>agent</i> describing an information object may designate it a <i>record,</i> while another <i>agent</i> in a different context may designate it a <i>record part</i> .
	Information grouped for some purpose, for example, ZIP or TAR "file compression" for saving storage space, presents a further challenge. One file comprises multiple bitstreams subjected to techniques that remove bits that can be losslessly recovered when decompressed. Under what circumstances is such a compressed bitstream a record or a record set?
	information attached to an email that maintains its independent representation, a record or a record part?

ID	RiC-E03
Name	Record Set
Definition	One or more <i>records</i> that are grouped together by an <i>agent</i> based on the <i>records</i> sharing one or more attributes or relations.
Scope Notes	Record set is a kind of Record Resource (RiC-E02).
	The member <i>records</i> in a <i>record set</i> may physically reside together, though physical proximity is not essential.
	In a particular context, an <i>agent</i> (for example, administrator, records manager, archivist, end-user, etc.) may select the member <i>records</i> of a <i>record set</i> based on any shared attribute or attributes, or any shared relation or relations. The grouping of the <i>records</i> serves a purpose or purposes specific to the context of the <i>agent</i> .
	For example, all member <i>records</i> of a <i>record set</i> have been accumulated by the same <i>agent</i> ; have the same <i>documentary form type</i> ; or are related to and document the same <i>activity</i> .
	A record set may represent the act of classifying the records in accordance with a formal classification scheme that may be based on activity, subject, organizational structure, or other criteria; an act of archival arrangement (for example, based on common provenance); or some other selection and grouping that fulfils a particular purpose or purposes (for example, a classification that reflects or supports the purposes of a researcher).

	By exception, some <i>records</i> are brought together based on their not belonging in the context of selection to other designated groups: a 'Miscellaneous' series, for example.
	A <i>record set</i> accumulated by an <i>agent</i> in the course of life or work <i>activity</i> should be described in a manner that preserves context and evidential value.
	Record sets may also contain other record sets. A record set or record may simultaneously be a member of more than one record set, and over the course of its existence, a record set or record may be a member of an indeterminate number of record sets in an indeterminate number of contexts.
	Record sets and records contained within a record set may be ordered into a sequence based on a common property or relation, or common properties or relations (for example, alphabetical by agent or related place); chronological order by creation date; or some other criterion (for example, an imposed order by relevance).
Examples	Cotton Manuscripts Collection [en]
	Miscellaneous papers and fragments [en]
	Papers of the Earls of Liverpool [en]
	Official correspondence of the 1st Earl of Liverpool [en]
	Registros de Hospedaria de Imigrantes da Ilha das Flores [pt]
	Livro de registro de entrada de imigrantes na Hospedaria de Imigrantes da Ilha das Flores [pt]
Comments	

ID	RiC-E04
Name	Record
Definition	Discrete information content formed and inscribed, at least once, by any method on any carrier in any persistent, recoverable form by an <i>agent</i> in the course of life or work <i>activity</i> .
Scope Notes	Record is a kind of Record Resource (RiC-E02).
	A <i>record</i> may itself contain one or more <i>records</i> , or may consist of one or more <i>record parts</i> .
	A <i>record</i> must have or have had at least one <i>instantiation</i> . A <i>record</i> may have more than one <i>instantiation</i> .
	An <i>instantiation</i> derived from another <i>instantiation</i> of a <i>record</i> may be considered the <i>instantiation</i> of the same <i>record</i> or an <i>instantiation</i> of a new <i>record</i> , depending on the context.
	A <i>record</i> may serve a variety of purposes, though it always documents or is evidence of <i>activity</i> .
Examples	Deed appointing John Bambridge, Sheriff of Leicestershire, with 3rd Great Seal of Charles I appended [en]
	Sketch Map of the Qatar Peninsula [en]
	Email message concerning an agreement to participate in the ICA Seoul Congress (2016) containing two attachments and digitally signed [en]

	Registro de entrada de Jacob Schwarz, trabalhador alemão, procedente de Antuérpia pelo navio Graf Bismark, na Hospedaria de Imigrantes da Ilha das Flores, e de sua saída para Porto Alegre [pt]
Comments	

ID	RiC-E05
Name	Record Part
Definition	Component of a record with independent information content that contributes to
	the intellectual completeness of the <i>record</i> .
Scope Notes	Record part is a kind of Record Resource (RiC-E02).
	A record part may itself have record parts.
Examples	3rd Great Seal of King Charles I [en]
	Attachment to email message concerning an agreement to participate in the ICA Seoul Congress (2016) [en]
Comments	

2.2.2.2 Instantiation

ID	RiC-E06
Name	Instantiation
Definition	The inscription of information made by an <i>agent</i> on a carrier in any persistent, recoverable form as a means of communicating information through time and space.
Scope Notes	Instantiation is a kind of Thing (RiC-E01).
	A record or record part must have been instantiated at least once, though this instantiation may no longer exist at the time of description, when, for example, evidence of its existence is present in an extant record. An instantiation might also exist at the time of description but be destroyed at a later time when, for example, a derived instantiation might become the only remaining instantiation.
	A <i>record set</i> may have an <i>instantiation</i> , which is to say that it is not a necessary condition.
	An instantiation may be derived from another instantiation.
	A record resource may have multiple instantiations simultaneously or over time. For example, a record printed and saved at the same time as both DOCX and PDF/A would have three concurrent instantiations, or an original record may be copied following its initial instantiation.
	Depending on the context, a new <i>instantiation</i> may represent a new <i>record resource</i> or the same <i>record resource</i> . Relative to the technique employed in deriving an <i>instantiation</i> from an existing <i>instantiation</i> , characteristics of the source <i>instantiation</i> may be lost or altered. Whether the derived <i>instantiation</i> is an <i>instantiation</i> of the same <i>record resource</i> or, because of loss or changes in characteristics, is an <i>instantiation</i> of a new <i>record resource</i> must be determined within the context by the <i>agent</i> that produces or uses that <i>instantiation</i> . For instance, a postcard representing a town map from 1874 (<i>instantiation</i> 1) is digitized and kept as a JPEG file (<i>instantiation</i> 2). The digital copy may be considered as instantiating the same <i>record</i> by an <i>agent</i> considering the information transmitted by the <i>record</i> (for example, the

	urban landscape displayed), but as a new <i>record</i> by an antiquarian more focused on the materiality of the carrier.
	Successive <i>instantiations</i> may change the perceivable boundaries of a <i>record resource</i> . For instance, a case file comprising many <i>records</i> may be digitized and saved as one single PDF file, which, from a management perspective, may be treated as one <i>record</i> . Similarly, a large <i>record set</i> (for example, a fonds or a series) may be maintained as one database. On the other hand, one <i>record</i> (main document and its annexes) may be digitized in separate files and each one may be managed as a discrete "physical" item.
	Instantiations may require mediation to communicate the information in the record resource. While a traditional record on paper can simply be read by an agent in order to understand the information, a vinyl recording, a video cassette or a digital file needs a device (mediator) to codify or decodify the information conveyed. This mediator may imply simple physical components (a turntable, for example), or a complex constellation of software and hardware elements.
	Instantiations are more than the mere informational content of record resource and may be the focus of preservation and physical management of records. The use of particular document types for records, such as a medieval charter, may have implications for the authenticity of the records. Hence, the way a record resource is instantiated contributes to the contextualizing of the content.
	Distinguishing the message conveyed (<i>record resource</i>) and its representations (<i>instantiations</i>) allows for the efficient management of their descriptions, and preservation of information about a <i>record resource</i> even when no <i>instantiation</i> of it exists or is known to exist. The relations between distinct <i>instantiations</i> can then be expressed wherever they coexist, and they can be related to the <i>record resource</i> they instantiate.
Examples	Cópia digital de livro de registro de entrada de imigrantes na Hospedaria da Ilha das Flores em formato pdf [pt] [digital instantiation of a record]
	Record: 1521, June 29 — The merchant Neacsu writes to Johannes Benkner, mayor of Brasov, about the movement of Ottoman army in South Danube [en]
	Instantiation 1: 1950 — b/w photocopy of the letter [en]
	Instantiation 2: 2016 — colour digital copy of the letter [en]
	Wax seal carrying an impression of the 3rd Great Seal of King Charles I [en] [analogue instantiation of record part]
Comments	

2.2.3 Agent

RiC-E07 Agent
RiC-E08 Person
RiC-E09 Group
RiC-E10 Family
RiC-E11 Corporate Body
RiC-E12 Position
RiC-E13 Mechanism

Agents are entities that perform activities in the world. In the course of performing the activities the agents may generate or use record resources.

The kinds of *agents* presented in RiC-CM include the entities represented in ISAAR(CPF): *corporate bodies*, *persons*, and *families*. In RiC-CM, *corporate bodies* and *families* are kinds of *groups* or collective agents. While *corporate bodies* and *families* are traditionally recognized kinds of *groups* it may be useful, within some contexts, to define additional kinds of *groups*. For example, within many political contexts, individual voters collectively elect individuals to hold *positions* in a government or an organization, and the election constitutes a *mandate* authorizing the *person* elected to hold and perform the duties assigned to the *position*. In yet other contexts, identifiable collective movements emerge that are not formally *corporate bodies*, but that do perform *activities* governed by shared values or commitments.

RiC-CM also introduces two additional kinds of agents: position and mechanism.

While traditional description has treated some high-level or government executive positions as corporate bodies, RiC-CM recognizes that a position or role that individual persons play in a group is a specific kind of agent. Position represents the intersection of person and group, and that the records generated by the performance of activities assigned to the position are both evidence of the activities of the group, but also evidence of the activities of the person that holds or held the position.

Mechanism as a kind of agent recognizes that software or machines based on mechanical and software components perform activities based on rules determined by the agent or agents that designed, created, and employ them. Such mechanisms may create or modify records.

ID	RiC-E07
Name	Agent
Definition	A thing that performs activities in the world.
Scope Notes	Agent is a kind of Thing (RiC-E01) .
	An <i>agent</i> may have one or more identities; an identity is a constellation of properties or relations that together "identify" the <i>agent</i> . A <i>person</i> or <i>group</i> commonly has one identity, though each also may have one or more alternative identities. Such alternative identities may be shared by more than one <i>person</i> or <i>group</i> . Alternative identities include but are not limited to pseudonyms, heteronyms, DBA (Doing Business As), and trade identities.
	Agent also includes entities created by a person or group that act on behalf of the creating agent in an autonomous or semi-autonomous manner. Examples of a mechanism include software agents, robots, and space and underwater probes that generate data (records) in the course of activity assigned to and in conformance with the instructions (rules) given to them by the creating person or group.
Examples	Nelson Mandela [person] Jean Harlow [person]
	Família Schwarz [pt] [family]
	Señores de los Cameros [es] [group]

	Hospedaria de Imigrantes da Ilha das Flores [pt] [corporate body]
	The Who [en] [musical group] Chancellor of the University of California [en] [position]
	Perseverance (Mars rover) [en] [mechanism]
Comments	

ID	RiC-E08
Name	Person
Definition	An individual human being.
Scope Notes	Person is a kind of Agent (RiC-E07).
	Most commonly, a human being (biological person) has a single socially constructed identity or persona.
	Less common though not rare, one or more personae in addition to the original persona which emerges at or near birth may be associated with the human being over the course of that human being's lifetime. Such "alternative personae" are most often created by the original <i>person</i> for specific purposes. The original persona may, in everyday discourse, be regarded as "the real person."
	Under some circumstances, an alternative persona might eclipse or replace the original person (Mark Twain eclipsing Samuel Clemens; John Wayne eclipsing Marion Mitchell Morrison), that is, the alternative identity becomes the predominant identity.
	Less common is when two or more <i>persons</i> collaborate to create a shared persona. A persona shared by two or more persons constitutes a kind of <i>group</i> .
	Within the archival context, the description of a <i>person</i> commonly will focus on the original associated persona, with alternative personae noted. Exceptionally, an alternative persona may displace the original persona as the focus of the description.
	Under some circumstances, for example, when <i>record resources</i> are associated with two or more different personae of one <i>person</i> , describing the different personae as separate though related <i>persons</i> may be desirable.
	Alternatively, a <i>person</i> may change their identity over the course of their lifetime.
Examples	Nelson Mandela [activist, politician]
	Jean Harlow [actress]
Comments	

ID	RiC-E09
Name	Group
Definition	Two or more agents that act together as an agent.
Scope Notes	Group is a kind of Agent (RiC-E07) .
	A <i>group</i> has a socially recognized identity. Each member of the <i>group</i> plays a particular role or roles (that is, has a particular <i>position</i>) in the coordinated <i>activity</i> of the <i>group</i> .
	Corporate bodies and families are kinds of groups, though other kinds of groups are possible. For example, the "electorate" — all of the voters in a given election.
	Complex, large groups may be subdivided into other groups.

Examples	Manchester United F.C. [en] [football club]
	San Francisco Opera [en] [opera company]
	Parliament of the United Kingdom [en] [legislative body]
	Corning Inc. [en] [technology company]
	Green Party of Canada [en] [political party]
	Diné/Navajo Nation [en] [indigenous American tribe]
Comments	

ID	RiC-E10
Name	Family
Definition	Two or more <i>persons</i> related by birth, or through marriage, adoption, civil union, or other social conventions that bind them together as a socially recognized familial <i>group</i> .
Scope Notes	Family is a kind of Group (RiC-E09).
	"Family" is used here as a general term that encompasses a wide variety of familial groups. Amongst other types, familial groups include dynasty, clan, house, and tribe.
	Though <i>family</i> may be a recognized legal group in specific contexts, the term may also be used for <i>groups</i> that are socially recognized as <i>families</i> . A <i>family</i> may be a <i>group</i> of <i>persons</i> related either by consanguinity or affinity or cohabitation or other social conventions.
	In some context, a <i>family</i> may also be legally recognized as a <i>corporate body</i> . For example, certain North American peoples (Tribes) retain self-government rights and have jurisdiction over defined Tribal lands.
Examples	Noel Family [en]
	Casa de Borbón [es]
	Fugger Family [en]
	Señores de los Cameros [es]
	House of York [en]
	Dukes of Northumberland [en]
	Família Schwarz [pt]
Comments	

ID	RiC-E11
Name	Corporate Body
Definition	An organized <i>group</i> of <i>persons</i> that act together as an <i>agent</i> , and that has a recognized legal or social status.
Scope Notes	Corporate body is a kind of Group (RiC-E09). By exception, within some legal contexts, a sole trader or sole proprietor may be recognized as a corporate body, even when the economic enterprise does not have additional members.
	Corporate bodies often have a mandate giving them the authority to act within their area(s) of competence. They will also usually act within a particular jurisdiction being governed by legal and other rule-based frameworks. A corporate body though may be

	constituted in a more informal manner and exist as an entity by virtue of its recognition as such by its members.
Examples	Australian Hearing Services [en] [statutory body]
	Gilbert and George [en] [collaborative art duo]
	Library and Archives Canada [en] [federal agency]
	The Who [en] [musical group]
	Faculty of Science, University of Strathclyde [en]
	Ministère de la Culture et de la Communication: Direction générale des patrimoines [fr] [federal agency]
	Parroquia de San Antonio Abad de Bilbao [es] [Catholic church]
	Ministerio de Ciencia y Tecnología [es] [federal agency]
	Organización de Estados Americanos [es] [international organisation]
	XV Brigada Internacional del Ejército Popular de la República [es] [military unit]
	Altos Hornos de Vizcaya, S.A. [es] [metallurgy manufacturing company]
	Concilio de Trento (1545-1563) [it] [council of the Catholic church]
	Hospedaria de Imigrantes da Ilha das Flores [pt][public agency]
Comments	See CIDOC-CRM E40 (Legal Body).
	See PROV-O Organization class ("An organization is a social or legal institution such as a company, society, etc.") ¹⁷
	See the Organization Ontology, Organization class ("Represents a collection of people organized together into a community or other social, commercial, or political structure. The group has some common purpose or reason for existence which goes beyond the set of people belonging to it and can act as an Agent. Organizations are often decomposable into hierarchical structures.") ¹⁸

ID	RiC-E12
Name	Position
Definition	The functional role of a <i>person</i> within a <i>group</i> .
Scope Notes	Position is a kind of Agent (RiC-07).
	Position is the functional role of a person within a group.
	Position exists independently of the person or persons that hold the position within a group.
	More than one person may hold a position.
	Position is commonly defined in a mandate, often called a position description or job description. The mandate may specify the work to be performed (activity) as well as the competencies for performing the activity.
	A position is often given a name.
	A <i>position</i> may be tied to a project or to a set of tasks and thus have a defined duration.

¹⁷ Available at https://www.w3.org/TR/prov-o/#Organization <accessed 20190912>.

¹⁸ Available at https://www.w3.org/TR/vocab-org/#class-organization <accessed 20190912>.

	A position may change over time, as the group that establishes it changes over time.
	Within the <i>records</i> created by a <i>corporate body</i> , a <i>position</i> may be used to identify the <i>record sets</i> resulting from <i>activities</i> performed by one or more <i>persons</i> holding the <i>position</i> over time, without necessarily identifying or describing the <i>person</i> or <i>persons</i> , or identifying which <i>records</i> were created by each <i>person</i> .
Examples	Pope, Roman Catholic Church [en]
	President of France [en]
	Prime Minister of Great Britain [en]
	Chancellor of the University of California [en]
	President of Toyota Motor Corporation [en]
	State Archivist and Executive Director of the Louisiana State Archives [en]
	Maestre Racional de la Casa y Corte del Rey de Aragón [es]
	Presidente del Gobierno de España [es]
	Pai de familia [pt]
Comments	

ID	RiC-E13
Name	Mechanism
Definition	A process or system created by a <i>person</i> or <i>group</i> that performs an <i>activity</i> .
Scope Notes	Mechanism is a kind of Agent (RiC-E07). A mechanism may have both mechanical and software components or may be exclusively software. A mechanism acts in the world producing physical or social effects and may generate or modify records.
	A <i>mechanism</i> performs <i>activities</i> based on <i>rules</i> determined by the <i>agent</i> that designed and created it. A <i>mechanism</i> has an essential, derivative relation with the designing and creating <i>agent</i> .
Examples	Cassini–Huygens [space probe, robotic spacecraft]
	Googlebot [webcrawler]
	soccer.bot [chatbot]
	ImageMagick [digital image conversion software]
	Xena [Xml Electronic Normalising for Archives]
	Dawn [space probe, robotic spacecraft]
	Argo [ocean probe]
	Perseverance [Mars rover]
Comments	

2.2.4 Event

RiC-E14 Event RiC-E15 Activity

An *event* is something that happens in time and space. A particular *event* may occur at a specific moment in time, or it may occur over a long period of time. *Events* may be natural, such as earthquakes, storms, floods, or pandemics; or be caused by an *agent*, such as elections, wars, protests, building a home, monitoring water quality, converting a Word document into a PDF document, or managing *records*; or be a combination of natural and *agent* when an *agent* responds to a natural *event*, such as rescuing *records* damaged by a flood, or developing a vaccine in response to a pandemic.

An *activity* is a kind of *event*. It is an *agent* designed and performed *event* that has an intended purpose or purposes. The scope of *activity* within the context of a *corporate body* is the same as the traditional understanding of function. The name *activity* is used for this entity because, while it is appropriate to describe *corporate bodies*, *positions*, and *mechanisms* functionally, this is not the case for all of the *activities* of *persons* and *families*.

ID	RiC-E14
Name	Event
Definition	Something that happens or occurs in time and space.
Scope Notes	Event is a kind of Thing (RiC-E01).
	An <i>event</i> may be caused by nature, an <i>agent</i> , or a combination of nature and <i>agent</i> .
	Events have temporal and spatial boundaries. An event may actively involve some agent(s) and affect any entity.
	An <i>event</i> may be discrete, happening at a specific moment in time, or may occur over an extended period of time. <i>Events</i> may have <i>events</i> as parts, and <i>events</i> may precede or follow one another. Multiple <i>agents</i> may participate in the same <i>event</i> , and in different roles.
Examples	Eruption of Mount Vesuvius (79 CE) [en]
	San Francisco Earthquake (1906) [en]
	Women's March (2017) [en]
	Indian Ocean Earthquake and Tsunami (2004) [en]
	Second World War (1939-1945) [en]
	Registering births (Albemarle County, Virginia) [en]
	Arno River Flood (1966) [en]
	Restoration of records damaged in the Arno River Flood (1966-) [en]
	T.S. Eliot and Groucho Marx corresponding (1961-1964) [en]
Comments	Compare to:

LODE Event class (2010) with some important details in the definition ¹⁹ :
"An event consists of some temporal and spatial boundaries subjectively imposed on the flux of reality or imagination, that we wish to treat as an entity for the purposes of making statements about it. In particular, we may wish to make statements that relate people, places, or things to an event. Note that, unlike some definitions of 'event,' this definition does not specify that an event involves a change of state, nor does it attempt to distinguish events from processes or states."
Event in the Event ontology (2007). ²⁰

ID	RiC-E15
Name	Activity
Definition	The doing of something for an agent designed purpose.
Scope Notes	Activity is a kind of Event (RiC-E14).
	Activity is specifically used to designate the purposeful activity of an agent.
	Activity may be understood from two perspectives. First, it can be understood as leading to an end. The end is the purpose of the activity, or why the activity is performed. Second, it can be understood in terms of the processes that lead to achieving the end, how the end is realized through coordinated actions.
	Purpose and process are complementary understandings of <i>activity</i> . Together the two perspectives address why the <i>activity</i> is performed, the expected ends or outcomes; and how the <i>activity</i> fulfils the purpose.
	While <i>activity</i> has an intended end, it may also have unintended consequences and results, or side-effects (for example, a scientific experiment that has unexpected results). While, such unintended consequences may not be the focus of the description, they are context.
	In a corporate or government context an activity may also be called a "function."
	An <i>activity</i> exists in a specific social and cultural context, and within that context is subject to change over time.
	An activity may be composed of other activities.
Examples	Marketing [en] [process of exploring, creating, and delivering value to meet the needs of a target market in terms of goods and services]
	Research and development [en] [set of innovative activities undertaken by corporations or governments in developing new services or products]
	Writing poetry [en] [creative process]
	Describing archives [en]
Comments	

¹⁹ Available at http://linkedevents.org/ontology/#term-Event <accessed 20190912>.

²⁰ Available at http://motools.sf.net/event/event.html <accessed 20190912>.

2.2.5 Rule

RiC-E16 Rule RiC-E17 Mandate

Rules that govern agent activity are ubiquitous. The very existence of corporate bodies and positions in particular, are governed by rules. The activities of all agents are governed, in one manner or another, by rules. The things created through human activity are often affected by rules governing the activities that produce the things, and in some instances, rules specify the essential characteristics of things produced. Managing the things produced over time, as an activity, will be governed by rules.

An essential governing condition is that an *agent* has the responsibility to perform a specific *activity*. Such authority may be explicit or implicit. In some contexts, for example within governments, armed forces, corporations, and other organizations, authority devolves from the top down. In such contexts, an explicit *mandate* conferring the authority is often required. In other contexts, the delegation of authority may be implicit, for example, it may be derived from prevailing socio-cultural norms or community expectations, or it may be implied when a *person* in a superior *position* requests a *person* in a subordinate *position* to perform a task. The RiC-CM *mandate* entity is a kind of *rule* wherein one *agent* explicitly gives another *agent* the authority to perform a specific *activity*.

In addition to explicitly or implicitly authorizing an *agent* to perform an *activity*, *rules* (and thus including explicit *mandates*) may also provide specifications for how the *activity* is to be performed or determine the nature of the *thing* or *things* produced by the *activity*.

The conditions that govern or influence the performance of an *activity* may derive from multiple sources. In representative democracies, for example, constitutions define the various components of the government, the authority of each, and elections populate the various *groups* and *positions*. Such *rules* and conditions may also be derived from applicable international and national standards, industry and professional codes of practice, by-laws, approved procedures manuals, etc. The authority of an *agent* may be and commonly is derived from more than one source. For example, within the context of an archival institution, a *person* occupying the *position* of processing archivist will have a particular work assignment. Authority for performing the work will be set down in a formally approved description of the responsibilities of the *position*. The *person* will also have been formally trained as an archivist making them qualified for the *position*; that is, they will have professional training and skills. Professional principles and standards will also provide conditions for the performance of the *activities* assigned to the *position*.

Rules and mandates play important roles in all aspects of record-keeping. Records managers and archivists have authority and responsibility for managing, preserving, and providing access to records. Each of these activities and the detailed sub-activities are governed by rules. Access to records, for example, may be controlled based on security or privacy rules, and use of records

may be controlled by intellectual property *rules*. The description of *record resources* and related contextual entities will be based on *rules*, such as RiC-CM. *Records* that have an identifiable *documentary form type*, for example, a deed of sale or a birth certificate, are created based on *rules* that specify the characteristics of the type. Thus *rule*, in addition to *activity*, may also be directly related to *record resources*.

ID	RiC-E16
Name	Rule
Definition	Conditions that govern the existence, responsibility, or authority of an <i>agent</i> ; or the performance of an <i>activity</i> by an <i>agent</i> ; or that contribute to the distinct characteristics of <i>things</i> created or managed by an <i>agent</i> .
Scope Notes	Rule is a kind of Thing (RiC-E01).
	Rule can be related directly to agent, activity, or anything created or managed by agents, such as a record resource or instantiation.
	A <i>rule</i> may be unwritten or written or otherwise documented. Unwritten <i>rules</i> may include though are not limited to the following: social mores, customs, or community expectations. Written <i>rules</i> may include though are not limited to the following: constitutions, legislation, acts (legal), statutes, legal codes, ordinances, charters, mission statements, regulations, policies, procedures, instructions, codes of conduct or ethics, professional standards, work assignments, or work plans.
	The source or sources of some <i>rules</i> governing the existence or <i>activity</i> of an <i>agent</i> may be external (for example, expressed in elections, social mores, customs, community expectations, laws, regulations, standards, and best practice codes), while others may be expressed within the immediate context of an <i>agent</i> (for example, policies, or written or verbal instructions).
	The evidence for identifying <i>rules</i> may be found in their entirety in one documentary source (for example, a law or regulation) or may be found in two or more sources.
	Rule should not be confused with the one or more documentary sources that serve as evidence of its identity. A documentary source is a record.
Examples	Records in Contexts-Conceptual Model [en] [standard for archival description]
	Constitución Española del 27 de diciembre de 1978 [es] [Constitution of Spain]
	Fuero de Guadalajara de 1219 [es] [Spanish legal term and concept]
	Manual de Procedimientos de Administrativos de la Universidad Pública de Navarra [es] [Manual of Administrative Procedures of the Public University of Navarra]
	Decreto n. 8816/1882 sobre as declarações exigidas ao sestrangeiros no ato de visita da Polícia [pt] [Decree on the declarations required of foreigners in the act of visiting the Police]
	The Manorial Documents Rules 1959 (legislation.gov.uk/uksi/1959/1399/) [en] [legislation allowing the provisions of an Act of Parliament to be brought into force]
Comments	

ID	RiC-E17
Name	Mandate
Definition	Delegation of responsibility or authority by an agent to another agent to perform an
	activity.

Scope Notes	Mandate is a kind of Rule (RiC-E16).
	A mandate confers the responsibility or authority of an agent to perform a specified activity. In addition to assigning an activity and delegating responsibility or authority to perform the activity to an agent, a mandate commonly limits the place (jurisdiction) and date (time period) within which an agent may perform the activity (where and when).
	Mandates exist in a specific social and cultural context, and within that context are subject to change over time.
	While a <i>mandate</i> may be tacit, in whole or part, it may be explicitly expressed in a variety of documentary sources (for example, constitutions, legislation, (legal) acts, statutes, legal codes, ordinances, charges, charters, or mission statements).
	The evidence for identifying a <i>mandate</i> may be found in its entirety in one documentary source (for example, a law or regulation), or may be found in two or more sources.
	A <i>mandate</i> should not be confused with the one or more documentary sources that serve as evidence of its identity. A documentary source is a <i>record</i> .
Examples	Authority granted by electors to a person to represent them in Parliament [en]
	Authority of a Mayor of New York City to grant building authorisations [en]
	The mandate of the Australian Hearing Services, as set out by the Australian Hearing Services Act 1991 (s 7), is to provide hearing services, carry out research and development in relation to hearing services and acoustic development, and conduct education about hearing services. [en]
	O decreto n. 603/1890 dá como competências da Inspetoria Geral de Terras e Colonização a extremação das terras de domínio público e particular, a demarcação, divisão e registro das terras devolutas, a legitimação de posses, concessões e sesmarias, além da fiscalização e direção de todos os serviços atinentes à imigração e colonização e promoção da imigração espontânea [pt]
	Authority of The National Archives (UK) to maintain and make public a register of manorial documents in England and Wales. [en]
Comments	

2.2.6 Date

RiC-E18 Date

All *things* exist in time with the exception of time itself. Situating entities in time is critical in establishing context for understanding.

The RiC-CM entity for describing the chronological dimension of entities is the *date* entity. For all entities, *dates* are important in conveying when the entity began and ended, and important *events* in the course of its existence that contribute to or effect changes in its identity. A significant *date* or *dates* related to each entity will vary according to the nature of the entity being described. With respect to a *record resource*, *dates* associated with creation, or cessation, and *events* that affect its quality are all important contextual information. In addition to beginning and ending *dates* for an *agent*, its authority to perform an *activity* may be limited to a

specific period of time. The *date* of an *event* in relation to another entity, for example, to a *record resource*, *instantiation*, or *agent*, can be used to describe the history of the entity.

Date is treated as an entity rather than as an attribute because chronological description is inherently complex. Dates may be expressed in natural language or in a standard-based machine-readable form. If the latter, the standard on which the date is based needs to be explicit. Evidence for relating a date to an entity may be ambiguous or unclear, and thus more or less certain. A date may be expressed in varying degrees of precision, and the degree of precision needs to be provided to inform interpretation.

ID	RiC-E18
Name	Date
Definition	Chronological information associated with an entity that contributes to its identification and contextualization.
Scope Notes	Date is a kind of Thing (RiC-E01).
	A <i>date</i> may be represented in natural language, based on a digital standard, or both. Digital standard <i>dates</i> will typically be based on ISO 8601, or Extended Date-Time Format (EDTF).
Examples	4 March 1842 [en] [day in Gregorian calendar]
	3 Henry VIII [en] [year in regnal years of Henry VIII]
	1925-1957[date range in Gregorian calendar]
	20th Century [en] [100 years in Gregorian calendar]
Comments	

2.2.7 Place

RiC-E22 Place

There are a variety of ways in which relating entities to *place* is essential in establishing the contexts of the entities. *Record resources* are created in a particular *place*, and after they are created, they continue to exist in a particular *place* or *places*. *Agents* come into existence in a particular *place*, and subsequently, in the course of life or work *activities* may be associated with one or more *places*. Further, the authority of an *agent* to perform an *activity* may be constrained by *place*, a mandated jurisdiction. *Events* occur in a particular *place* or *places*. Finally, a *rule* comes into existence in a particular *place*, and may also constrain an *activity* by defining the *place* where the *activity* may be performed.

ID	RiC-E22
Name	Place
Definition	Bounded, named geographic area or region.
Scope Notes	Place is a kind of Thing (RiC-E01).
	A <i>place</i> may be a jurisdiction, a man-made structure, or a natural feature. A man-made structure or natural feature may also be a jurisdiction.

	A jurisdiction is the bounded geographic area within which an <i>agent</i> has the authority to perform specified <i>activities</i> constrained by <i>rules</i> .
	Jurisdictions, man-made structures, and natural features are historical entities. A <i>place</i> thus may have a beginning <i>date</i> and ending <i>date</i> and changing boundaries that result from human or natural <i>events</i> .
	A <i>place</i> may be systematically referenced to a location on the earth (geographic coordinates).
Examples	Nova Scotia [en] [province of Canada]
	North Lanarkshire District [en] [council area of Scotland]
	Manchester Diocese [en] [ecclesiastical district]
	Reino de Granada [es] [Emirate of Granada]
	El Bierzo [es] [county in Spain]
	Cabo de Corrubedo [es] [peninsula in Spain]
	Ilha das Flores (São Gonçalo, RJ, Brasil) [pt] [island in the state of Rio de Janeiro]
	Amazon River [en]
	Río Guadalquivir [es] [river]
	Paris [fr] [city in France]
	Vía de la Plata [es] [ancient commercial and pilgrimage path]
	Avenida de Mayo (Buenos Aires, Argentina) [pt] [street, avenue]
	The Flatiron Building (New York City) [en] [building]
Comments	

3 Attributes

3.1 Introduction

Attributes are the characteristics of the entities. The attributes of an entity, together with the relations that the entity has with other entities, constitute its identity. Describing an entity necessarily involves observation and analysis of evidence in order to identify the salient characteristics. While many of the attributes are based on characteristics inherent to the entity, for example, the *languages* used by a *person*, or the *language* used in a *record*, others are specified by the *person* describing the entity, such as associating a specific *identifier* with the entity to uniquely identify it within the context of its description.

3.2 Attribute Definition Template

In this section, the attributes are listed in alphabetical order. In section 4 below, the attributes are listed for each entity in turn.

Each attribute is described based on the following template:

ID	Identifier of the attribute
Name	Natural language label of the attribute
Definition	Brief definition of the attribute
Domain	Entity or entities which may have the attribute: see section 4 below for lists of attributes for each entity
Specifications	Possible specifications, precisions, annotations, or qualifiers of the meaning of the value of an attribute in a description
Extensibility	Whether the attribute may have extensions or specializations by the addition of subattributes
Repeatability	Whether the attribute can be repeated or not in the description of a particular entity or relation
Value Schema	Rules for selecting or formulating the value of the attribute: see section 3.5 below
Scope	Additional information to aid the understanding and use of the attribute
Examples	Examples of values of each attribute

3.3 Entities versus Attributes

In conceptual modelling, it is often difficult to decide whether a particular phenomenon should be treated as an entity or an attribute. This is particularly true for attributes with Value Schema type "Controlled value" (see section 3.5 below). In many implementation scenarios such concepts are defined as entities (or classes). Controlled value lists or thesauri typically have the scope of a particular conceptual category or categories (for example, subjects, occupations, or *activity* types), and each conceptual entity may have preferred as well as alternative terms, broader and related terms, and more.

EGAD chose to treat these types of conceptual phenomena as attributes in order to keep the entities presented focused on the phenomena deemed central to the purpose of records managers and archivists. However, in any implementation of RiC-CM, these attributes might be treated as entities for a number of reasons. For example, it enables creating shared vocabularies that are important for the management of records, such as record set type, activity type, or occupation type. It also enables the use of existing shared vocabularies, such as subject or topic concepts, available for the description of records as well as artifacts curated by allied cultural heritage communities. Finally, it enables, in a Linked Open Data environment, interrelating dispersed description and access services. For these reasons, RiC-O treats such as entities (classes).

3.4 Record Resource, Record Set, Record, and Record Part Attributes

RiC-CM introduces a distinction between a *record set* and an individual *record* as well as its *record parts*. The difference between a *record* and a *record part* is that the identity of the *record* is directly derived from the *record* itself, whereas the identity of the *record part* is dependent on and derived from the *record* of which it is a part. ISAD(G) uses the concept "unit of description" that treats both a *record set* and a *record* as essentially the same kind of *thing*, that is, the same attributes may be used for describing a *record set*, an individual *record*, or, by inference, individual *record parts* (such as, for example, an illumination in a manuscript or the seal of a charter).

The RiC-CM distinction between *record set* and *record* is based on the broad observation that treating *record sets* and individual *records* as essentially the same leads to ambiguity and imprecision in the description. For example, an attribute, such as *language* or *documentary form type*, when associated with a *record set*, is not an attribute of the *record set*, as such, but rather a description of all or some of the individual *records* that are members of the set. A *record set*, as such, does not have a *language* or a *documentary form type*.

Understanding this distinction can be a challenge because in everyday discourse we commonly ascribe a shared characteristic of members of a set to the set as such. For example, if all members of a record set are "access restricted," then we commonly say "the record set is access restricted" rather than the more precise "all records in the set are access restricted." The ambiguity is often compounded further in that attributes such as language and documentary form type are often associated with a record set when they only characterize some but not all members of the record set.

Distinguishing between *record set* and *record* presents challenges in identifying and specifying the attributes of each. The central technical issue presented is that the relation between an entity and an attribute may be formulated as follows: "entity has attribute." But, as stated above, for many of the attributes of *record* when associated with *record set*, such a statement is false. In order to make this statement true, the precise way to associate the attributes of *record* with *record set* would involve differentiating the nature of the relation:

record set has all members with attribute record set has some members with attribute

But this violates the implied semantics of an Entity-relationship Model. The only formal option possible would be to specify two additional attributes:

record set has language of all members record set has language of some members

And so on for each attribute at issue. EGAD, in order to keep RiC-CM as concise as possible, has chosen not to differentiate these attributes. Instead, attributes for which this distinction is relevant are identified in the "Scope" statements in section 3.6 below and with an '*' in the list of attributes for the *record set* entity in section 4.2.1 below. Attributes that may be used to describe both the *record set and* some or all of its *record* members are identified with '+' in section 4.2.1 below.

3.5 Value Schema

The association of an attribute to an entity is implicitly an assertion: entity has attribute with value. For example, record "A" has language "B," where "B" is the value of the language.

All attributes will have at least one specified "Value Schema." Some attributes that may be differentiated into sub-attributes upon implementation have more than one Value Schema specified. The Value Schema should be seen as indicative and neither prescriptive nor proscriptive.

There are four possible Value Schema:

Free text: Words and sentences based on alpha-numeric code that are not bound or constrained by *rules* or models other than those of natural language expression. Free text is useful for situations where prose is necessary to make clear some aspect or aspects of the entity that may or may not be shared with other entities.

Model-based text: Words and sentences based on alpha-numeric code that are bound or constrained by a linguistic or content model. The aim of the model is to create consistency of expression and content across instances of the attribute. For example, a model may specify a certain set or form of words be used to either frame specific content or consistently capture a particular value. One aim of the Model-based text is to enable the retrieval of all instances containing the text specified in the model.

Controlled value: Words and phrases (terms) based on alpha-numeric code that are selected from a controlled list of authorized (or authoritative) terms. Such lists may also allow for the emergence of new terms based on day-to-day operations and changing circumstances. Conceptual Controlled value lists are commonly maintained as thesauri that accommodate, in

addition to authorized terms, synonyms and related, broader, or narrower terms. Controlled value lists commonly establish the identity of real-world entities, such as *agents* or *places* (jurisdictions, manmade structures, or natural features), relate authorized *names* (and alternative *names*) to the real-world entity, and may additionally interrelate the entities with one another. Note that Controlled value attributes are commonly treated as entities in implementations as noted in section 3.3 above.

Rule-based value: Data objects based on alpha-numeric code that are designed to be computationally processable (machine readable and processable) and based on a set of prescriptive or proscriptive *rules* governing form, scope, and purpose. Typically, these *rules* are embodied in standards that enable interoperability of data across systems and operational environments. For example, there are international standards for the expression of *dates* and the expression of geographic *coordinates*.

3.6 Description of Attributes

ID	RiC-A01
Name	Accruals
Definition	Information on the anticipated accession(s) to the record set.
Domain	Record Set
Specifications	Such accessions may be record sets, records, or record parts.
	Note the <i>accruals</i> status of a <i>record set</i> as a text statement or single words such as "Non-accruing" to indicate that no additional <i>record sets</i> or <i>records</i> will (or are anticipated to) be added to the <i>record set</i> ; "Accruing" to indicate that additional <i>records</i> or <i>record sets</i> will (or are expected to) be added to the <i>record set</i> ; or "Unknown" to indicate that this information is not available.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Model-based text; free text
Scope	
Examples	Accruing - there is an agreement with the creator that additional snapshots of their email directory will be accessioned at yearly intervals [en] Non-accruing [en] Unknown [en]

ID	RiC-A02
Name	Activity Type
Definition	Categorization of an activity.
Domain	Activity
Specifications	
Extensibility	May be extended with any number of specific attributes, for example "function/action" and "activity domain." Making the attribute extensible allows for a faceted approach that enables activity type to be divided into more distinct components, both general and specific. For example, "monitoring" can be used in combination with "election polls" or "water resources."

Repeatability	Not repeatable
Value schema	Controlled value
Scope	
Examples	business process [en]
	action [en]
	task [en]
	transaction [en]

ID	RiC-A03
Name	Authenticity Note
Definition	Description of the evidence that a <i>record resource</i> or an <i>instantiation</i> is what it purports to be, was created or sent by the said <i>agent</i> at the said time, and has not been tampered with, corrupted, or forged.
Domain	Record Resource; Instantiation
Specifications	
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Model-based text; free text
Scope	May be used in a <i>record set</i> description when the attribute value is shared by some or all members of the <i>record set</i> .
	For digital <i>records</i> , it may include results from automated means of checking the validity of signatures and timestamp.
	In particular cases it may be contextually related to the state attribute, for example, a document can be an original or a copy, either of which can be authentic or a forgery.
Examples	The letter is unsigned. [en]
	The deed is digitally signed by the Notary. The electronic signature validity cannot be assessed, but the content was not modified from the moment of signing. [en]
	The timestamp exists but cannot be verified. [en]
	The record bears signatures. [en]

ID	RiC-A04
Name	Carrier Extent
Definition	Number of physical units and/or physical dimensions of the carrier of an
	instantiation.
Domain	Instantiation
Specifications	In order to manage an <i>instantiation</i> of a <i>record resource</i> it is necessary to note the extent of the carrier as well as that of the <i>instantiation</i> itself. Whether it is necessary to note dimensions, the number of relevant units or both depends on the nature of the carrier and particular business needs.
Extensibility	May be extended with any number of specific attributes in order to enable use of controlled values or rule-based values.
Repeatability	Not repeatable
Value schema	Model-based text; free text

Scope	For digital resources, it may be used to indicate the size of storage capacity (disk, tape, film, etc.).
	Carrier extent should not be confused with instantiation extent or record resource extent. For a given record resource, the instantiation extent may vary, based on format, density of information on the carrier, etc. For example, a CD with a storage capacity of 700 MB (carrier extent) might hold a record of 1500 words (record resource extent) represented in two versions, one a Word document with an instantiation extent of 3 KB and the other a PDF file with an instantiation extent of 5 KB.
Examples	1 page [en]
	32.5 x 49 cm [piece of parchment] [en]
	3 GB [1 USB key] [en]

ID	RiC-A05
Name	Carrier Type
Definition	Categorization of physical material on which information is represented.
Domain	Instantiation
Specifications	In order to manage an <i>instantiation</i> of a <i>record resource</i> , it is necessary to note the type of carrier on which the <i>record resource</i> is instantiated as its nature will
	determine the environmental storage conditions and the prerequisites for and
	possible ways of accessing and using the <i>record resource</i> .
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Controlled value
Scope	Carrier type should not be confused with representation type of the instantiation or the content type of a record resource as the form of communication can be independent of the representation or the carrier, for example a map (content type "cartographic image") may be represented as a sketch (representation type "visual") recorded as a physical document (carrier type "paper").
Examples	clay tablets [en] papyrus [en] magnetic disk [en] optical disk [en] paper [en] parchment [en] film [en] vinyl disk [en] magnetic tape [en]

ID	RiC-A07
Name	Classification
Definition	A term, number or alphanumeric string that is usually taken from an external
	classification vocabulary or scheme that qualifies a record resource.
Domain	Record Resource
Specifications	
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Controlled value; Model-based text
Scope	May be used in a record set description when the attribute value is shared by some
	or all members of the <i>record set</i> .
	The attribute is not to be confused with <i>identifier</i> attribute although, in some cases,
	the information may be the same.
Examples	BUD-01-F002 [en] [classification number from a corporate file plan]
	human resource management [en]
	student registration [en]
	financial affairs [en]
	digitized items [en]

ID	RiC-A08
Name	Conditions of Access
Definition	Terms and circumstances affecting the availability of a record resource or an
	instantiation for consultation.
Domain	Record Resource; Instantiation
Specifications	Such conditions may originate in laws, regulations and policies, including those
	pertaining to privacy and security concerns or restrictions; they may concern a
	specific instantiation of a record resource, for example, conditions that require
	preservation treatment; or they may specify the software or hardware necessary to
	access the instantiation.
Extensibility	May be extended with any number of specific attributes in order to enable use of
	controlled values.
Repeatability	Not repeatable
Value schema	Model-based text; free text
Scope	May be used in a <i>record set</i> description when the attribute value is shared by some
	or all members of the <i>record set</i> .
	The attribute provides information about the accessibility of a <i>record</i> , as well as the
	physical, technical or legal limitations that exist for providing access to it.
Example	Open [en]
	Closed under data protection legislation [en]
	Closed as awaiting conservation treatment [en]
	Acceso libre a través de los terminales de consulta [es]
	The Archives cannot provide VHS reader to access the content of the tape [en]
	Recognita software, min. version 3.0, is needed in order to open the file [en]
	Closed for 30 years [en]

ID	RiC-A09
Name	Conditions of Use
Definition	Terms and circumstances affecting the use of a record resource or an instantiation
	after access has been provided.
Domain	Record Resource; Instantiation
Specifications	Includes conditions governing reproduction of the <i>record</i> or <i>record part</i> under applicable copyright (intellectual property) and/or property legislation or due to conservation status.
Extensibility	May be extended with any number of specific attributes in order to enable use of controlled values.
Repeatability	Not repeatable
Value schema	Model-based text; free text
Scope	May be used in a <i>record set</i> description when the attribute value is shared by some or all members of the <i>record set</i> .
Example	Permission of the copyright owner must be obtained before use [en]
	Cannot be copied using warm light copying machines or photographed using flashlight [en]

ID	RiC-A10
Name	Content Type
Definition	The fundamental form of communication in which a record resource is expressed.
Domain	Record Resource
Specifications	
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Controlled value
Scope	May be used in a record set description when the attribute value is shared by some or all members of the record set. The attribute should not be confused with representation type or carrier type attributes of a related instantiation since the form of communication can be independent of the representation or carrier, for example a map (content type "cartographic image") may be represented as a sketch (representation type "visual") recorded as a physical document (carrier type "paper"). It also should not be confused with the documentary form type attribute of a record set, record, or record
-	part, which describes a specific document form (for example a deed of sale).
Examples	cartographic image [en]
	notated music [en]
	recorded spoken word [en]
	still image [en]
	text [en]

ID	RiC-A11
Name	Coordinates
Definition	Longitudinal and latitudinal information about a place.
Domain	Place
Specifications	
Extensibility	May be extended with any number of specific attributes, for example to
	accommodate both longitudinal and latitudinal information according to a reference
	system.
Repeatability	Repeatable to accommodate information deriving from different coordinate
	systems.
Value schema	Rule-based value
Scope	May be based on ISO 6709 Standard representation of geographic point location by
	coordinates.
Examples	Latitude 50°40'46,461"N, Longitude 95°48'26,533"W, Height 123,45m [en] [ISO
	6709/D]
	Latitude 35.89421911, Longitude 139.94637467 [en] [ISO 6709/F]

ID	RiC-A12
Name	Corporate Body Type
Definition	Categorization of a corporate body.
Domain	Corporate Body
Specifications	Note the type or types of <i>corporate body</i> .
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Controlled value
Scope	
Examples	private [en]
	public [en]
	non-governmental organization [en]
	political party [en]
	musical group [en]

ID	RiC-A13
Name	Date Qualifier
Definition	A human readable qualification of a <i>date</i> to indicate the level of precision or
	certainty.
Domain	Date
Specifications	
Extensibility	May be extended with any number of specific attributes in order to differentiate
	between different types of qualifiers.
Repeatability	Not repeatable
Value schema	Controlled value
Scope	Most often, this human readable expression of the accuracy of the date is used
	along with an ISO 8601 representation of the date. The qualifier can also be
	expressed as a machine-readable value, using the EDTF standard (thus, a
	specialization of the <i>normalized date</i> attribute).

	An uncertain <i>date</i> (e.g. when you state that a <i>person</i> was possibly born at some <i>date</i>) should be specified using a relation (the RiC-CM relation should have a <i>certainty of relation</i> attribute with the appropriate value, e.g. 'uncertain', see 5.5 below).
Examples	circa [en]
	approximate [en]
	end unknown [en]

ID	RiC-A42
Name	Date Type
Definition	Categorization of a date.
Domain	Date
Specifications	May be used to categorise a <i>date</i> as a single <i>date</i> , a <i>date</i> range or a <i>date</i> set or subcategories of these broad types. This attribute should not be confused with the <i>date</i> relations defined in RiC-CM to connect a <i>date</i> entity and any other entity (such as RiC-R069 'is beginning date of', see 5.2 below).
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Controlled value
Scope	
Examples	Single date [en]
	Date range [en]
	Date set [en]
	Year [en]
	Century [en]
	Geological era [en]

ID	RiC-A15
Name	Demographic Group
Definition	Categorization of a <i>person</i> or <i>group</i> based on shared characteristics.
Domain	Person; Group
Specifications	
Extensibility	Needs to be differentiated into specific attributes in order to be useful.
	Among possible specific demographic attributes are gender, (biological) sex, education, identity, place, ancestry, ethnic/cultural identification, and religion.
Repeatability	Relative to the specific kind of demographic category, may or may not be repeatable.
Value schema	Specific demographic attributes should use controlled values.
Scope	Intended to recognize that demographic categorization of <i>persons</i> or <i>groups</i> may be useful in identifying <i>persons</i> or <i>groups</i> associated with <i>records</i> in specific contexts. Demographic categorization presents intellectual and ethical challenges. While it may benefit users of <i>records</i> by providing context and facilitating specific kinds of research, historically it has also been abused, for example, when one <i>demographic</i>

	group argues its superiority over another demographic group as justification for oppression, even genocide. A person or group may belong to several demographic groups.
	A kind of demographic group for a person is an occupation type.
Examples	Women [en]
	Brazilians [en]
	Protestants [en]
	Clergy [en]
	Peasants [en]
	Non-binary persons [en]
	Families [en]

ID	RiC-A17
Name	Documentary Form Type
Definition	Categorization of a <i>record set, record,</i> or <i>record part</i> with respect to its extrinsic and intrinsic elements that together communicate its content, administrative and documentary context, and authority.
Domain	Record Set; Record; Record Part
Specifications	
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable on <i>record</i> or <i>record part</i> , or on <i>record set</i> when describing all members of the <i>record set</i> . Repeatable on <i>record set</i> when describing some members of the <i>record set</i> .
Value schema	Controlled value
Scope	May be used in a <i>record set</i> description when the attribute value is shared by some or all members of the <i>record set</i> . Documentary form type plays an important role in determining the type of information a <i>record</i> may comprise, its status of perfection, and its authenticity and reliability. Documentary form types exist in a specific social and cultural context, and within that context, are subject to change over time. Do not confuse with the <i>content type</i> attribute of a <i>record set</i> , <i>record</i> , or <i>record part</i> , which describes the form of communication in which a <i>record</i> or <i>record part</i> is expressed (e.g. an image).
Examples	deed of gift [en] email [en] letter [en] papal bull [en] charter [en] birth certificate [en] will [en] acta de entrega [es]

expediente de licencia de obras mayores [es]
libro de actas [es]
database [en]

ID	RiC-A18
Name	Event Type
Definition	Categorization of an event.
Domain	Event
Specifications	
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Controlled value
Scope	Events of all kinds can be categorized.
Examples	accession [en]
	acquisition [en]
	arrangement [en]
	birth [en]
	description [en]
	digitization [en]
	earthquake [en]
	hurricane [en]
	marriage [en]
	transfer [en]

ID	RiC-A19
Name	Expressed Date
Definition	Natural language expression of a date.
Domain	Date
Specifications	This attribute is a specialization of the <i>name</i> attribute.
	In order that the precise meaning of the <i>date</i> can be understood information such as the calendar used or other specific context should be included.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Model-based text; free text
Scope	
Examples	October 24, 1999 [en] [month day, year]
	1925-1966 [date range]
	15 thermidor an IV (calendrier révolutionnaire français) [fr][day month year, French Republican calendar]
	8 avril 1258 (a. st., style de Pâques) [fr]
	XVIIe siècle [fr][17th century]
	The Middle Ages [en][period of European history]

Die jovis ultima mensis martii anno domini millesimo quingentesimo quadragesimo ante Pascha [la] [On the last Thursday of the month of March in the year of the Lord one thousand five hundred and forty before Easter]
1550-1553, 1555 [date range, year]
One of the years 1550, 1551, 1553, 1555 [en]
All of the years 1550, 1551, 1553, 1555 [en]
The second semester of 1951 to 1952 [en] [academic reference system]

ID	RiC-A20
Name	Family Type
Definition	Categorization of a family.
Domain	Family
Specifications	
Extensibility	Not extensible
Repeatability	Not repeatable
Value schema	Controlled value
Scope	Encompasses a wide variety of familial <i>groups</i> related by consanguinity, affinity, cohabitation, or other social conventions.
Examples	family [en]
	dynasty [en]
	clan [en]
	tribe [en]

ID	RiC-A43
Name	General Description
Definition	General information about an entity.
Domain	Thing
Specifications	General description may be used to describe any entity. There are different appropriate uses for general description. First, while it is recommended that more specific attributes be used in describing an entity, it may be desirable, for economic or other reasons, to describe two or more specific attributes together. Second, general description may be used to describe one or more characteristics that are not otherwise accommodated in RiC-CM attributes. Third, it may be used to provide a succinct summary or abstract description in addition to more detailed specific description.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Free text
Scope	
Examples	Le massif du Mont-Blanc est un massif des Alpes partagé entre la France, l'Italie et la Suisse. Il abrite le mont Blanc, plus haut sommet d'Europe occidentale qui culmine à 4 809 mètres (altitude relevée en 2015). Il est traversé par le tunnel du Mont-Blanc, entre Chamonix dans la vallée de l'Arve et Courmayeur dans la vallée d'Aoste. [fr] [about a place, the Mont Blanc massif]
	Thomas Blaikie est un botaniste et jardinier écossais. Il a dessiné notamment les jardins de Malmaison et Bagatelle. [fr] [about a <i>person</i> , Thomas Blaikie (1750-1838)]

The Senate is the academic governing body of the University of Strathclyde and is responsible for all academic matters including academic standards and quality. Meetings of the Senate are chaired by the Principal and the membership is drawn entirely from within the University, comprising academic and research staff. [en] [about a corporate body, University of Strathclyde Senate]
This activity involves regulating the nursing profession by conducting examinations and on-going education for nurses, maintaining rolls of those qualified as enrolled or registered nurses, midwives, psychiatric, and other specialised nurses. It also covers hearing disciplinary charges against nurses (and where necessary, removing them temporarily or permanently from the registers), as well as promoting the nursing profession. [en] [about an <i>activity</i> , Nursing Profession Regulation]

ID	RiC-A21
Name	History
Definition	Summary of the development of an entity throughout its existence.
Domain	Record Resource; Instantiation; Agent; Event; Rule; Place
Specifications	For a record resource, an account of its history. To the extent known, this may cover the entire history and include information about the history of origination, responsibility, property, custody, control, arrangement, description, and management of the record resource.
	For instantiation, an account of the history of a specific instantiation of a record resource from its inception.
	For agent, a concise history of an agent, relevant for understanding the context of related record resources. This may include its creation/definition/birth, and its evolution over time, for example changes concerning its education, competencies, positions held, the mandate assigned to it, etc.
	For event, a history of the origin and development of an event.
	For activity, an account of the history of the activity relevant for understanding the context of records creation. This may include information about the evolution of the activity over time and the changes in responsibility for the activity.
	For <i>rule</i> , a <i>history</i> of the authority or specifications relating to the performance of an <i>activity</i> .
	For place, a history of a place.
	Can alternatively be represented in a more structured manner by use of the <i>event</i> entity. For example, the history of an <i>entity</i> may be represented as a series of <i>events</i> with relevant <i>event types</i> with relations expressed with <i>date</i> and <i>place</i> entities.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Model-based text; free text
Scope	For a <i>record set</i> , may be used to summarize the <i>history</i> of the <i>record set</i> itself, or additionally to summarize the <i>history</i> of some or all members of the <i>record set</i> . Should not be confused with the <i>scope and content</i> attribute.

Examples	The manuscripts are part of the collections of Robert Harley (d 1724) and Edward Harley (d 1741), 1st and 2nd Earls of Oxford, that were brought by Parliament and transferred to the British Museum in 1753. Those materials were then separated into this collection and those for Harley Charters and Harley Rolls and became part of the collections of the British Library in 1972. [en] [about a record set]
	Nacido en Barbastro en 1892, donde realizó sus primeros estudios con los escolapios. Licenciado en Derecho por la Universidad de Zaragoza, aprobó las oposiciones al cuerpo nacional de notarios [es] [about a <i>person</i>]
	El primer sorteo de lotería se celebró el 13 de mayo de 1771, siendo desarrollado por la Real Lotería General de Nueva España [es] [about an <i>activity</i>]
	Doublage des 2 pièces au papier japon réalisé en interne à la bibliothèque en 2016. [fr] [about an <i>activity</i>]

ID	RiC-A22
Name	Identifier
Definition	A word, number, letter, symbol, or any combination of these used to uniquely identify or reference an individual instance of an entity within a specific information domain.
Domain	Thing
Specifications	Can include Global Persistent Identifiers (globally unique and persistently resolvable identifier for the entity) and/or Local Identifiers.
	Both the domain within which the <i>identifier</i> is unique, and the rules used in forming the <i>identifier</i> value should be provided with the <i>identifier</i> value.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Rule-based value; model-based text; free text
Scope	Within a given domain (a closed system), <i>identifiers</i> are used to uniquely reference instances of an entity. <i>Identifiers</i> are instruments of control that facilitate management of the entities within the domain. The formulation of <i>identifiers</i> commonly is based on rules.
	In addition to an <i>identifier</i> needing to be unique within a domain, it is also highly desirable that it be persistent, that is, that the <i>identifier</i> uniquely identifies the entity over time. A variety of organizations provide rules for the formation of <i>identifiers</i> , and services designed to facilitate the persistence of <i>identifiers</i> . Such <i>identifiers</i> are commonly referred to as Persistent Identifiers (or PIDs). PIDs conform to RFC 3986, but impose additional rules. Common examples are Archival Resource Keys (ARKs) ²¹ and Digital Object Identifiers (DOIs). ²²
	Within the global environment of the Internet, there are special rules for the formation of <i>identifiers</i> to ensure that they are unique within the domain of the Internet. Such <i>identifiers</i> must conform to the Internet Engineering Task Force (IETF) Uniform Resource Identifier rules (RFC 3986). ²³

²¹ Available at ARK Alliance – Home of the Archival Resource Key (ARK) (arks.org) <accessed 20231106>.

²² Available at http://www.doi.org/index.html <accessed 20231107>.

²³ Available at https://www.ietf.org/rfc/rfc3986.txt <accessed 20231107>.

Examples	Global Persistent Identifiers
	http://n2t.net/ark:/99166/w6v1266v [example of an Archival Resource Key for a record]
	http://n2t.net/ark:/99166/w6tz44ht [example of an Archival Resource Key for a person]
	http://isni.org/000000073572182 [example of a persistent International Standard Name Identifier for a <i>person</i>]
	<u>Local identifiers</u>
	BUD-01-F002 [example of a classification number from a corporate file plan]
	NAS1/A/1.1 [example of a local identifier for a record]
	F 1204 [example of a local identifier for a record set assigned by a repository]
	<u>Shelfmark</u>
	B-000091 [example of a unique identifier for an <i>instantiation</i> assigned by a repository]

ID	RiC-A23
Name	Instantiation Extent
Definition	Countable characteristics of an instantiation expressed as a quantity.
Domain	Instantiation
Specifications	
Extensibility	The attribute may be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Model-based text; free text
Scope	Instantiation extent should not be confused with record resource extent or carrier extent. For a given record resource, the instantiation extent may vary, based on format, density of information on the carrier, etc. For example, a CD with a storage capacity of 700 MB (carrier extent) might hold a record of 1500 words (record resource extent) represented in two versions, one a Word document with an instantiation extent of 3 KB and the other a PDF file with an instantiation extent of 5 KB.
Examples	The register has 345 written folios [en] Size of PDF file: 1.5 MB [en]

ID	RiC-A24
Name	Integrity Note
Definition	Information about the known intellectual completeness of a record resource.
Domain	Record Resource
Specifications	
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable on record set when describing some members of the record set.
Value schema	Model-based text; free text
Scope	May be used in a <i>record set</i> description when the attribute value is shared by some or all members of the <i>record set</i> .

	The information about integrity may be generated manually or automatically.
	Not to be confused with the physical completeness of the <i>instantiation</i> , which is covered by the <i>physical characteristics not</i> e attribute.
	The integrity of a record resource and the physical characteristics note of an instantiation may be complementary.
	This attribute also covers any additions to or removal of original information.
Examples	For record set: series of letters, one is missing so the integrity is compromised. [en]
	A web page (HTML, 15 images, 2 CSS, 1 javascript), with 5 images missing. [en]
	Part of the text is missing [because a corner on the <i>instantiation</i> was cut out, which is a physical characteristic]. See also the examples on A31 <i>Physical Characteristics</i> . [en]
	Line three of a hand-written letter was cut out and a replacement text was inserted by an unknown person. [en]

ID	RiC-A25
Name	Language
Definition	A spoken or written human language represented in a record resource or used by an
	agent.
Domain	Record Resource; Agent
Specifications	Information includes the <i>language</i> , the script of the <i>language</i> , and the script
	transliteration scheme when appropriate.
	More than one <i>language</i> may be represented in a <i>record</i> .
	Does not refer to language/script of the description itself.
F . 11.111	An agent may use one or more languages.
Extensibility	May be extended with any number of specific attributes, in particular to
B 1 1 1111	accommodate separate though interrelated codes for <i>language</i> and script.
Repeatability	Repeatable
Value schema	Controlled value
Scope	May be used in a <i>record set</i> description when the attribute value is shared by some
	or all members of the <i>record set</i> .
	Controlled Code on Town (ICO COO Codes for the manner station of manner of
	Controlled Code or Term (ISO 639 Codes for the representation of names of
	languages; ISO 15924 Codes for the representation of names and scripts; ISO 233- 2:1993 Information and documentation - Translation of Arabic characters into Latin
	characters - Part 2: Arabic language - Simplified transliteration; ISO 843:1997
	Information and documentation - Conversion of Greek characters into Latin
	characters).
Examples	Languages
	Arabic (ara) [en]
	Chinese (chi) [en]
	English (eng) [en]

French (fre) [en]
Spanish (spa) [en]
<u>Scripts</u>
Arabic (Arab) [en]
Han (Hans) [en]
Latin (Latn) [en]

ID	RiC-A26
Name	Legal Status
Definition	A status defined by law.
Domain	Record Resource; Agent
Specifications	
Extensibility	Not extensible
Repeatability	Not repeatable on <i>record</i> or <i>record part, agent,</i> or on <i>record set</i> when describing all members of the <i>record set</i> .
	Repeatable on record set when describing some members of the record set.
Value schema	Controlled value
Scope	May be used in a <i>record set</i> description when the attribute value is shared by some or all members of the <i>record set</i> .
	For record and record part, the attribute provides information about legal context.
Examples	association [en] [corporate body]
	non-profit organization [en] [corporate body]
	public limited company [en] [corporate body]
	public records [en] [record resource]
	private papers [en] [record resource]

ID	RiC-A27
Name	Location
Definition	A delimitation of the physical territory of a <i>place</i> .
Domain	Place
Specifications	Used to describe basic human-readable text such as an address, a cadastral reference, or less precise information found in a <i>record</i> . Use the <i>coordinates</i> attribute (RiC-A11) to capture the geographical <i>coordinates</i> of the <i>place</i> . Use RiC-CM spatial relations (particularly RiC-R075i 'has location') to capture a relation between two <i>places</i> .
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Free text
Scope	The level of precision may vary according to the context.
Examples	25 rue Saint-Denis à Paris [fr] [street in Paris]
	Montreal [city in Canada]

ID	RiC-A44
Name	Mandate Type
Definition	Categorization of a mandate.
Domain	Mandate
Specifications	
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Controlled value
Scope	
Examples	Administrative arrangements order [en]
	Charter [en]
	Treaty [en]
	Contract [en]
	Letter of appointment [en]
	lettre de mission [fr]
	Papal mandate [en]
	Episcopal mandate [en]
	Court mandate [en]
	Election mandate [en]
	Popular mandate [en]
	Federal mandate [en]
	décret de création et d'organisation des services d'un ministère [fr]

ID	RiC-A28
Name	Name
Definition	A label, title, or term designating an entity in order to make it distinguishable from other similar entities.
Domain	Thing
Specifications	Provides brief information about the content or other individual characteristics of the entity being described, necessary to distinguish it from other perhaps similar entities.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Model-based text; free text
Scope	
Examples	The Letter of Neacsu from Campulung to the Mayor of Brasov [en] [record]
	Digital copy of the Pomarius archival inventory from 1575 [en] [instantiation]
	D-Day [en] [date or event]
	Halloween 2016 [date]
	Fundraising, University of Glasgow [en] [activity]
	Providing hearing services [en] [activity]
	Nelson Mandela [person]

Papers of the Earls of Liverpool [en] [record set]
Paris [place]
Prime Minister [en] [position]
Sketch Map of the Qatar Peninsula [en] [record]

ID	RiC-A29
Name	Normalized Date
Definition	Machine readable representation of a <i>date</i> based on a public technical standard.
Domain	Date
Specifications	Used to represent the <i>expressed date</i> in a standardized format that can be
	processed programmatically.
	The main standard used today is ISO 8601, which is based on the Gregorian
	calendar. See also the Extended Date Time Format (EDTF), which is an extension of
	ISO 8601, and enables, among other features, to represent a date set, and to
- Fytomolhility	indicate the date is approximate.
Extensibility	May be extended with any number of specific attributes, if for example, within the
	same system, one wishes to store ISO 8601 and EDTF dates, in order to distinguish
D 1 1 122	them.
Repeatability	Repeatable Pula based value
Value schema	Rule-based value
Scope	Digital standard <i>dates</i> will typically be based on ISO 8601, or Extended Date-Time Format (EDTF).
Examples	2012-02-14/2015-03-08 [an ISO 8601 form of a date range]
Examples	2012/2015-03 [an ISO 8601 form of a date range]
	1948-03 [an ISO 8601 form of a single date]
	1948-03-08 [an ISO 8601 form of a single date]
	1948-03~ [a single date in ETDF, meaning March 1948 approximately]
	1948/ [an open date range in EDTF, starting in 1948]
	1948/ [a date range in EDTF, starting in 1948, end unknown]
	[1550,1551,1553,1555] [a date set in EDTF, meaning one of the years 1550, 1151, 1553, 1555]
	{1550,1551,1553,1555} [a date set in EDTF, meaning all of the years 1550, 1151, 1553, 1555]
	{1805,18151820} [a date set in EDTF, meaning all of the years 1805, 1815, 1816, 1817, 1818, 1819, 1820]

ID	RiC-A30
Name	Occupation Type
Definition	Categorization of a profession, trade, or craft pursued by a <i>person</i> in fulfilment of an <i>activity</i> .
Domain	Person
Specifications	A demographic group.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable. A <i>person</i> can have more than one occupation.

Value schema	Controlled value
Scope	The pursuit of an occupation involves the performance of an <i>activity</i> . Successful performance of the <i>activity</i> is based on the ability to perform related competencies successfully. Such competencies may be acquired through education or experience, or a combination of both. The authority of the <i>person</i> to pursue the occupation may be derived tacitly or explicitly from an external <i>agent</i> , based on a demonstrated mastery of the competency.
	An occupation may be pursued independently by a <i>person</i> or a <i>group</i> , thereby contributing to the fulfilment of the function (activity) of the <i>group</i> .
	Should not be confused with <i>position</i> where, for example, an <i>agent</i> with the occupation type "lawyer" holds the <i>position</i> of "legal counsel" in an agency.
	Related to but should not be confused with the domain or field of activity, such as an archivist who works in the domain of archival science.
Examples	health professional [en]
	legal professional [en]
	service and sales worker [en]

ID	RiC-A31
Name	Physical Characteristics Note
Definition	Information about the physical features, completeness, or conservation status of an
	instantiation.
Domain	Instantiation
Specifications	Includes information about the physical nature and condition such as conservation
	status or the deterioration of an <i>instantiation</i> (for example its carrier) affecting the
	ability to recover information.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Model-based text; free text
Scope	Not to be confused with the intellectual completeness of a record resource and its
	sub-entities, which is covered by the <i>Integrity</i> attribute.
	May include digital file fixity.
Examples	carrier heavily foxed [en]
	some loss of text due to rodent damage [en]
	The charter is missing the seal. [en]
	Letter physical characteristics: corner without text missing – the carrier is damaged, but no information of the content is missing [en]
	British Library binding [en]
	Watermarked [en]
	A web page (HTML, 15 images, 2 CSS, 1 JavaScript), with 1 CSS missing. [en]
	For carrier: hard drives on which the author wrote physically (using a pen). https://bge-geneve.ch/iconographie/personne/jean-revillard [en]
	Digital file format: JPEG-2000. [en]

ID	RiC-A32
Name	Place Type
Definition	Categorization of a place.
Domain	Place
Specifications	An indication of the category of a <i>place</i> .
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Controlled value
Scope	May be used to distinguish natural and human constructs.
Examples	settlement [en]
	administrative division [en]
	country [en]
	mountain [en]
	river [en]

ID	RiC-A33
Name	Production Technique
Definition	The method used in the representation of information on an instantiation.
Domain	Instantiation
Specifications	
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Free text; controlled value
Scope	
Examples	handwriting [en]
	engraving [en]
	magnetic recording [en]
	optical recording [en]

ID	RiC-A34
Name	Quality of Representation Note
Definition	The extent to which the intellectual content is recoverable from an instantiation.
Domain	Instantiation
Specifications	Characteristics of an <i>instantiation</i> that affect the ability to recover the intellectual content. Such characteristics may be related to the methods used in creating the <i>instantiation</i> or introduced subsequent to the creation through accident.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Model-based text; free text
Scope	Quality of representation note is a specialization of physical characteristics note. Quality of representation note should be used in conjunction with physical characteristics note when the physical characteristics impact the ability to recover the intellectual content.

Examples	sampling method of the audio recording decreases the quality of the recoverable sound. [en]
	quality of microform copies decreases the legibility of the text. [en]
	some loss of information due to poor quality of image capture [en]
	black and white digitization led to loss of some information from the colour original [en]
	Resolution of scans (300dpi vs 600dpi). [en]
	A web page (HTML, 15 images, 2 CSS, 1 JavaScript), printed as PDF in Letter and A4 sizes, respectively. [en]

ID	RiC-A35
Name	Record Resource Extent
Definition	The quantity of information content, as human experienced, contained in a <i>record resource</i> .
Domain	Record Resource
Specifications	The method and precision of expressing the quantity of information represented in a record resource will vary according to the kind of record resource being described, processing economy constraints, etc.
	For <i>record sets</i> , quantity may be expressed as number of <i>records</i> , or, for analogue <i>records</i> in particular, by the physical storage dimensions of the members of the <i>record set</i> .
	For individual <i>records</i> or <i>record parts</i> , quantity may be expressed in more precise terms.
Extensibility	May be extended with any number of specific attributes in order to enable use of controlled values or rule-based values.
Repeatability	Repeatable
Value schema	Model-based text; free text
Scope	Record resource extent should not be confused with instantiation extent or carrier extent. The number, size or duration of the information content unit(s) remains the same even if the information is instantiated in various carriers. For example, a CD with a storage capacity of 700 MB (carrier extent) might hold a record of 1,500 words (record resource extent) represented in two versions, one a Word document with an instantiation extent of 3 KB and the other a PDF file with an instantiation extent of 5 KB.
Examples	3 minutes and 24 seconds [en]
	6 maps [en]
	6 photographs [en]
	2 films [en]
	1,500 words [en]
	2.065.735 characters [en]

ID	RiC-A36
Name	Record Set Type
Definition	A broad categorization of the type of <i>record set</i> .

Domain	Record Set
Specifications	For legacy purposes, this attribute is the equivalent of the Level of Description element in ISAD(G) (3.1.4) except for the value "item," which equates to the <i>record</i> or <i>record part</i> entity in RiC-CM. May be extended to categorize types of <i>record set</i> that have not traditionally been considered archival.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Controlled value
Scope	
Examples	fonds [en]
	series [en]
	file [en]
	collection [en]
	accrual [en]
	accession [en]

ID	RiC-A37
Name	Representation Type
Definition	Method of recording the content type of an instantiation
Domain	Instantiation
Specifications	Can be unmediated (which allows humans to receive the message communicated without an intermediation of a device) and mediated (which needs a device to decode the message). A lot of contemporary mediated types are digital.
	Each representation type may present specific features: bit rate for audio, resolution for digital images, encoding format for video etc. Depending on the type, specific attributes may be added to describe their characteristics.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Controlled value
Scope	Should not be confused with the <i>carrier type</i> of the <i>instantiation</i> or the <i>content type</i> of a <i>record resource</i> as the form of the communication can be independent of the representation of the carrier, for example a map (<i>content type</i> "cartographic image") may be represented as a sketch (<i>representation type</i> "visual") recorded as a physical document (<i>carrier type</i> "paper").
Examples	analogue/digital textual [en]
	analogue/digital visual [en] analogue/digital video [en]
	analogue/digital audio [en]

ID	RiC-A45
Name	Rule Type
Definition	Categorization of a <i>rule</i> .
Domain	Rule

Specifications	
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Controlled value
Scope	
Examples	Legislation [en]
	Regulation [en]
	By-law [en]
	Constitution [en]
	International standard [en]
	Jurisdictional standard [en]
	Industry code of practice [en]
	Cultural norm [en]
	Directive [en]
	Community expectation [en]
	Social convention [en]
	Ordinance [en]
	Policy [en]
	Professional standard [en]
	Règle de commnunication des documents [fr]
	Tableau de gestion de documents d'activité [fr]

ID	RiC-A38
Name	Scope and content
Definition	Summary of the scope (such as time periods, geography) and content (such as
	subject matter, administrative processes) of a record resource.
Domain	Record Resource
Specifications	Provides a more complete summary of the informational content of the record
	resource highlighting the information conveyed in the record resource, why it was
	created, received, and/or maintained, and the agents connected to it.
	It may include description of relations with agents, activities, dates and places, or
	with other record resources.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Model-based text; free text
Scope	Scope and content is a specialization of general description.
	For a record set, may be used to summarize the scope and content of the record set
	itself, or additionally to summarize the <i>scope and content</i> of some or all members of
	the <i>record set</i> . It is not to be confused with the <i>history</i> attribute which focuses on
	the origination and subsequent changes to a record resource.
Examples	Includes a detailed list of the lands and villages given by the King to the Abbey. [en]
	Among the witnesses, the Duke of Normandy. [en]

The author explains why he does not agree with the decision made and adds that it cannot be applied. [en]
Letter from Vlad the Impaler (Dracula) to the Council of Kronstadt asking them to send military support against the Ottomans, within the framework of their alliance treaty. [en]
Se hace referencia a construcción del Gran Hotel, iniciada en 1899 bajo el nombre de Casa Celestino. Tras su interrupción en 1902, continuó la obra ya con su nombre actual. [es]

ID	RiC-A39
Name	State
Definition	Description of the production or reproduction status of a record resource.
Domain	Record Resource
Specifications	
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable on <i>record</i> or <i>record part</i> , or on <i>record set</i> when describing all members of the <i>record set</i> .
	Repeatable on record set when describing some members of the record set.
Value schema	Controlled value
Scope	May be used in a <i>record set</i> description when the attribute value is shared by some or all members of the <i>record set</i> .
	Can refer both to a <i>record's</i> stage of creation (for example "draft") and its form of transmission when the <i>record</i> was received (for example "copy").
Examples	draft [en]
	final draft [en]
	original [en]
	simple copy [en]
	certified copy [en]

ID	RiC-A40
Name	Structure
Definition	Information about the intellectual arrangement and composition of a record
	resource or the physical arrangement and composition of an instantiation.
Domain	Record Resource; Instantiation
Specifications	For record and record part, encompasses information about the intellectual
	composition of the <i>record</i> , the presence of <i>record parts</i> and their functions.
	For record set, encompasses information about the methodology or criteria used for arranging member record sets or records within a containing record set.
	For instantiation, may comprise information about the composition of the physical
	elements of the <i>instantiation</i> .
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Model-based text; free text

Scope	For a <i>record set</i> , may be used to summarize the <i>structure</i> of the <i>record set</i> itself, or additionally to summarize the <i>structure</i> of some or all members of the <i>record set</i> .
	Should not be confused with the <i>classification</i> attribute, which provides information about the category which the <i>record set</i> belongs to within a classification scheme.
Examples	The record has two appendices, comprising a full account of the income from car taxes and real estate taxes [en] [record]
	The series have the files arranged according to the alphabetical order of the places concerned [en] [record set]
	Inside each file, the records are arranged chronologically [en] [record set]
	The database has three related tables: names, addresses, and passport numbers [en] [record]

ID	RiC-A41
Name	Technical Characteristics
Definition	Describes any relevant physical or software feature of any device involved in the
	creation or management of a record resource.
Domain	Mechanism
Specifications	
Extensibility	May be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Free text
Scope	Does not include references to the workflow that the <i>mechanism</i> is involved in which is described under the <i>activity</i> entity.
	It emphasizes those features that provide a better understanding of the impact of the <i>mechanism</i> on the <i>records</i> .
Examples	Hubble Space Telescope had until 2002 a flawed mirror that introduced severe spherical aberration for the images. [en]

4 Entities with Attributes

In this section the attributes for each of the entities are set out. Definitions of each attribute are found in section 3 above.

The attributes for each entity are presented in the order suggested by the entity hierarchy (see the diagram in section 2.1 above). It should be noted that the attributes of each superior entity are shared with each sub-entity. This being the case all of the attributes of *thing* are shared by all of the entities as they are all below it in the hierarchy, and all of the attributes of *record* resource are shared by the *record set*, *record*, and *record part* entities, and so on for each entity.

At each level of the hierarchy, the attributes introduced at that level are listed in alphabetical order. Colours, as given in the entity hierarchy diagram in section 2.1 above, reflect the attributes shared with each superior entity in the hierarchy. Attributes that are specific to an entity have no color-coding.

The relative importance of each attribute in description is not represented in either the grouping or order within groups.

4.1 Attributes of Thing

Attributes shared by all entities.

RiC-E01	Thing
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name

4.2 Attributes of Record Resource

Attributes shared by record set, record and record part.

RiC-E02	Record Resource
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A03	Authenticity Note
RiC-A07	Classification

RiC-A08	Conditions of Access
RiC-A09	Conditions of Use
RiC-A10	Content Type
RiC-A21	History
RiC-A24	Integrity Note
RiC-A25	Language
RiC-A26	Legal Status
RiC-A35	Record Resource Extent
RiC-A38	Scope and content
RiC-A39	State
RiC-A40	Structure

4.2.1 Attributes of Record Set

Attributes that may be used in the description of all or some members of a *record set* rather than the *record set* itself are indicated with an asterisk *, while those that may be used to describe both the *record set* and all or some of its members are indicated by a plus sign +.

RiC-E03	Record Set
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	ldentifier
RiC-A28	Name
RiC-A03	Authenticity Note*
RiC-A07	Classification*
RiC-A08	Conditions of Access*
RiC-A09	Conditions of Use*
RiC-A10	Content Type*
RiC-A21	History+
RiC-A24	Integrity Note*
RiC-A25	Language*
RiC-A26	Legal Status*
RiC-A35	Record Resource Extent
RiC-A38	Scope and content+
RiC-A39	State*
RiC-A40	Structure+
RiC-A01	Accruals

RiC-A17	Documentary Form Type*
RiC-A36	Record Set Type

4.2.2 Attributes of Record

RiC-E04	Record
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A03	Authenticity Note
RiC-A07	Classification
RiC-A08	Conditions of Access
RiC-A09	Conditions of Use
RiC-A10	Content Type
RiC-A21	History
RiC-A24	Integrity Note
RiC-A25	Language
RiC-A26	Legal Status
RiC-A35	Record Resource Extent
RiC-A38	Scope and content
RiC-A39	State
RiC-A40	Structure
RiC-A17	Documentary Form Type

4.2.3 Attributes of Record Part

RiC-E05	Record Part
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A03	Authenticity Note
RiC-A07	Classification
RiC-A08	Conditions of Access
RiC-A09	Conditions of Use
RiC-A10	Content Type

RiC-A21	History
RiC-A24	Integrity Note
RiC-A25	Language
RiC-A26	Legal Status
RiC-A35	Record Resource Extent
RiC-A38	Scope and content
RiC-A39	State
RiC-A40	Structure
RiC-A17	Documentary Form Type

4.3 Attributes of Instantiation

RiC-E06	Instantiation
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A03	Authenticity Note
RiC-A04	Carrier Extent
RiC-A05	Carrier Type
RiC-A08	Conditions of Access
RiC-A09	Conditions of Use
RiC-A21	History
RiC-A23	Instantiation Extent
RiC-A31	Physical Characteristics Note
RiC-A33	Production Technique
RiC-A34	Quality of Representation Note
RiC-A37	Representation Type
RiC-A40	Structure

4.4 Attributes of Agent

Attributes shared by person, group, position, and mechanism.

RiC-E07	Agent
Attribute ID	Attribute Name

RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A21	History
RiC-A25	Language
RiC-A26	Legal Status

4.4.1 Attributes of Person

RiC-E08	Person
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A21	History
RiC-A25	Language
RiC-A26	Legal Status
RiC-A15	Demographic Group
RiC-A30	Occupation Type

4.4.2 Attributes of Group

RiC-E09	Group
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A21	History
RiC-A25	Language
RiC-A26	Legal Status
RiC-A15	Demographic Group

4.4.2.1 Attributes of Family

RiC-E10	Family
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A21	History
RiC-A25	Language
RiC-A26	Legal Status
RiC-A15	Demographic Group

RiC-A20

4.4.2.2 Attributes of Corporate Body

RiC-E11	Corporate Body
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A21	History
RiC-A25	Language
RiC-A26	Legal Status
RiC-A15	Demographic Group
RiC-A12	Corporate Body Type

4.4.3 Attributes of Position

RiC-E12	Position
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A21	History
RiC-A25	Language
RiC-A26	Legal Status

4.4.4 Attributes of Mechanism

RiC-E13	Mechanism
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A21	History
RiC-A25	Language
RiC-A26	Legal Status
RiC-A41	Technical Characteristics

4.5 Attributes of Event

Attributes shared by *activity*.

RiC-E14	Event

Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A18	Event Type
RiC-A21	History

4.5.1 Attributes of Activity

RiC-E15	Activity
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A18	Event Type
RiC-A21	History
RiC-A02	Activity Type

4.6 Attributes of Rule

Attributes shared by *mandate*.

RiC-E16	Rule
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A21	History
RiC-A45	Rule Type

4.6.1 Attributes of Mandate

RiC-E17	Mandate
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A21	History
RiC-A45	Rule Type
RiC-A44	Mandate Type

4.7 Attributes of Date

RiC-E18	Date
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A13	Date Qualifier
RiC-A42	Date Type
RiC-A19	Expressed Date
RiC-A29	Normalized Date

4.8 Attributes of Place

RiC-E22	Place
Attribute ID	Attribute Name
RiC-A43	General Description
RiC-A22	Identifier
RiC-A28	Name
RiC-A11	Coordinates
RiC-A21	History
RiC-A27	Location
RiC-A32	Place Type

5 Relations

5.1 Introduction

In order to understand and describe *record resources*, it is essential to document the context in which those *record resources* were created, accumulated, and managed through time and space. The role of relations in RiC-CM is to describe the connections between entities as they contribute to the context of record making and keeping and, as a result, express significant characteristics of the history and management of archival records. Relations in RiC-CM are focused on documenting connections that have an impact on the world from an archival point of view and are not meant to be exhaustive. Relations defined in this model should provide a basic foundation for archival description and there are likely to be instances where more specific vocabularies could build on this foundation to satisfy the needs of specific implementations.

RiC-CM relations diverge conceptually from ISAD(G) as formalized in XML-based standards like EAD that rely on structural hierarchy to define connections between, for example, items to files to series to fonds. Instead, RiC-CM relations are based on a graph model, similar to the Resource Description Framework (RDF), which allows for simpler and more flexible connections. As an example, a *record* can be part of several different *record sets*, both as part of its archival fonds and also in a temporary *record set* curated by a researcher or as part of a physical or virtual exhibition.

By making connections between entities in this way, it will be possible to infer more complex information about record context that might not be explicitly recorded as part of a background note or provenance statement. Some brief examples of the type of complex scenarios that may now be described are:

- Two *agents* perform an *activity* and in the course of that *activity* send *records* to each other, which they then keep as evidence of that *activity*.
- An agent occupies a position held at an earlier date by another agent for the purpose of performing an activity. The records held by the latter agent include some record sets created by the former agent.
- A record is a copy of another record and conveys the same content. However, the message
 has a different "meaning" in its new context where it is linked with other materials that
 modify how the source is understood.

In many cases, simply connecting two entities does not provide sufficient information. RiC-CM also defines a set of attributes specific to relations that can be used to add a date range, cite relevant sources, or add a location where a connection might have taken place. A complete list of attributes can be found in 5.5 below.

Relations in RiC-CM are organized into categories based on the type of relation (see 5.2 below) and, like terms in many controlled vocabularies, range from broader to narrower. In

addition to a detailed description of each relation (see 5.4 below) and a full list of relations (see 5.6 below), this section also provides a hierarchical chart of relations, showing how they fit into a broader/narrower scheme (see 5.3 below).

5.2 Types of Relations

All relations fit into one or more of the following thirteen conceptual categories. Understanding a relation's type can help clarify its role within a descriptive system or practice.

Whole-part relations

The relation that holds between a whole and its parts, for example the relation between a record and its constituent record part(s).

Sequential relations

Any relation that describes a logical sequence between two entities, for example the relation between an *agent* and its antecedent *agent*.

Subject relations

Any relation that holds between a *record resource* and a subject or topic, for example the relation between a *record resource* and the main subject(s) which that *record resource* describes or is about.

Record Resource to Record Resource relations

Any relation that holds between a *record resource* and another *record resource*, for example the relation between a *record resource* and a draft or copy of that *record resource*.

Record Resource to Instantiation relations

Any relation that holds between a *record resource* and an *instantiation* of that *record resource*, for example the relation between a *record resource* and a digitized version of that *record resource*.

Provenance relations

Any relation that describes the provenance or origin of a *record resource* or *instantiation*, for example the relation between a *record resource* and the *agent* which created it or the *activity* from which it resulted.

Instantiation to Instantiation relations

Any relation that holds between an *instantiation* and another *instantiation*, for example the relation between a digital *instantiation* and a migrated version of that *instantiation*.

Management relations

Any relation that describes the authority of an *agent* over another entity, for example the relation between a *person* and their subordinates in an organization.

Agent to Agent relations

Any relation that holds between an agent and another agent.

Event relations

Any relation that holds between an entity and an *event*, for example the relation between a *record resource* and an *event* which resulted in the creation or modification of that *record resource*.

Rule relations

Any relation that holds between an entity and a *rule*, for example the relation between an *agent* and the *mandate* authorizing the existence and/or actions of that *agent*.

Date relations

Any relation that holds between an entity and a *date*, for example the relation between a *record resource* and the *date(s)* at which it was created or modified.

Spatial relations

Any relation that holds between an entity and a *place*, for example the relation between an *agent* and the *place(s)* in which that *agent* was located or had some jurisdiction.

5.3 Hierarchical Chart of Relations

Relations move from broad to narrow in a hierarchical fashion. The broadest, or most general relation, *is related to*, can connect any RiC-CM entity and makes no specific statement about how or why those entities are connected. As you move down the hierarchy, each relation becomes more specific.

The following chart demonstrates how relations are hierarchically arranged. The top level of the chart is occupied by *is related to*. The next level down lists the broadest term for each relation type and then works down through up to five levels of narrower relations.

The chart is also poly-hierarchical, which means that some relations may appear in multiple places, and levels, in the chart.

Level One	Level Two	Level Three	Level Four	Level Five
RIC- R001: <i>Thing</i>	Type: whole/part relations			
is related to				
Thing				
	RiC-R002: Thing has	RiC-R003: Record or		
	or had part Thing	Record Part <i>has or had</i>		
		constituent Record or		
		Record Part (see also below)		
		(see also below)		

T				
		RiC-R004: Instantiation		
		has or had component		
		Instantiation		
		(see also below)		
		RiC-R005: <i>Group has or</i>		
		had subdivision Group		
		(see also below)		
		(see also below)		
		RiC-R006: Event has or had		
		subevent Event		
		(see also below)		
		,		
		RiC-R007: Place contains		
		or contained Place (see		
		also below)		
		RiC-R024: Record Set		
		includes or included		
		Record or Record Set (see		
		also below)		
		RiC-R085i: Date has within		
		Date (see also below)		
<u> -</u>				
	Type: <u>sequential</u>			
<u> </u>	relations			
	RiC-R008: <i>Thing</i>	RiC-R009: Thing precedes	RiC-R010: Record or	
	precedes or	in time Thing	Record Part is original	
	preceded Thing	in time timig	of Record or Record	
	preceded rining		Part	
			, are	
			RiC-R011: Record is	
			draft of Record	
			, , "	
			RiC-R012: Record	
			Resource has copy	
			Record Resource	
			(see also below)	
			RiC-R013: Record	
			Resource has reply	
			Record Resource	
			(see also below)	
				RiC-
			RiC-	R015: Instantiati
			R014: Instantiation	on migrated
			has or had derived	into
			instantiation	Instantiation
			Instantiation	
			(see also below)	

			RiC-R016: Agent has successor Agent (see also below)	RiC- R017: Person has descendant Person (and the sixth level RiC-R018: Person has child Person) (see also below)
	pe: <u>subject</u> ations			
Res	C-R019: Record source has or d subject Thing	RiC-R020: Record Resource has or had main subject Thing		
		RiC-R021: Record Resource describes or described Thing		
Res Res	pe: Record source to Record source relations C-R022: Record			
res wit res	source is record source associated th record source Record source	RiC-R023: Record Resource has genetic link to record resource Record Resource	RiC-R010: Record or Record Part is original of Record or Record Part (see also above) RiC-R011: Record is draft of Record (see also above)	
			RiC-R012: Record Resource has copy Record Resource (see also above)	
		RiC-R013: Record Resource has reply Record Resource (see also above)		
		RiC-R003: Record or Record Part has or had constituent Record or Record Part (see also above)		
		RiC-R024: <i>Record Set includes or included Record</i> or <i>Record Set</i> (see also above)		

Type: Record Resource to Instantiation relations RiC-R025: Record Resource has or had instantiation Instantiation			
Type: provenance relations RiC-R026: Record Resource or Instantiation has provenance Agent	RiC-R027: Record Resource or Instantiation has creator Agent	RiC-R079: Record has author Person, Group or Position	
	RiC-R028: Record Resource or Instantiation has accumulator Agent	RiC-R029: Record Resource or Instantiation has receiver Agent RiC-R030: Record Resource or Instantiation has collector Agent	
	RiC-R031: Record Resource or Instantiation has sender Agent RiC-R032: Record Resource or Instantiation has addressee Agent		
RiC-R033: Record Resource or Instantiation documents Activity (see also below) Type: Instantiation to Instantiation relations			
RiC- RO34: Instantiation			

is instantiation associated with instantiation Instantiation	RiC-R035: Instantiation is functionally equivalent to Instantiation RiC-R014: Instantiation has or had derived instantiation Instantiation (see also above) RiC-R004: Instantiation has or had component Instantiation (see also above)	RiC- R015: Instantiation migrated into Instantiation	
Type: management relations RiC-R036: Agent has or had authority over Thing	RiC-R037: Person or Group or Position is or was owner of Thing RiC-R038: Agent is or was manager of Record Resource or Instantiation RiC-R040: Person or Group or Position is or was holder of intellectual property rights of Record Resource or Instantiation RiC-R041: Agent is or was controller of Agent (see also below)	RiC-R039: Agent is or was holder of Record Resource or Instantiation RiC-R042: Person is or was leader of Group	
Type: Agent to Agent relations RiC-R044: Agent is agent associated with agent Agent	RiC-R045: Agent has or had subordinate Agent	RiC-R041: Agent is or was controller of Agent (see also above)	RiC- R042: Person is or was leader of Group

Type: event relations RiC-R057: Event is event associated with Thing	RiC-R058: Event has or had participant Thing	RiC-R059: Event affects or affected Thing	
	RiC-R056: Position exists or existed in Group		
	RiC-R055: Group has or had member Person		
	RiC-R054: Person occupies or occupied Position		
		RiC-R053: Person has or had teacher Person	
	1 (130))	RiC-R052: Person has or had correspondent Person	
	RiC-R051: Person knows Person		
	RiC-R050: Person knows of Person	RiC-R049: Person has or had spouse Person	
		RiC-R048: Person has sibling Person	
	RiC-R047: Person has family association with Person	RiC-R017: <i>Person has descendant Person</i> (see also above)	RiC- R018: <i>Person</i> <i>has child Person</i>
	successor Agent (see also above)	RiC-R017: Person has descendant Person (see also below)	R018: Person has child Person
	RiC-R046: Agent has or had work relation with Agent RiC-R016: Agent has	(see also above)	RiC-
		RiC-R005: Group has or had subdivision Group	

		RiC-R060: Activity is or was performed by Agent	
	RiC-R061: Event results or resulted in Thing	RiC-R033i: Activity documented by Record Resource or Instantiation	
	RiC-R006: Event has or had subevent Event (see also above)	(see also above)	
	RiC-R084i: Event occurred at date Date (see also below)		
RiC-R062: Rule is rule associated	RiC-R063: Rule regulates or regulated Thing		
with Thing	RiC-R064: Rule is or was expressed by Record Resource		
	RiC-R065: Rule issued by Agent		
	RiC-R066: Rule is or was enforced by Agent RiC-R067: Mandate		
	authorizes Agent		
Type: <u>date relations</u>			
RiC-R068: Date is date associated with Thing	RiC-R069: Date is beginning date of Thing	RiC-R070: Date is birth date of Person	
		RiC-R080: Date is creation date of Record Resource or Instantiation	
		RiC-R081: Date <i>is or</i> was creation date of all members of Record Set	
		RiC-R082: Date is or was creation date of	RiC-R083 Date is or was creation date of most

		some members of Record Set	members of Record Set
	RiC-R071: Date is end date of Thing	RiC-R072: Date is death date of Person	
	RiC-R073: Date is modification date of Thing		
	RiC-R084: Date is date of occurrence of Event (see also above)		
	RiC-R085: <i>Date is within Date</i> (see also above)		
	RiC-R086: Date intersects Date		
Type: spatial relations RiC-R074: Place is place associated with Thing	RiC-R075: Place is or was location of Thing		
	RiC-R076: Place is or was jurisdiction of Agent		
	RiC-R007: Place contains or contained Place (see also above)		
	RiC-R077: Place is or was adjacent to Place		
	RiC-R078: Place <i>overlaps</i> or overlapped Place		

5.4 Description of Relations

ID	RiC-R001	
Name	is related to	Inverse relation: is related to
Domain/Range	Thing	Thing
Cardinality	M to M	
Definition	The most generic relation, is related to, connects any RiC-CM entity (thing) to any other RiC-CM entity. This relation is symmetric.	
Scope Notes	Can be used in order to record a current or past connection between any RiC entity. Should be used only if it is not possible to specify the nature of the relation more precisely.	

Examples	Princeton Ethiopic Manuscripts [record set] is related to Princeton University [agent] [en] Princeton Ethiopic Manuscripts [record set] is related to Miracles of Mary [record] [en]
Broader relations	None (top level relation)
Narrower relations	RiC-R002 has or had part
	RiC-R008 precedes or preceded
	RiC-R019 has or had subject
	RiC-R022 is record resource associated with record resource
	RiC-R025 has or had instantiation
	RiC-R026 has provenance
	RiC-R033 documents
	RiC-R034 is instantiation associated with instantiation
	RiC-R036 has or had authority over
	RiC-R044 is agent associated with agent
	RiC-R057 is event associated with
	RiC-R062 is rule associated with
	RiC-R068 is date associated with
	RiC-R074 is place associated with

ID	RiC-R002	
Name	has or had part	Inverse relation: is or was part of
Domain/Range	Thing	Thing
Cardinality	1 to M	
Definition	Connects a thing to a thing th	at is or was a portion or division of the whole thing.
Scope Notes	Use to connect a <i>thing</i> to another <i>thing</i> that is or was a part of the whole <i>thing</i> only if it is not possible to use a narrower, more specific whole/part relation, for example <i>has or had constituent</i> . The end of existence of a whole/part relation may affect the integrity or nature of the domain entity.	
Examples	Princeton Ethiopic Manuscripts [record set] has or had part Miracles of Mary [record] [en]	
Relation types	Whole/part relations	
Broader relations	RiC-R001 is related to	
Narrower relations	RiC-R003 has or had constitue	nt
	RiC-R004 has or had compone	nt
	RiC-R005 has or had subdivision	on
	RiC-R006 has or had subevent	
	RiC-R007 contains or contained	
	RiC-R024 includes or included	
	RiC-R085i has within (inverse of RiC-R085 is within)	

ID	RiC-R003	
Name	has or had constituent	inverse relation: is or was constituent of
Domain/Range	Record or Record Part	Record or Record Part
Cardinality	1 to M	
Definition	Connects a record or record part to a record or record part that is or was a constituent of that record or record part.	

Scope Notes		
Examples	The Charter of the Massachusetts Agricultural College [record] has or had constituent signature of Governor John A. Andrew [record part] [en]	
	El Sello de placa de la Reina Isabel la Católica [record part] is or was constituent of Testamento de la Reina Isabel la Católica (12-10-1504) [record] [es]	
	Requerimento de privilégio industrial de máquina de colheita de cana e análogos [record] has or had constituent desenho técnico [record part] [pt]	
	Desenho técnico [record part] is or was constituent of requerimento de privilégio industrial de máquina de colheita de cana e análogos [record] [pt]	
	Third Miracle of Mary [record] has or had constituent The Bandit Recites the Virgin Marys Salam Song [record part] [en]	
Relation types	Whole/part relations	
	Record resource to record resource relations	
Broader relations	RiC-R002 has or had part	
	RiC-R022 is record resource associated with record resource	
Narrower relations	None	

ID	RiC-R004	
Name	has or had component	inverse relation: is or was component of
Domain/Range	Instantiation	Instantiation
Cardinality	M to M	
Definition	Connects an instantiation	to one of its present or past component instantiations.
Scope Notes		
Examples	Collection C0776 [instantiation of Princeton Ethiopic Manuscripts] has or had component Princeton Ethiopic Manuscript no.8 [instantiation of Miracles of Mary record] [en] PEM no.8 has or had component 4r-6v [en]	
Relation types	Whole/part relations Instantiation to instantiation relations	
Broader relations	RiC-R002 has or had part	
	RiC-R034 is instantiation a	ssociated with instantiation
Narrower relations	None	

ID	RiC-R005	
Name	has or had subdivision	inverse relation: is or was subdivision of
Domain/Range	Group	Group
Cardinality	1 to M	
Definition	Connects a group to one of its present or past subdivisions.	
Scope Notes		
Examples	Depuis Janvier 2010, le ministère français de la Culture has or had subdivision la Direction générale des Patrimoines. [fr] O Departamento Federal de Segurança Pública has or had subdivision a Divisão de Polícia Marítima Aérea e de Fronteiras. [pt]	

	A Divisão de Polícia Marítima Aérea e de Fronteiras is or was subdivision of Departamento Federal de Segurança Pública. [pt]
Relation types	Whole/part relations
	Agent to agent relations
Broader relations	RiC-R002 has or had part
	RiC-R045 has or had subordinate
Narrower relations	None

ID	RiC-R006	
Name	has or had subevent	inverse relation: is or was subevent of
Domain/Range	Event	Event
Cardinality	1 to M	
Definition	Connects an <i>event</i> to one or more of a series of <i>events</i> that constitute the original, broader, past or ongoing <i>event</i> .	
Scope Notes	Since an activity is a kind of event, this relation can also be used for activity.	
Examples	The Spanish Civil War (1936-1939) has or had subevent the Bombing of Guernica (1937). [en] A Guerra do Paraguai has or had subevent a Batalha Naval do Riachuelo. [pt] A Batalha Naval do Riachuelo is or was subevent of a Guerra do Paraguai. [pt]	
Relation types	Whole/part relations	
	Event relations	
Broader relations	RiC-R002 has or had part	
	RiC-R057 is event associate	ed with
	RiC-R057i is associated wit	th event
Narrower relations	None	

l in	D:0 D007	
ID	RiC-R007	
Name	contains or contained	inverse relation: is or was contained by
Domain/Range	Place	Place
Cardinality	M to M	
Definition	Connects a <i>place</i> to a regi	on that is or was within it.
Scope Notes	Use for connecting two ge	eographical or administrative regions.
Examples	La région française Auvergne-Rhône-Alpes contains or contained le département de l'Ain. Attribut <i>Date</i> de cette relation: 2016/ [fr]	
	La Comunidad Autónoma de Canarias <i>contains or contained</i> el Parque Nacional de Timanfaya (Las Palmas). [es]	
	A Amazõnia Legal <i>contains or contained</i> os estados brasileiros do Acre, Amapá, Amazonas, Mato Grosso, Pará, Rondônia, Roraima, Tocantins e Maranhão. [pt]	
		Mato Grosso, Pará, Rondônia, Roraima, Tocantins e entained by a Amazonia Legal. [pt]
Relation types	Whole/part relations	
	Spatial relations	
Broader relations	RiC-R002 has or had part	
	RiC-R074 is place associat	ed with
	RiC-R074i is associated wi	

Narrower relations	None
--------------------	------

ID	RiC-R008	
Name	precedes or preceded	inverse relation: <i>follows or followed</i>
Domain/Range	Thing	Thing
Cardinality	M to M	
Definition	Connects a thing to a thing	g that follows or followed it in some sequence.
Scope Notes	The relation does not specify the criteria used for ordering the sequence. There may be zero to many intermediate entities, ignored or unknown, in the sequence between the two connected <i>things</i> . Can be used, for example, for specifying that a <i>record</i> "has next" another <i>record</i>	
Examples	within a record set. paragraph 1 [record part] precedes or preceded image 1 [record part] [en]	
Relation types	Sequential relations	
Broader relations	RiC-R001 is related to	
Narrower relations	RiC-R009 precedes in time	

ID	RiC-R009	
Name	precedes in time	inverse relation: <i>follows in time</i>
Domain/Range	Thing	Thing
Cardinality	M to M	
Definition	Connects a thing to a thing	g that follows it in chronological order.
Scope Notes	•	y intermediate entities, ignored or unknown, in the etween the two connected entities.
Examples	El Ministerio de Educación y Cultura (1996-2000) [corporate body] precedes in time el Ministerio de Ciencia y Tecnología (2000-2004) [corporate body]. [es]	
	O Departamento Federal de Segurança Pública [corporate body] precedes in time o Departamento de Polícia Federal [corporate body]. [pt]	
	O Departamento de Polícia Federal [corporate body] follows in time o Departamento Federal de Segurança Pública [corporate body]. [pt]	
Relation types	Sequential relations	
Broader relations	RiC-R008 precedes or preceded	
Narrower relations	RiC-R010 is original of	
	RiC-R011 is draft of	
	RiC-R012 has copy	
	RiC-R013 has reply	
	RiC-R014 has or had derive	ed instantiation
	RiC-R016 has successor	

ID	RiC-R010	
Name	is original of	inverse relation: has original
Domain/Range	Record or Record Part Record or Record Part	
Cardinality	1 to M	
Definition	Connects the original version of a <i>record</i> to a copy or a later version. It is both a temporal and genetic relation between the two <i>records</i> .	

Scope Notes	There may be zero to many intermediate <i>records</i> , ignored or unknown, between the	
	two connected <i>records</i> .	
Examples	La charte dont l' instantiation cotée S/2262A n° 4 est conservée aux Archives nationales de France, et dont la <i>date</i> est Août 1239, <i>is original of</i> l'acte [record] inscrit au Cartulaire blanc de l'abbaye de Saint-Denis (Cart. blanc, t. I, p. 374a, n° XIIII, rubrique: 'De uno modio et dimidio vini empto a Renaldo de Logiis'). [fr]	
	A Lei Áurea é [<i>record</i>] <i>is original of</i> o documento cujo código de referênciaé BR RJANRIO_EH_0_FOT_EVE_04933 (Reprodução da Lei Áurea). [pt]	
	O documento cujo código de referência é BR RJANRIO_EH_0_FOT_EVE_04933 (Reprodução da Lei Áurea) has original a Lei Áurea [record]. [pt]	
Relation types	Sequential relations	
	Record resource to record resource relations	
Broader relations	RiC-R009 precedes in time	
	RiC-R023 has genetic link to record resource	
Narrower relations	None	

ID	RiC-R011	
Name	is draft of inverse relation: has draft	
Domain/Range	Record	Record
Cardinality	M to M	
Definition	Connects a draft to the fin	al version of a record.
Scope Notes	There may be zero to many intermediate records, ignored or unknown, between the	
	two connected <i>records</i> .	
Examples	Manuscript dated April 1957 is draft of The Ugly American, 1958. [en]	
Relation types	Sequential relations	
	Record resource to record resource relations	
Broader relations	RiC-R009 precedes in time	
	RiC-R023 has genetic link to record resource	
Narrower relations	None	

ID	RiC-R012	
Name	has copy	inverse relation: is copy of
Domain/Range	Record Resource	Record Resource
Cardinality	1 to M	
Definition	Connects a record resource	re to a copy of that record resource.
Scope Notes	Is both a temporal and genetic relation between the two record resources.	
Examples	Letter from Ernest Hemingway to Milford J. Baker I, 12 February 1930 has copy Copy of Letter from Ernest Hemingway to Milford J. Baker I, 12 February 1930. [en]	
Relation types	Sequential relations	
	Record resource to record resource relations	
Broader relations	RiC-R009 precedes in time	
	RiC-R023 has genetic link to record resource	
Narrower relations	None	

ID	RiC-R013	
Name	has reply	inverse relation: is reply to
Domain/Range	Record Resource	Record Resource
Cardinality	M to M	
Definition	Connects a record resource	e to a reply, usually in the form of correspondence.
Scope Notes		
Examples	Letter from Mary White Ovington to William E. Walling, October 1, 1917 has reply Letter from William E. Walling to Mary White Ovington, October 21, 1917. [en]	
Relation types	Sequential relations	
	Record resource to record resource relations	
Broader relations	RiC-R009 precedes in time	
	RiC-R022 is record resource associated with record resource	
Narrower relations	None	

ID	RiC-R014	
Name	has or had derived instantiation	inverse relation: is or was derived from instantiation
Domain/Range	Instantiation	Instantiation
Cardinality	1 to M	
Definition	Connects an <i>instantiation</i> to an <i>instantiation</i> that is derived from it, whether it exists or has been lost or destroyed.	
Scope Notes	In some situations, it may be useful or necessary to connect an <i>instantiation</i> to an <i>instantiation</i> that was derived from it but no longer exists or has been lost.	
Examples	Le tirage photographique de la vue aérienne de la ville d'Ambérieux-en-Dombes (Ain, France), au sein de l'album 1PH/C/1 du fonds Lapie, has or had derived instantiation l'image numérique dont l'identifiant local est FRAN_0207_0001_A. [fr]	
Relation types	Sequential relations Instantiation to instantiation relations	
Broader relations	RiC-R009 precedes in time RiC-R034 is instantiation associated with instantiation	
Narrower relations	RiC-R015 migrated into	

ID	RiC-R015	
Name	migrated into	inverse relation: <i>migrated from</i>
Domain/Range	Instantiation	Instantiation
Cardinality	1 to M	
Definition	Connects an instantiation	to a version it has been migrated into.
Scope Notes	Use for digital instantiations.	
Examples	Microsoft Word document with the filename Draft_2019.docx <i>migrated into</i> normalized PDF/A with filename mums1023_00_b1.pdf [en]	
Relation types	Sequential relations	
	Instantiation to instantiation relations	
Broader relations	RiC-R014 has or had derived instantiation	
Narrower relations	None	

ID	RiC-R016	
Name	has successor	inverse relation: is successor of
Domain/Range	Agent	Agent
Cardinality	M to M	
Definition	Connects an agent to anot	ther agent that succeeds it chronologically.
Scope Notes	There may be zero to man	y intermediate <i>agents</i> , ignored or unknown, between the
	two connected <i>agents</i> .	
	Can be used when there is agent.	s a transfer of function from the first <i>agent</i> to the second
Examples	Le Bureau des Monuments historiques (1863-1870) (au sein de la Surintendance des Beaux-Arts, une subdivision du ministère français de la maison de l'Empereur) has successor le Bureau des Monuments historiques (1870-1907) au sein de la Direction des Beaux-Arts, une subdivision du ministère français de l'Instruction publique. [corporate body] [fr]	
	La Administración de Hacienda de la provincia de Barcelona has successor la Delegación Provincial de Hacienda de Barcelona y is successor of la Intendencia de Ejército y Provincia del Principado de Cataluña, en sus funciones Hacendísticas. [corporate body] [es]	
	O Departamento Federal de Segurança Pública has successor o Departamento de Polícia Federal. [corporate body] [pt]	
	O Departamento de Pollícia Federal is successor of o Departamento Federal de Segurança Pública. [corporate body] [pt]	
Relation types	Sequential relations	
Broader relations	Agent to agent relations RiC-R009 precedes in time	
broduer relations	RiC-R044 is agent associated with agent	
Narrower relations	RiC-R017 has descendant	
Tallower relations	NIC-NOT7 has acsertaant	

ID	RiC-R017	
Name	has descendant	inverse relation: <i>has ancestor</i>
Domain/Range	Person	Person
Cardinality	M to M	
Definition	Connects a person to one of th	eir descendants.
Scope Notes	There may be zero to many intermediate <i>persons</i> , ignored or unknown, between the	
	two connected <i>persons</i> .	
Examples	Marc Ferrez has descendant Gilberto Ferrez. [pt]	
	Gilberto Ferrez has ancestor Marc Ferrez. [pt]	
Relation types	Sequential relations	
	Agent to agent relations	
Broader relations	RiC-R016 has successor	
	RiC-R047 has family association with	
Narrower relations	RiC-R018 has child	

ID	RiC-R018	
Name	has child	inverse relation: is child of
Domain/Range	Person	Person
Cardinality	M to M	
Definition	Connects a person to one	of their children.
Scope Notes		
Examples	Alfonso Carlos de Borbón y Austria-Este (1849-1936) is child of Mª Beatriz de Austria-Este (1824- 1906). [es] Júlio Ferrez has child Gilberto Ferrez. [pt] Gilberto Ferrez is child of Júlio Ferrez. [pt]	
Relation types	Sequential relations Agent to agent relations	
Broader relations	RiC-R017 has descendant	
Narrower relations	None	

ID	RiC-R019	
Name	has or had subject	inverse relation: is or was subject of
Domain/Range	Record Resource	Thing
Cardinality	M to M	
Definition	Connects a record resourc	e to a thing that is or was its subject.
Scope Notes	The subject of a record set contained within it.	t may be affected if the <i>record set</i> loses some of the <i>records</i>
Examples	Susan Kleckner Papers has	s or had subject Anti-nuclear movement. [en]
	La fotografía 'Evacuation des enfants de Madrid' [1937] de Robert Capa has or had subject la Guerra Civil Española (1936-1939). [es]	
	O processo da Revolta da Chibata <i>has or had subject</i> o movimento de marinheiros contra a chibata, usada por oficiais como medida punitiva. [pt]	
	O movimento de marinheiros contra a chibata, usada por oficiais como medida punitiva, <i>is or was subject of</i> o processo da Revolta da Chibata. [pt]	
	C. T. Lanham Papers on Ernest Hemingway [record set] has or had subject Hemingway, Ernest [person] [en]	
	Clement Heaton Collection on Stained Glass [record set] has or had subject Glass painting and staining, Medieval Germany 20th century [thing]. [en]	
Relation types	Subject relations	
Broader relations	RiC-R001 is related to	
Narrower relations	RiC-R020 has or had main subject RiC-R021 describes or described	

ID	RiC-R020	
Name	has or had main subject inverse relation: is or was main subject of	
Domain/Range	Record Resource Thing	
Cardinality	M to M	
Definition	Connects a record resource to a thing that is or was its main subject.	

Scope Notes	Use for specifying, for example, that a personal file (<i>record set</i>) has a <i>person</i> as its main subject, in order to help end users retrieve the main archival resources about that <i>person</i> .
Examples	
Relation types	Subject relations
Broader relations	RiC-R019 has or had subject
Narrower relations	None

ID	RiC-R021	
Name	describes or described	inverse relation: is or was described by
Domain/Range	Record Resource	Thing
Cardinality	M to M	
Definition	Connects a record resourc	e to a thing that it describes or described.
Scope Notes	Can be used for specifying that a finding aid, which is a specific type of record,	
	describes a record set.	
Examples	Guide to the Roxbury Action Project Records describes or described Roxbury Action	
	Project Records [record set]. [en]	
Relation types	Subject relations	
Broader relations	RiC-R019 has or had subject	
Narrower relations	None	

ID	RiC-R022	
Name	is record resource associated	inverse relation: is record resource associated with
	with record resource	record resource
Domain/Range	Record Resource	Record Resource
Cardinality	M to M	
Definition	Connects two record resources.	
	This relation is symmetric.	
Scope Notes	Use to connect two record resour	ces only if it is not possible to use a narrower, more
	specific relation, for example has	genetic link to.
Examples	La Planta de la ciudadela, ciudad y	y puerto de Messina (Sicilia) [por Carlos
	Grunembergh] [1686] is record	d resource associated with record resource el fondo
	de Consejo de Italia (siglos XVI-XVIII). [es]	
	Graças Honoríficas is record resource associated with record resource Ordens	
	Honoríficas. [pt]	
	Ordens Honoríficas is record resource associated with record resource Graças	
	Honorificas. [pt]	
Relation types	Record resource to record resource relations	
Broader relations	RiC-R001 is related to	
Narrower relations	RiC-R003 has or had constituent	
	RiC-R003i is or was constituent of	
	RiC-R013 has reply	
	RiC-R013i is reply to	
	RiC-R023 has genetic link to record resource	
	RiC-R024 includes or included	
	RiC-R024i is or was included in	

ID	RiC-R023	
Name	has genetic link to record	inverse relation: has genetic link to record
	resource	resource
Domain/Range	Record Resource	Record Resource
Cardinality	M to M	
Definition	Connects two <i>record resources</i> when there is a genetic link between them. Genetic in this sense is as defined by diplomatics, i.e., the process by which a <i>record resource</i> is developed. This relation is symmetric.	
Scope Notes	Use to connect two <i>record resources</i> only if it is not possible to use a narrower, more specific, asymmetric record resource to record resource relation, for example <i>is original of</i> .	
Examples		
Relation types	Record resource to record resource relations	
Broader relations	RiC-R022 is record resource associated with record resource	
Narrower relations	RiC-R010 is original of RiC-R010i has original RiC-R011 is draft of RiC-R011i has draft RiC-R012i has copy RiC-R012i is copy of	

ID	RiC-R024	
Name	includes or included	inverse relation: is or was included in
Domain/Range	Record Set	Record or Record Set
Cardinality	M to M	
Definition	Connects a record set to a	record or record set it aggregates or aggregated in the
	past.	
Scope Notes	A record or record set can	be aggregated in one or many record sets simultaneously
	or through time.	
Examples	The W.E.B. Du Bois Papers	[record set] includes or included Series 1. Correspondence
	[record set]. [en]	
	Consejo Supremo de Italia	[record set] includes or included Secretaría de Nápoles
	[record set]. [es]	
	Departamento Nacional do Povoamento [record set] includes or included Hospedaria de Imigrantes da Ilha das Flores [record set]. [pt]	
	Hospedaria de Imigrantes da Ilha das Flores [record set]) is or was included in Departamento Nacional do Povoamento [record set]. [pt]	
	Princeton Ethiopic Manuscripts [record set] includes or included Miracles of Mary [record] [en]	
Relation types	Whole/part relations	
	Record resource to record resource relations	
Broader relations	RiC-R002 has or had part	
	RiC-R022 is record resource associated with record resource	

Narrower relations	None
--------------------	------

ID	RiC-R025	
Name	has or had instantiation	inverse relation: is or was instantiation of
Domain/Range	Record Resource	Instantiation
Cardinality	1 to M	
Definition	Connects a record resource to an instantiation, which either may exist or may have been lost or destroyed.	
Scope Notes	In some situations, it may be useful or necessary to connect a <i>record resource</i> to an <i>instantiation</i> that no longer exists or has been lost, when some of its characteristics are known from a source, such as an old finding aid.	
Examples	La série organique [record set] de photographies aériennes qui concerne le territoire de la commune d'Ambérieux-en-Dombes (Ain) dans le fonds Lapie has or had instantiation les tirages photographiques cotés "C.T. 104 1K-2K." [fr] La même série [record set] has or had instantiation le lot d'images numériques dont l'identifiant est FRAN_0207_0001_A#FRAN_0207_0002_A. [fr]	
Relation types	Record resource to instantiation relations	
Broader relations	RiC-R001 is related to	
Narrower relations	None	

ID	RiC-R026		
Name	has provenance	inverse relation: is provenance of	
Domain/Range	Record Resource or Instantiation	Agent	
Cardinality	M to M		
Definition	Connects a record resource or an instal	ntiation to an agent that creates or	
	accumulates the record resource or red	ceives or sends it.	
Scope Notes	This is the most general provenance relation. Use it to connect a <i>record resource</i> or <i>instantiation</i> with an <i>agent</i> only if it is not possible to use a narrower, more specific relation, for example <i>has creator</i> .		
Examples	C. T. Lanham Papers on Ernest Hemingway [record set] has provenance Lanham, C. T. (Charles Trueman), 1902- [person] [en]		
Relation types	Provenance relations		
Broader relations	RiC-R001 is related to		
Narrower relations	RiC-R027 has creator		
	RiC-R028 has accumulator		
	RiC-R031 has sender		
	RiC-R032 has addressee		

ID	RiC-R027	
Name	has creator inverse relation: is creator of	
Domain/Range	Record Resource or	Agent
	Instantiation	
Cardinality	M to M	

Definition	Connects a <i>record resource</i> or an <i>instantiation</i> to the <i>agent</i> that is either responsible for all or some of the content of the <i>record resource</i> or is a contributor to the genesis or production of an <i>instantiation</i> .
Scope Notes	Covers the definition of "author" in diplomatics, and any agent that makes a contribution to the intellectual content of a <i>record resource</i> .
	Can also be used for any <i>agent</i> that was involved in the genesis (e.g. with the role of witness, representative of the author etc.) or in the production (e.g. with the role of scribe, secretary, notary, printer etc.) of the <i>record resource</i> or <i>instantiation</i> .
Examples	Matilde de Baviera (1877-1906) [<i>person</i>] <i>is creator of</i> la Carta de Mathilde de Baviera a María de las Nieves, anunciándole su compromiso con el Príncipe Luis de Sajonia-Coburgo (15-12-1899) [<i>record set</i>]. [es]
	Serviço Nacional de Informações [corporate body] is creator of Serviço Nacional de Informações [record set]. [pt]
	Serviço Nacional de Informações [record set] has creator Serviço Nacional de Informações [corporate body]. [pt]
Relation types	Provenance relations
Broader relations	RiC-R026 has provenance
Narrower relations	RiC-R079 has author

ID	RiC-R028	
Name	has accumulator	inverse relation: is accumulator of
Domain/Range	Record Resource or	Agent
	Instantiation	
Cardinality	M to M	
Definition	Connects a <i>record resource</i> or an <i>instantiation</i> to the <i>agent</i> that accumulated it, be it intentionally (collecting) or not (receiving in the course of the <i>agent's activities</i>).	
Scope Notes		
Examples	C. T. Lanham Papers on Ernest Hemingway [record set] has accumulator Lanham, C. T. (Charles Trueman), 1902- [person] [en]	
	Princeton Ethiopic Manuscripts [record set] has accumulator Princeton University Library [corporate body]. [en]	
Relation types	Provenance relations	
Broader relations	RiC-R026 has provenance	
Narrower relations	RiC-R029 has receiver	
	RiC-R030 has collector	

ID	RiC-R029	RiC-R029	
Name	has receiver	has receiver inverse relation: is receiver of	
Domain/Range	Record Resource or	Agent	
	Instantiation		
Cardinality	M to M		
Definition	Connects a <i>record resource</i> or an <i>instantiation</i> to the <i>agent</i> that receives it in the course of the <i>agent's activities</i> .		
Scope Notes			

Examples	La Carta de Mathilde de Baviera a María de las Nieves, anunciándole su compromiso con el Príncipe Luis de Sajonia-Coburgo (15-12-1899) [record] has receiver Mª de las Nieves de Braganza y Borbón (1852-1941) [person]. [es]	
Relation types	Provenance relations	
Broader relations	RiC-R028 has accumulator	
Narrower relations	None	

ID	RiC-R030	
Name	has collector	inverse relation: <i>is collector of</i>
Domain/Range	Record Resource or Instantiation	Agent
Cardinality	M to M	
Definition	Connects a <i>record resource</i> or an <i>instantiation</i> to the <i>agent</i> that collects it intentionally, i.e., the <i>agent</i> is a collector.	
Scope Notes		
Examples	The poster ¡Miliciano!: antes morir que retroceder [1936-1937] [record part] has collector José Mario Armero Alcántara (1927-1995) [person]. [en]	
	A coleção Fotografias avulsas [record set] has collector o Arquivo Nacional (Brasil) [corporate body]. [pt]	
	Arquivo Nacional (Brasil) [corporate body] is collector of coleção Fotografias Avulsas [record set]. [pt]	
Relation types	Provenance relations	
Broader relations	RiC-R028 has accumulator	
Narrower relations	None	

ID	RiC-R031	
Name	has sender	inverse relation: is sender of
Domain/Range	Record Resource or Instantiation	Agent
Cardinality	M to M	
Definition	Connects a record resource	e or an instantiation to the agent that sends it.
Scope Notes	The identity of the sender is (usually) evidenced by the <i>record resource</i> or <i>instantiation</i> itself.	
Examples	Ofício encaminhando ao diretor do Serviço Nacional de Informações documentos referentes a pessoa indiciada por participação em atividades subversivas [record part] has sender o diretor da Divisão de Informações do Departamento Federal de Segurança Pública [position]. [pt]	
	Diretor da Divisão de Informações do Departamento Federal de Segurança Pública [position] is sender of ofício encaminhando ao diretor do Serviço Nacional de Informações documentos referentes a pessoa indiciada por participação em atividades subversivas [record part]. [pt]	
Relation types	Provenance relations	
Broader relations	RiC-R026 has provenance	
Narrower relations	None	

ID	RiC-R032	
Name	has addressee	inverse relation: is addressee of
Domain/Range	Record Resource or Instantiation	Agent
Cardinality	M to M	
Definition	Connects a record resource or an inst	tantiation to the agent that it is addressed to.
Scope Notes	The identity of the addressee is (usua instantiation itself.	ally) evidenced by the <i>record resource</i> or
Examples	Ofício do diretor da Divisão de Informações do Departamento Federal de Segurança Pública encaminhando documentos referentes a pessoa indiciada por participação em atividades subversivas [record part] has addressee o diretor do Serviço Nacional de Informações [position]. [pt] Diretor do Serviço Nacional de Informações [position] is addressee of o diretor da Divisão de Informações do Departamento Federal de Segurança Pública encaminhando documentos referentes a pessoa indiciada por participação em atividades subversivas [record part]. [pt]	
Relation types	Provenance relations	
Broader relations	RiC-R026 has provenance	
Narrower relations	None	

ID	RiC-R033	
Name	documents	inverse relation: documented by
Domain/Range	Record Resource or	Activity
	Instantiation	
Cardinality	M to M	
Definition	Connects a record resource or an instantiation to the activity that generates the record resource or instantiation.	
Scope Notes	To be used to describe the functional provenance of a <i>record resource</i> or <i>instantiation</i> .	
Examples	El Título de Duque de Terranova a Carlo d'Aragona Tagliavia (20-7-1561) [record] documents la Concesión de títulos nobiliarios . [es]	
Relation types	Provenance relations	
	Event relations	
Broader relations	RiC-R001 is related to	
	RiC-R061i results or result	ed from (inverse of RiC-R061 results or resulted in)
Narrower relations	None	

ID	RiC-R034		
Name	is instantiation associated with inverse relation: is instantiation associated with		
	instantiation	instantiation	
Domain/Range	Instantiation	Instantiation	
Cardinality	M to M		
Definition	Connects two instantiations.		
	This relation is symmetric.		
Scope Notes	Use only if it is not possible to specify a narrower instantiation to instantiation		
	relation, for example is functional	relation, for example is functionally equivalent to.	

Examples	Collection C0776 [instantiation of the record set Princeton Ethiopic Manuscripts] is instantiation associated with instantiation PEM8 [instantiation of Miracles of Mary). [en]	
Relation types	Instantiation to instantiation relations	
Broader relations	RiC-R001 is related to	
Narrower relations	RiC-R004 has or had component	
	RiC-R004i is or was component of	
	RiC-R035 is functionally equivalent to	
	RiC-R014 has or had derived instantiation	
	RiC-R014i is or was derived from instantiation	

ID	RiC-R035	
Name	is functionally equivalent to	inverse relation: is functionally equivalent to
Domain/Range	Instantiation	Instantiation
Cardinality	M to M	
Definition	Connects two instantiations whi	ich may be considered as equivalent.
	This relation is symmetric.	
Scope Notes	Two <i>instantiations</i> , from some point of view, may be considered as equivalent. This equivalence is usually based upon the fact that the <i>instantiations</i> have at least the same intellectual content (they instantiate the same <i>record resource</i>).	
Examples	Surrogate copy of Letter from Ernest Hemingway to Milford J. Baker I, 12 February 1930 <i>is functionally equivalent to</i> Letter from Ernest Hemingway to Milford J. Baker I, 12 February 1930 [en]	
Relation types	Instantiation to instantiation relations	
Broader relations	RiC-R034 is instantiation associated with instantiation	
Narrower relations	None	

ID	RiC-R036	
Name	has or had authority	inverse relation: is or was under authority of
	over	
Domain/Range	Agent	Thing
Cardinality	M to M	
Definition	Connects an agent to a th	ing over which the agent has or had some kind of
	authority.	
Scope Notes	Use only if it is not possible to specify a narrower management relation, for example	
	is or was owner of.	
Examples		
Relation types	Management relations	
Broader relations	RiC-R001 is related to	
Narrower relations	RiC-R037 is or was owner of	
	RiC-R038 is or was manager of	
	RiC-R040 is or was holder of intellectual property rights of	
	RiC-R041 is or was controller of	

ID	RiC-R037	
Name	is or was owner of	inverse relation: has or had owner
Domain/Range	Group or Person or Position	Thing
Cardinality	M to M	
Definition	Connects an agent to a thing th	at the <i>agent</i> owns or owned.
Scope Notes		
Examples	La Universidad Pública de Navarra (corporate body) is or was owner of los Expedientes de personal investigador en formación [record set]. [es] Ruy Alexandre Guerra Coelho Pereira [person] is or was owner of Ruy Guerra [record set]. [pt] Ruy Guerra [record set] has or had owner Ruy Alexandre Guerra Coelho Pereira [person]. [pt]	
Relation types	Management relations	
Broader relations	RiC-R036 has or had authority over	
Narrower relations	None	

ID	RiC-R038		
Name	is or was manager of	inverse relation: has or had manager	
Domain/Range	Agent	Record Resource or Instantiation	
Cardinality	M to M	M to M	
Definition	Connects an <i>agent</i> to a <i>record resource</i> or <i>instantiation</i> that the <i>agent</i> manages or managed.		
Scope Notes			
Examples			
Relation types	Management relations		
Broader relations	RiC-R036 has or had authority over		
Narrower relations	RiC-R039 is or was holder of		

ID	RiC-R039	
Name	is or was holder of	inverse relation: has or had holder
Domain/Range	Agent	Record Resource or Instantiation
Cardinality	M to M	
Definition	Connects an agent to a re	cord resource or instantiation that the agent holds.
Scope Notes		
Examples	The National Archive of Spain [corporate body] is or was holder of Junta Central Suprema Gubernativa del Reino (Siglo XIX) [record set]. [es]	
	Arquivo Nacional (Brasil) [corporate body] is or was holder of Departamento Nacional do Povoamento [record set]. [pt]	
	Departamento Nacional do Povoamento [record set] has or had holder Arquivo Nacional (Brasil) [corporate body]. [pt]	
Relation types	Management relations	
Broader relations	RiC-R038 is or was manager of	
Narrower relations	None	

ID	RiC-R040	
Name	is or was holder of intellectual property rights of	inverse relation: has or had intellectual property rights holder
D		
Domain/Range	Group, Person or Position	Record Resource or Instantiation
Cardinality	M to M	
Definition	Connects an agent to a record resor	urce or instantiation in which the agent has or
	had some intellectual property righ	ts.
Scope Notes		
Examples	Los herederos de Pablo Pérez-Mínguez [group] is or was holder of intellectual property rights of el Archivo Fotográfico Pablo Pérez-Mínguez [record resource]. [es]	
	Ruy Alexandre Guerra Coelho Pereira [person] is or was holder of intellectual property rights of Ruy Guerra [record set]. [pt]	
	Ruy Guerra [record set] has or had intellectual property rights holder Ruy Alexandre Guerra Coelho Pereira [person]. [pt]	
Relation types	Management relations	
Broader relations	RiC-R036 has or had authority over	
Narrower relations	None	

ID	RiC-R041	
Name	is or was controller of	inverse relation: has or had controller
Domain/Range	Agent	Agent
Cardinality	M to M	
Definition	Connects an agent to another agent it controls or controlled.	
Scope Notes		
Examples		
Relation types	Management relations	
	Agent to agent relations	
Broader relations	RiC-R036 has or had authority over	
	RiC-R045 has or had subordinate	
Narrower relations	RiC-R042 is or was leader	of

ID	RiC-R042	
Name	is or was leader of	inverse relation: has or had leader
Domain/Range	Person	Group
Cardinality	M to M	
Definition	Connects a person to the	e group the person leads or led in the past.
Scope Notes		
Examples	Jean Favier (1932-2014) is or was leader of la Bibliothèque nationale de France. Attribut Date de cette relation: 1994/1997. Attribut Description de cette relation: Jean Favier fut président de la BnF. [fr] João Cândido is or was leader of Revolta da Chibata. [pt] Revolta da Chibata has or had leader João Cândido. [pt]	
Relation types	Management relations	

	Agent to agent relations	
Broader relations	RiC-R041 is or was controller of	
Narrower relations	None	

ID	RiC-R044		
Name	is agent associated with agent	inverse relation: is agent associated with agent	
Domain/Range	Agent	Agent	
Cardinality	M to M		
Definition	Connects two agents.		
	This relation is symmetr	ric.	
Scope Notes	Use only if it is not poss example has or had wor	ible to specify a narrower agent to agent relation, for rk relation with.	
Examples	El Ayuntamiento de Sor de Castilla y León [<i>c</i> o	ia [corporate body] is agent associated with agent la Junta orporate body]. [es]	
		Ministro de Estado da Justiça e Segurança Pública [corporate body] is agent associated with agent presidente da República Federativa do Brasil [position]. [pt]	
	Presidente da República Federativa do Brasil [position] is agent associated with agent ministro de Estado da Justiça e Segurança Pública [corporate body]. [pt]		
Relation types	Agent to agent relations	Agent to agent relations	
Broader relations	RiC-R001 is related to		
Narrower relations	RiC-R045 has or had subordinate		
	RiC-R045i is or was subordinate to		
	RiC-R046 has or had work relation with		
	RiC-R016 has successor		
		RiC-R016i is successor of	
	RiC-R047 has family association with		
	RiC-R050 knows of		
	RiC-R050i <i>known by</i> RiC-R051 <i>knows</i>		
	RiC-RO51 knows RiC-RO54 occupies or occupied		
	RiC-R054i is or was occu	•	
		RiC-R055 has or had member	
	RiC-R055i is or was men		
	RiC-R056 exists or existe		
	RiC-R056i has or had position		

ID	RiC-R045	RiC-R045	
Name	has or had subordinate	has or had subordinate inverse relation: is or was subordinate to	
Domain/Range	Agent	Agent Agent	
Cardinality	M to M		
Definition	Connects an agent to an agent that is hierarchically inferior.		
Scope Notes	The hierarchical relation can	The hierarchical relation can be an authority relation, or a whole/part relation	
	between two agents.	between two agents.	

Examples	La Real Audiencia y Chancillería de Valladolid [corporate body] has or had subordinate la Sala Primera de lo Civil [corporate body]. [es]	
	Presidente da República Federativa do Brasil [position] has or had subordinate ministro de Estado da Justiça e Segurança Pública [corporate body]. [pt]	
	Ministro de Estado da Justiça e Segurança Pública [corporate body] is or was subordinate to Presidente da República Federativa do Brasil [position]. [pt]	
Relation types	Agent to agent relations	
Broader relations	RiC-R044 is agent associated with agent	
Narrower relations	RiC-R005 has or had subdivision	
	RiC-R041 is or was controller of	

ID	RiC-R046	
Name	has or had work	inverse relation: has or had work relation with
	relation with	
Domain/Range	Agent	Agent
Cardinality	M to M	
Definition	Connects two agents that	have or had some type of work relation in the course of
	their <i>activities</i> .	
	This relation is symmetric.	
Scope Notes		
Examples	Presidente da República Federativa do Brasil [position] has or had work relation with ministro de Estado da Justiça e Segurança Pública [position]. [pt]	
	Ministro de Estado da Justiça e Segurança Pública [position] has or had work	
	relation with Presidente da República Federativa do Brasil [position]. [pt]	
Relation types	Agent to agent relations	
Broader relations	RiC-R044 is agent associated with agent	
Narrower relations	None	

ID	RiC-R047	
Name	has family association	inverse relation: has family association with
	with	
Domain/Range	Person	Person
Cardinality	M to M	
Definition	Connects two persons who	have some type of family link, i.e., belong to the same
	family.	
	This relation is symmetric.	
Scope Notes	Use RiC-R055 has or had member for connecting a family and a person.	
Examples	Fernando VI (Rey de España) [person] has family association with Isabel II (Reina de	
	España) [person]). [es]	
Relation types	Agent to agent relations	
Broader relations	RiC-R044 is agent associated with agent	
Narrower relations	RiC-R017 has descendant	
	RiC-R017i has ancestor	
	RiC-R048 has sibling	

RiC-R049	has or	had	challed
NIC-NU49	HUS OF	nuu	SUUUSE

ID	RiC-R048		
Name	has sibling	inverse relation: <i>has sibling</i>	
Domain/Range	Person	Person	
Cardinality	M to M		
Definition	Connects two persons who are siblings.		
	This relation is symmetric.		
Scope Notes			
Examples	Francisco Franco Bahamonde (1892-1975) [person] has sibling Ramón Franco Bahamonde (1896-1938) [person]). [es]		
Relation types	Agent to agent relations		
Broader relations	RiC-R047 has family association with		
Narrower relations	None		

ID	RiC-R049		
Name	has or had spouse	inverse relation: has or had spouse	
Domain/Range	Person	Person	
Cardinality	M to M		
Definition	Connects two persons who are or were married.		
	This relation is symmetric.		
Scope Notes			
Examples	Margarita de Borbón-Parma (1847-1893) [person] has or had spouse Carlos María de Borbón y Austria-Este (1848-1909) [person]. [es]		
Relation types	Agent to agent relations		
Broader relations	RiC-R047 has family association with		
Narrower relations	None		

ID	RiC-R050	
Name	knows of	inverse relation: known by
Domain/Range	Person	Person
Cardinality	M to M	
Definition	Connects a person to another person they have some knowledge of through time or	
	space.	
Scope Notes		
Examples	Maimonides (1138-1204) knows of Aristotle (384–322 BCE)	
Relation types	Agent to agent relations	
Broader relations	RiC-R044 is agent associated with agent	
Narrower relations	None	

ID	RiC-R051	
Name	knows	inverse relation: <i>knows</i>
Domain/Range	Person	Person

Cardinality	M to M
Definition Connects two <i>persons who</i> directly know each other during their existence	
	This relation is symmetric.
Scope Notes	The relation implies that the two <i>persons</i> met or at least corresponded with each
	other.
Examples	Oppenheimer, J. Robert <i>knows</i> Groves Jr., Leslie R.
Relation types	Agent to agent relations
Broader relations	RiC-R044 is agent associated with agent
Narrower relations	RiC-R052 has or had correspondent
	RiC-R053 has or had teacher
	RiC-R053i has or had student

ID	RiC-R052		
Name	has or had	inverse relation: has or had correspondent	
	correspondent		
Domain/Range	Person	Person	
Cardinality	M to M		
Definition	Connects two <i>persons</i> who correspond or have corresponded with each other.		
	This relation is symmetric.		
Scope Notes			
Examples	Ernest Hemingway has or had correspondent Milford J. Baker [en]		
Relation types	Agent to agent relations		
Broader relations	RiC-R051 knows		
Narrower relations	None		

ID	RiC-R053	
Name	has or had teacher	inverse relation: has or had student
Domain/Range	Person	Person
Cardinality	M to M	
Definition	Connects a <i>person</i> to another <i>person</i> who is or was their teacher.	
Scope Notes		
Examples	Beatriz Galindo, la Latina (c.1465-1535) has or had student Isabel I la Católica (1474-1504). [es]	
Relation types	Agent to agent relations	
Broader relations	RiC-R051 knows	
Narrower relations	None	

ID	RiC-R054		
Name	occupies or occupied	inverse relation: is or was occupied by	
Domain/Range	Person	Position	
Cardinality	M to M		
Definition	Connects a person to a position they occupy or occupied.		
Scope Notes			

Examples	Pío Cabanillas Gallas (1923-1991) occupies or occupied el cargo de Ministro de Cultura (fechas de la relación: 1977-1979). [es] George McGovern occupies or occupied the office of United States Senator from 1963-1980 [en]
Relation types	Agent to agent relations
Broader relations	RiC-R044 is agent associated with agent
Narrower relations	None

ID	RiC-R055	
Name	has or had member	inverse relation: is or was member of
Domain/Range	Group	Person
Cardinality	M to M	
Definition	Connects a group to a pers	son who is or was a member of that group.
Scope Notes		
Examples	Le Conseil constitutionnel français [corporate body] has or had member Simone Veil . Attribut Date de cette relation: 1998/2007. [fr]	
	Francisco Cabarrús (1752-1810) [<i>person] is or was member of</i> el Ministerio del Interior [<i>corporate body</i>]. Fecha de la relación: 1808. [es]	
Relation types	Agent to agent relations	
Broader relations	RiC-R044 is agent associated with agent	
Narrower relations	None	

ID	RiC-R056	
Name	exists or existed in	inverse relation: has or had position
Domain/Range	Position	Group
Cardinality	M to 1	
Definition	Connects a <i>position</i> to a <i>group</i> in which that <i>position</i> exists or existed, or that is	
	defined by that group's organizational structure.	
Scope Notes		
Examples	Director of Food for Peace exists or existed in Food for Peace since 1961. [en]	
Relation types	Agent to agent relations	
Broader relations	RiC-R044 is agent associated with agent	
Narrower relations	None	

ID	RiC-R057	
Name	is event associated with	inverse relation: is associated with event
Domain/Range	Event	Thing
Cardinality	M to M	
Definition	Connects an event to a thing that is associated with the existence and lifecycle of	
	the event.	
Scope Notes	Use to connect an <i>event</i> and an entity only if it is not possible to specify a narrower	
	event relation, for example has or had participant.	
Examples	The Princeton Antioch Excavations is event associated with Princeton University	
	Dept. of Art and Archit	ecture Antioch Excavation Records [record set] [en]

Relation types	Event relations
Broader relations	RiC-R001 is related to
Narrower relations	RiC-R006 has or had subevent
	RiC-R006i is or was subevent of
	RiC-R058 has or had participant
	RiC-R061 results or resulted in
	RiC-R084i occurred at date (inverse of RiC-R084 is date of occurrence of)

ID	RiC-R058	
Name	has or had participant	inverse relation: is or was participant in
Domain/Range	Event	Thing
Cardinality	M to M	
Definition	Connects an <i>event</i> to a <i>thing</i> that is or was actively or passively involved in it.	
Scope Notes		
Examples	Princeton Antioch Excavations has or had participant Princeton University [corporate body]. [en]	
Relation types	Event relations	
Broader relations	RiC-R057 is event associated with	
Narrower relations	RiC-R059 affects or affected	
	RiC-R060 is or was performed by	

ID	RiC-R059	
Name	affects or affected	inverse relation: is or was affected by
Domain/Range	Event	Thing
Cardinality	M to M	
Definition	Connects an <i>event</i> to a <i>thing</i> on which the <i>event</i> has or had some significant impact.	
Scope Notes		
Examples	L'un des premiers programmes de numérisation aux Archives nationales de France affects or affected le fonds Napoléon [record set]. [fr]	
Relation types	Event relations	
Broader relations	RiC-R058 has or had participant	
Narrower relations	None	

ID	RiC-R060	
Name	is or was performed by inverse relation: performs or performed	
Domain/Range	Activity	Agent
Cardinality	M to M	
Definition	Connects an activity to an agent that performs or performed the activity.	
Scope Notes		
Examples	Town planning is or was performed by City hall of Madrid [corporate body]. [en]	
Relation types	Event relations	
Broader relations	RiC-R058 has or had participant	
Narrower relations	None	

ID	RiC-R061	
Name	results or resulted in	inverse relation: results or resulted from
Domain/Range	Event	Thing
Cardinality	M to M	
Definition	Connects an <i>event</i> to a <i>thing</i> that results or resulted from the <i>event</i> .	
Scope Notes		
Examples	A request made under the Freedom of Information Act 2000 <i>results or resulted in record resource</i> LCO 20/892 becoming available to researchers.	
Relation types	Event relations	
Broader relations	RiC-R057 is event associated with	
Narrower relations	RiC-R033i documented by (inverse of RiC-R033 documents)	

ID	RiC-R062	
Name	is rule associated with	inverse relation: is associated with rule
Domain/Range	Rule	Thing
Cardinality	M to M	
Definition	Connects a rule to a thing	that is associated with the <i>rule</i> .
Scope Notes	Use only if it is not possible to specify a narrower rule relation, for example,	
	regulates or regulated.	
Examples		
Relation types	Rule relations	
Broader relations	RiC-R001 is related to	
Narrower relations	RiC-R063 regulates or regu	ulated
	RiC-R064 is or was express	sed by
	RiC-R065 issued by	
	RiC-R066 is or was enforce	ed by
	RiC-R067 authorizes	

ID	RiC-R063	
Name	regulates or regulated	inverse relation: is or was regulated by
Domain/Range	Rule	Thing
Cardinality	M to M	
Definition	Connects a rule to a thing	that it regulates or regulated.
Scope Notes		
Examples	Le 'Règlement intérieur de l'Assemblée nationale constituante' regulates or regulated l'Assemblée nationale constituante française (1789-1791) [corporate body]. Attribut Date de cette relation: 1789-07-29/1791-09-30. [fr] La Universidad Complutense de Madrid [corporate body] is or was regulated by la Ley Orgánica 11/1983 de Reforma Universitaria (25-8-1983). [es]	
Relation types	Rule relations	
Broader relations	RiC-R062 is rule associated with	
Narrower relations	None	

ID	RiC-R064	
Name	is or was expressed by	inverse relation: expresses or expressed

Domain/Range	Rule	Record Resource
Cardinality	M to M	
Definition	Connects a rule to a record	resource that expresses or expressed the <u>rule</u> .
Scope Notes		
Examples	The French Déclaration des droits de l'homme et du citoyen, dated 1793, August 13 is or was expressed by the record whose instantiation FRAN AE/II/3701 is held by the Archives nationales de France (see https://commons.wikimedia.org/wiki/File:Declaration_des_Droits_de_IHomme.j pg <accessed 20190912="">). [en]</accessed>	
Relation types	Rule relations	
Broader relations	RiC-R062 is rule associated with	
Narrower relations	None	

ID	RiC-R065	
Name	issued by	inverse relation: is responsible for issuing
Domain/Range	Rule	Agent
Cardinality	M to M	
Definition	Connects a <i>rule</i> to the <i>agent</i> that issued or published the <i>rule</i> .	
Scope Notes		
Examples	Constitución Política de la Monarquía Española (1812) issued by The Cádiz Corts (1810-1814) [corporate body]. [es]	
Relation types	Rule relations	
Broader relations	RiC-R062 is rule associated with	
Narrower relations	None	

ID	RiC-R066		
Name	is or was enforced by	inverse relation: is or was responsible for enforcing	
Domain/Range	Rule	Agent	
Cardinality	M to M	M to M	
Definition	Connects a <i>rule</i> to an <i>agent</i> that enforces or enforced the <i>rule</i> .		
Scope Notes			
Examples			
Relation types	Rule relations		
Broader relations	RiC-R062 is rule associated with		
Narrower relations	None		

ID	RiC-R067	
Name	authorizes	inverse relation: authorized by
Domain/Range	Mandate	Agent
Cardinality	M to M	
Definition	Connects a mandate to an agent to which the mandate gives the authority or	
	competencies to act.	
Scope Notes		
Examples		
Relation types	Rule relations	

Broader relations	RiC-R062 is rule associated with	
Narrower relations	None	

ID	RiC-R068	
Name	is date associated with	inverse relation: is associated with date
Domain/Range	Date	Thing
Cardinality	M to M	
Definition	Connects a date to a thing	with whose existence and lifecycle the <i>date</i> is associated.
Scope Notes	Use to connect a <i>date</i> and date relation, for example	an entity only if it is not possible to specify a narrower
Examples		th Princeton Antioch Excavation I [event]. [en]
Relation types	Date relations	
Broader relations	RiC-R001 is related to	
Narrower relations	RiC-R069 is beginning date	e of
	RiC-R071 is end date of	
	RiC-R073 is modification date of	
	RiC-R084 is date of occurrence of	
	RiC-R085 is within	
	RiC-R085i has within	
	RiC-R086 intersects	

ID	RiC-R069	
Name	is beginning date of	inverse relation: <i>has beginning date</i>
Domain/Range	Date	Thing
Cardinality	1 to M	
Definition	Connects a date to a thing	that came into existence on that date.
Scope Notes		
Examples	La Guerra de la Independencia Española [thing] has beginning date el 2 de mayo de	
	1808. [es]	
Relation types	Date relations	
Broader relations	RiC-R068 is date associated with	
Narrower relations	RiC-R070 is birth date of	
	RiC-R080 is creation date of	
	RiC-R081 is or was creation	n date of all members of
	RiC-R082 is or was creation	n date of some members of

ID	RiC-R070	
Name	is birth date of	inverse relation: <i>has birth date</i>
Domain/Range	Date	Person
Cardinality	1 to M	
Definition	Connects a date to a person who was born on that date.	
Scope Notes		
Examples	El 1 de mayo de 1852 is birth date of Premio Nobel, Santiago Ramón y Cajal. [es]	
Relation types	Date relations	
Broader relations	RiC-R069 is beginning date of	

Narrower relations	None

ID	RiC-R071		
Name	is end date of	inverse relation: <i>has end date</i>	
Domain/Range	Date	Thing	
Cardinality	1 to M	1 to M	
Definition	Connects a date to a thing whose existence ended on that date.		
Scope Notes			
Examples	La Guerra de la Independencia Española [thing] has end date el 17 de abril de 1814. [es]		
Relation types	Date relations		
Broader relations	RiC-R068 is date associated with		
Narrower relations	RiC-R072 is death date of		

ID	RiC-R072		
Name	is death date of	inverse relation: <i>has death date</i>	
Domain/Range	Date	Person	
Cardinality	1 to M	1 to M	
Definition	Connects a date to a person who died on that date.		
Scope Notes			
Examples	El Premio Nobel, Santiago Ramón y Cajal <i>has death date</i> el 17 de octubre de 1934. [es]		
Relation types	Date relations		
Broader relations	RiC-R071 is end date of		
Narrower relations	None		

ID	RiC-R073	
Name	is modification date of	inverse relation: has modification date
Domain/Range	Date	Thing
Cardinality	M to M	
Definition	Connects a date to a thing that was modified on that date.	
Scope Notes		
Examples	2010-03-05 is modification date of record WA 17/C5W/Z. [en]	
Relation types	Date relations	
Broader relations	RiC-R068 is date associated with	
Narrower relations	None	

ID	RiC-R074	
Name	is place associated with inverse relation: is associated with place	
Domain/Range	Place	Thing
Cardinality	M to M	
Definition	Connects a place to a thing with whose existence and lifecycle the place is	
	associated.	

Scope Notes	Use to connect a <i>place</i> to an entity only if it is not possible to specify a narrower spatial relation, for example, <i>is or was location of</i> .	
Examples	El Mar Jónico is place associated with la Batalla de Lepanto (1571) [thing]). [es]	
Relation types	Spatial relations	
Broader relations	RiC-R001 is related to	
Narrower relations	RiC-R007 contains or contained	
	RiC-R007i is or was contained by	
	RiC-R075 is or was location of	
	RiC-R076 is or was jurisdiction of	
	RiC-R077 is or was adjacent to	
	RiC-R078 overlaps or overlapped	

ID	RiC-R075		
Name	is or was location of	inverse relation: has or had location	
Domain/Range	Place	Thing	
Cardinality	M to M	M to M	
Definition	Connects a <i>place</i> to a <i>thing</i> that is or was located in the <i>place</i> .		
Scope Notes			
Examples	El Archivo General de Indias [corporate body] has or had location Sevilla. [es]		
Relation types	Spatial relations		
Broader relations	RiC-R074 is place associated with		
Narrower relations	None		

ID	RiC-R076	
Name	is or was jurisdiction of	inverse relation: has or had jurisdiction
Domain/Range	Place	Agent
Cardinality	M to M	
Definition	Connects a <i>place</i> to an <i>agent</i> that has or had jurisdiction over the <i>place</i> .	
Scope Notes	Not to be confused with RiC-R075 is or was location of.	
Examples	El Tribunal Supremo [corporate body] has or had jurisdiction to do el territorio de España. [es]	
Relation types	Spatial relations	
Broader relations	RiC-R074 is place associated with	
Narrower relations	None	

ID	RiC-R077		
Name	is or was adjacent to	inverse relation: is or was adjacent to	
Domain/Range	Place	Place	
Cardinality	M to M	M to M	
Definition	Connects two <i>places</i> that are or were geographically adjacent. This relation is symmetric.		
Scope Notes	Use for connecting two adjacent geographical or administrative regions.		
Examples	The French Ain département <i>is or was adjacent to</i> the Haute-Savoie département. [en]		

Relation types	Spatial relations	
Broader relations	RiC-R074 is place associated with	
	RiC-R074i is associated with place	
Narrower relations	None	

ID	RiC-R078	
Name	overlaps or overlapped	inverse relation: overlaps or overlapped
Domain/Range	Place	Place
Cardinality	M to M	
Definition	Connects two places that geographically overlap or overlapped.	
	This relation is symmetric.	
Scope Notes	Use for connecting two overlapping geographical or administrative areas.	
Examples	La région géographique française de la Bresse <i>overlaps or overlapped</i> la région administrative Auvergne-Rhône-Alpes. [fr]	
Relation types	Spatial relations	
Broader relations	RiC-R074 is place associated with	
	RiC-R074i is associated with place	
Narrower relations	None	

ID	RiC-R079	
Name	has author	inverse relation: <i>is author of</i>
Domain/Range	Record	Person or Group or Position
Cardinality	M to M	
Definition	Connects a <i>record</i> to the <i>group</i> , <i>person</i> or <i>position</i> that is responsible for conceiving and formulating the information contained in the <i>record</i> .	
Scope Notes	To be used for a <i>person</i> , <i>group</i> or <i>position</i> that makes any contribution to the content of a <i>record</i> . Includes the <i>person</i> , <i>group</i> or <i>position</i> in whose name or by whose command the content may have been formulated and first instantiated (for example the <i>person</i> who signed the <i>record</i>).	
Examples	Letter from Ernest Hemingway to Milford J. Baker has author Ernest Hemingway [person]. [en]	
Relation types	Provenance relations	
Broader relations	RiC-R027 has creator	
Narrower relations	None	

ID	RiC-R080	
Name	is creation date of	inverse relation: <i>has creation date</i>
Domain/Range	Date	Record Resource, Instantiation
Cardinality	1 to M	
Definition	Connects a date to a record resource or instantiation that was created at this date.	
	When used for a record set (e.g. a file), it is the creation date of the record set itself rather than the creation date of the members of the record set.	

	To record the creation date of members of the <i>record set</i> , use RiC-R081 <i>is or was</i> creation date of all members of, RiC-R083 is or was creation date of most members of or RiC-R082 is or was creation date of some members of.
Examples	
Relation types	Date relations
Broader relations	RiC-R069 is beginning date of
Narrower relations	None

ID	RiC-R081	
		inverse relation: has or had all members with creation date
Domain/Range	Date	Record Set
Cardinality	1 to M	
	Connects a <i>date</i> to a <i>record set</i> all of whose present or past members were created at this <i>date</i> .	
Scope Notes		
Examples	1959-1965 is or was creation date of all members of Alfonso Ortiz Collection of Native American Oral Literature. [en]	
Relation types	Date relations	
Broader relations	RiC-R069 is beginning date of	
Narrower relations	None	

ID	RiC-R082	
	is or was creation date of some members of	inverse relation: has or had some members with creation date
Domain/Range	Date	Record Set
Cardinality	M to M	
Definition	Connects a <i>date</i> to a <i>record set s</i> ome of whose present or past members were created at this <i>date</i> .	
Scope Notes		
Examples		
Relation types	Date relations	
Broader relations	RiC-R069 is beginning date of	
Narrower relations	RiC-R083 is or was creation date of most members of	

ID	RiC-R083	
Name	is or was creation date of most members of	inverse relation: has or had most members with creation date
Domain/Range	Date	Record Set
Cardinality	1 to M	
Definition	Connects a <i>date</i> to a <i>record set</i> most of whose present or past members were created at this <i>date</i> .	
Scope Notes	To be used for specifying a bulk date, i.e., the predominant date of the members of the <i>record set</i> .	
Examples	1888-1937 is or was creation date of most members of W. B. Yeats Collection [en]	
Relation types	Date relations	
Broader relations	RiC-R082 is or was creation date of some members of	
Narrower relations	None	

ID	RiC-R084	
Name	is date of occurrence of	inverse relation: occurred at date
Domain/Range	Date	Event
Cardinality	M to M	
Definition	Connects a date to an event that occurred at this date. An event or activity can be recurrent, which implies that one single event can be related to several dates.	
Scope Notes		
Examples	1932 is date of occurrence of Princeton Antioch Excavation I. [en]	
Relation types	Date relations Event relations	
Broader relations	RiC-R068 <i>is date associated with</i> RiC-R057i <i>is associated with event</i> (inverse of RiC-R057 <i>is event associated with</i>)	
Narrower relations	None	

ID	RiC-R085	
Name	is within	inverse relation: <i>has within</i>
Domain/Range	Date	Date
Cardinality	M to M	
Definition	Connects a date to a date in which it is contained.	
Scope Notes		
Examples		
	Date relations Whole/part relations	
	RiC-R068 is date associated with RiC-R068i is associated with date	

	RiC-R002i is or was part of (inverse of RiC-R002 has or had part)
Narrower relations	None

ID	RiC-R086	
Name	intersects	inverse relation: <i>intersects</i>
Domain/Range	Date	Date
Cardinality	M to M	
Definition	Connects two dates that overlap. This relation is symmetric.	
Scope Notes		
Examples		
Relation types	Date relations	
	RiC-R068 is date associated with RiC-R068i is associated with date	
Narrower relations	None	

5.5 Attributes of Relations

ID	RiC-RA01
Name	Certainty of Relation
Definition	Qualifies the level of certainty of the accuracy of the relation.
Specifications	
Extensibility	Not extensible
Repeatability	Not repeatable
Value schema	Model-based text; free text; controlled value
Scope Notes	
Examples	certain [en]
	uncertain [en]
	unknown [en]

ID	RiC-RA02
Name	Date of Relation
Definition	The date or date range when the relation occurred.
Specifications	
Extensibility	
Repeatability	
Value schema	Rule-based value; model-based text; free text
Scope Notes	

Examples	RiC-R073: 2010-03-05 is modification date of record WA 17/C5W/Z.
	Date of relation: 2010-03-05
	RiC-R061: A request made under the Freedom of Information Act 2000 results or resulted in record resource LCO 20/892 becoming available to researchers.
	Date of relation: 2005-12-14

ID	RiC-RA03
Name	Description of Relation
Definition	Further information about a relation that is not otherwise addressed.
Specifications	
Extensibility	The attribute may be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Free text
Scope Notes	
Examples	RiC-R073 :2010-03-05 is modification date of record WA 17/C5W/Z.
	Description of relation: The date when this born-digital record was last amended by its creator.
	RiC-R061: A request made under the Freedom of Information Act 2000 results or resulted in record resource LCO 20/892 becoming available to researchers.
	Description of relation: A record that was previously closed to public access became open to public access following a review requested by a member of the public.

ID	RiC-RA04
Name	Identifier of Relation
Definition	A word, number, letter, symbol, or any combination of these used to uniquely identify or reference an individual instance of a relation within a specific information domain.
Specifications	The attribute can include Global Persistent Identifiers (globally unique and persistently resolvable identifier for the relation) and/or Local Identifiers. Both the domain within which the identifier is unique, and the rules used in forming the identifier value should be provided with the identifier value.
Extensibility	May be extended with any number of specific attributes.
Repeatability	Repeatable
Value schema	Rule-based value; model-based text; free text
Scope Notes	Within a given domain (a closed system), identifiers are used to uniquely reference instances of a relation. Identifiers are instruments of control that facilitate management of the relations within the domain. The formulation of identifiers commonly is based on rules.
	In addition to an identifier needing to be unique within a domain, it is also highly desirable that it is persistent, that is, that the identifier uniquely identifies the relation over time. A variety of organizations provide rules for the formation of identifiers, and services designed to facilitate the persistence of the identifiers. Such

	identifiers are commonly referred to as Persistent Identifiers (or PIDS). PIDs conform to RFC 3986, but impose additional rules. Common examples are Archival Resource Keys (ARKS) ²⁴ and Digital Object Identifiers (DOIs). ²⁵
	Within the global environment of the Internet, there are special rules for the formation of identifiers to ensure that they are unique within the domain of the Internet. Such identifiers must conform to the Internet Engineering Task Force (IETF) Uniform Resource Identifier rules (RFC 3986). ²⁶
Examples	

ID	RiC-RA06
Name	Place of Relation
Definition	Information about the place of a relation.
Specifications	
Extensibility	The attribute may be extended with any number of specific attributes.
Repeatability	Not repeatable
Value schema	Controlled value
Scope Notes	
Examples	

ID	RiC-RA05			
Name	Source of Relation			
Definition	A source of information used for identifying and describing the relation.			
Specifications	Source could point to an identifier of a RiC <i>record resource</i> or of any cultural heritage object that is the source of the relation.			
Extensibility				
Repeatability	Repeatable			
Value schema	Model-based text; free text			
Scope Notes				
Examples	RiC-R073: 2010-03-05 is modification date of record WA 17/C5W/Z.			
	Source of relation: Inherent metadata of the born-digital record			
	RiC-R061: A request made under the Freedom of Information Act 2000 results or resulted in record resource LCO 20/892 becoming available to researchers.			
	Source of relation: https://webarchive.nationalarchives.gov.uk/ukgwa/20161208103940/http://www.nationalarchives.gov.uk/releases/2005/foi_december/foireleases.htm			

Available at ARK Alliance – Home of the Archival Resource Key (ARK) (arks.org) <accessed 20231106>.
 Available at http://www.doi.org/index.html <accessed 20231107>.
 Available at https://www.ietf.org/rfc/rfc3986.txt <accessed 20231107>.

5.6 List of Relations

The full list of relations in the table below is sorted by domain ID, then by range ID, and then by name (in alphabetical order). The list includes the inverse relations (whose IDs are formed using the ID of the relation, followed by the letter "i").

Relation ID	Domain	ID of domain	Name	ID of range	Range	Inverse relation ID and name
RiC- R009i	Thing	RiC-E01	follows in time	RiC-E01	Thing	RiC-R009 precedes in time
RiC- R008i	Thing	RiC-E01	follows or followed	RiC-E01	Thing	RiC-R008 precedes or preceded
RiC-R002	Thing	RiC-E01	has or had part	RiC-E01	Thing	RiC-R002i is or was part of
RiC- R002i	Thing	RiC-E01	is or was part of	RiC-E01	Thing	RiC-R002 has or had part
RiC-R001	Thing	RiC-E01	is related to	RiC-E01	Thing	RiC-R001 is related to
RiC-R009	Thing	RiC-E01	precedes in time	RiC-E01	Thing	RiC-R009i follows in time
RiC-R008	Thing	RiC-E01	precedes or preceded	RiC-E01	Thing	RiC-R008i follows or followed
RiC- R021i	Thing	RiC-E01	is or was described by	RiC-E02	Record Resource	RiC-R021 describes or described
RiC- R020i	Thing	RiC-E01	is or was main subject of	RiC-E02	Record Resource	RiC-R020 has or had main subject
RiC- R019i	Thing	RiC-E01	is or was subject of	RiC-E02	Record Resource	RiC-R019 has or had subject
RiC- R036i	Thing	RiC-E01	is or was under authority of	RiC-E07	Agent	RiC-R036 has or had authority over
RiC- R037i	Thing	RiC-E01	has or had owner	RiC-E08; RiC-E09; RiC-E12	Person; Group; Position	RiC-R037 is or was owner of
RiC- R057i	Thing	RiC-E01	is associated with event	RiC-E14	Event	RiC-R057 is event associated with
RiC- R059i	Thing	RiC-E01	is or was affected by	RiC-E14	Event	RiC-R059 affects or affected
RiC- R058i	Thing	RiC-E01	is or was participant in	RiC-E14	Event	RiC-R058 has or had participant
RiC- R061i	Thing	RiC-E01	results or resulted from	RiC-E14	Event	RiC-R061 results or resulted in
RiC- R062i	Thing	RiC-E01	is associated with rule	RiC-E16	Rule	RiC-R062 is rule associated with
RiC- R063i	Thing	RiC-E01	is or was regulated by	RiC-E16	Rule	RiC-R063 regulates or regulated
RiC- R069i	Thing	RiC-E01	has beginning date	RiC-E18	Date	RiC-R069 is beginning date of
RiC- R071i	Thing	RiC-E01	has end date	RiC-E18	Date	RiC-R071 is end date of

RiC-	Thing	RiC-E01	has modification	RiC-E18	Date	RiC-R073 is
R073i RiC-			date is associated with			modification date of RiC-R068 is date
R068i	Thing	RiC-E01	date	RiC-E18	Date	associated with
RiC- R075i	Thing	RiC-E01	has or had location	RiC-E22	Place	RiC-R075 is or was location of
RiC- R074i	Thing	RiC-E01	is associated with place	RiC-E22	Place	RiC-R074 is place associated with
RiC-R021	Record Resource	RiC-E02	describes or described	RiC-E01	Thing	RiC-R021i is or was described by
RiC-R020	Record Resource	RiC-E02	has or had main subject	RiC-E01	Thing	RiC-R020i is or was main subject of
RiC-R019	Record Resource	RiC-E02	has or had subject	RiC-E01	Thing	RiC-R019i is or was subject of
RiC-R012	Record Resource	RiC-E02	has copy	RiC-E02	Record Resource	RiC-R012i is copy of
RiC-R023	Record Resource	RiC-E02	has genetic link to record resource	RiC-E02	Record Resource	RiC-R023 has genetic link to record resource
RiC-R013	Record Resource	RiC-E02	has reply	RiC-E02	Record Resource	RiC-R013i is reply to
RiC- R012i	Record Resource	RiC-E02	is copy of	RiC-E02	Record Resource	RiC-R012 has copy
RiC-R022	Record Resource	RiC-E02	is record resource associated with record resource	RiC-E02	Record Resource	RiC-R022 is record resource associated with record resource
RiC- R013i	Record Resource	RiC-E02	is reply to	RiC-E02	Record Resource	RiC-R013 has reply
RiC-R025	Record Resource	RiC-E02	has or had instantiation	RiC-E06	Instantiation	RiC-R025i is or was instantiation of
RiC- R064i	Record Resource	RiC-E02	expresses or expressed	RiC-E16	Rule	RiC-R064 is or was expressed by
RiC-R028	Record Resource; Instantiatio n	RiC-E02; RiC-E06	has accumulator	RiC-E07	Agent	RiC-R028i is accumulator of
RiC-R032	Record Resource; Instantiatio n	RiC-E02; RiC-E06	has addressee	RiC-E07	Agent	RiC-R032i is addressee of
RiC-R030	Record Resource; Instantiatio n	RiC-E02; RiC-E06	has collector	RiC-E07	Agent	RiC-R030i is collector of
RiC-R027	Record Resource; Instantiatio n	RiC-E02; RiC-E06	has creator	RiC-E07	Agent	RiC-R027i is creator of
RiC- R039i	Record Resource;	RiC-E02; RiC-E06	has or had holder	RiC-E07	Agent	RiC-R039 is or was holder of

	Instantiatio n					
RiC- R038i	Record Resource; Instantiatio	RiC-E02; RiC-E06	has or had manager	RiC-E07	Agent	RiC-R038 is or was manager of
RiC-R026	Record Resource; Instantiatio n	RiC-E02; RiC-E06	has provenance	RiC-E07	Agent	RiC-R026i is provenance of
RiC-R029	Record Resource; Instantiatio n	RiC-E02; RiC-E06	has receiver	RiC-E07	Agent	RiC-R029i is receiver of
RiC-R031	Record Resource; Instantiatio n	RiC-E02; RiC-E06	has sender	RiC-E07	Agent	RiC-R031i is sender of
RiC- R040i	Record Resource; Instantiatio n	RiC-E02; RiC-E06	has or had intellectual property rights holder	RiC-E08; RiC-E09; RiC-E12	Agent	RiC-R040 is or was holder of intellectual property rights of
RiC-R033	Record Resource; Instantiatio n	RiC-E02; RiC-E06	documents	RiC-E15	Activity	RiC-R033i documented by
RiC-R024	Record Set	RiC-E03	includes or included	RiC-E03; RiC-E04	Record Set; Record	RiC-R024i is or was included in
RiC- R024i	Record Set; Record	RiC-E03; RiC-E04	is or was included in	RiC-E03	Record Set	RiC-R024 includes or included
RiC- R011i	Record	RiC-E04	has draft	RiC-E04	Record	RiC-R011 is draft of
RiC- R010i	Record	RiC-E04	has original	RiC-E04	Record	RiC-R010 is original of
RiC-R011	Record	RiC-E04	is draft of	RiC-E04	Record	RiC-R011i has draft
RiC-R010	Record	RiC-E04	is original of	RiC-E04	Record	RiC-R010i has original
RiC-R003	Record	RiC-E04	has or had constituent	RiC-E05	Record Part	RiC-R003i is or was constituent of
RiC-R079	Record	RiC-E04	has author	RiC-E08; RiC-E09; RiC- E012	Person; Group; Position	RiC-R079i is author of
RiC- R003i	Record Part	RiC-E05	is or was constituent of	RiC-E04	Record	RiC-R003 has or had constituent
RiC-	Instantiatio	RiC-E06	Is or was	RiC-E02	Record	RiC-R025 has or had
R025i RiC-R014	Instantiatio	RiC-E06	has or had derived instantiation	RiC-E06	Resource Instantiation	instantiation RiC-R014i is or was derived from instantiation
RiC-R004	Instantiatio n	RiC-E06	has or had component	RiC-E06	Instantiation	RiC-R004i is or was component of

RiC- R014i	Instantiatio n	RiC-E06	is or was derived from instantiation	RiC-E06	Instantiation	RiC-R014 has or had derived instantiation
RiC-R035	Instantiatio n	RiC-E06	is functionally equivalent to	RiC-E06	Instantiation	RiC-R035 is functionally equivalent to
RiC-R034	Instantiatio n	RiC-E06	is instantiation associated with instantiation	RiC-E06	Instantiation	RiC-R034 is instantiation associated with instantiation
RiC- R004i	Instantiatio n	RiC-E06	is or was component of	RiC-E06	Instantiation	RiC-R004 has or had component
RiC- R015i	Instantiatio n	RiC-E06	migrated from	RiC-E06	Instantiation	RiC-R015 migrated into
RiC-R015	Instantiatio n	RiC-E06	migrated into	RiC-E06	Instantiation	RiC-R015i migrated from
RiC-R036	Agent	RiC-E07	has or had authority over	RiC-E01	Thing	RiC-R036i is or was under authority of
RiC- R028i	Agent	RiC-E07	is accumulator of	RiC-E02; RiC-E06	Record Resource; Instantiation	RiC-R028 has accumulator
RiC- R032i	Agent	RiC-E07	is addressee of	RiC-E02; RiC-E06	Record Resource; Instantiation	RiC-R032 has addressee
RiC- R030i	Agent	RiC-E07	is collector of	RiC-E02; RiC-E06	Record Resource; Instantiation	RiC-R030 has collector
RiC- R027i	Agent	RiC-E07	is creator of	RiC-E02; RiC-E06	Record Resource; Instantiation	RiC-R027 has creator
RiC-R039	Agent	RiC-E07	is or was holder of	RiC-E02; RiC-E06	Record Resource; Instantiation	RiC-R039i has or had holder
RiC-R038	Agent	RiC-E07	is or was manager of	RiC-E02; RiC-E06	Record Resource; Instantiation	RiC-R038i has or had manager
RiC- R026i	Agent	RiC-E07	is provenance of	RiC-E02; RiC-E06	Record Resource; Instantiation	RiC-R026 has provenance
RiC- R029i	Agent	RiC-E07	is receiver of	RiC-E02; RiC-E06	Record Resource; Instantiation	RiC-R029 has receiver
RiC- R031i	Agent	RiC-E07	is sender of	RiC-E02; RiC-E06	Record Resource; Instantiation	RiC-R031 has sender
RiC- R041i	Agent	RiC-E07	has or had controller	RiC-E07	Agent	RiC-R041 is or was controller of
RiC-R045	Agent	RiC-E07	has or had subordinate	RiC-E07	Agent	RiC-R045i is or was subordinate to
RiC-R046	Agent	RiC-E07	has or had work relation with	RiC-E07	Agent	RiC-R046 has or had work relation with

RiC-R016	Agent	RiC-E07	has successor	RiC-E07	Agent	RiC-R016i is
Mic No10	Agent	THE LOT	1103 300003301	INIC LO7	Agent	successor of
RiC-R044	Agent	RiC-E07	is agent associated with agent	RiC-E07	Agent	RiC-R044 is agent associated with agent
RiC-R041	Agent	RiC-E07	is or was controller of	RiC-E07	Agent	RiC-R041i has or had controller
RiC- R045i	Agent	RiC-E07	is or was subordinate to	RiC-E07	Agent	RiC-R045 has or had subordinate
RiC- R016i	Agent	RiC-E07	is successor of	RiC-E07	Agent	RiC-R016 has successor
RiC- R060i	Agent	RiC-E07	performs or performed	RiC-E15	Activity	RiC-R060 is or was performed by
RiC- R066i	Agent	RiC-E07	is or was responsible for enforcing	RiC-E16	Rule	RiC-R066 is or was enforced by
RiC- R065i	Agent	RiC-E07	is responsible for issuing	RiC-E16	Rule	RiC-R065 issued by
RiC- R067i	Agent	RiC-E07	authorized by	RiC-E17	Mandate	RiC-R067 authorizes
RiC- R076i	Agent	RiC-E07	has or had jurisdiction	RiC-E22	Place	RiC-R076 is or was jurisdiction of
RiC- R017i	Person	RiC-E08	has ancestor	RiC-E08	Person	RiC-R017 has descendant
RiC-R018	Person	RiC-E08	has child	RiC-E08	Person	RiC-R018i is child of
RiC-R017	Person	RiC-E08	has descendant	RiC-E08	Person	RiC-R017i has ancestor
RiC-R047	Person	RiC-E08	has family association with	RiC-E08	Person	RiC-R047 has family association with
RiC-R052	Person	RiC-E08	has or had correspondent	RiC-E08	Person	RiC-R052 has or had correspondent
RiC-R049	Person	RiC-E08	has or had spouse	RiC-E08	Person	RiC-R049 has or had spouse
RiC- R053i	Person	RiC-E08	has or had student	RiC-E08	Person	RiC-R053 has or had teacher
RiC-R053	Person	RiC-E08	has or had teacher	RiC-E08	Person	RiC-R053i has or had student
RiC-R048	Person	RiC-E08	has sibling	RiC-E08	Person	RiC-R048 has sibling
RiC- R018i	Person	RiC-E08	is child of	RiC-E08	Person	RiC-R018 has child
RiC- R050i	Person	RiC-E08	known by	RiC-E08	Person	RiC-R050 knows of
RiC-R051	Person	RiC-E08	knows	RiC-E08	Person	RiC-R051 knows
RiC-R050	Person	RiC-E08	knows of	RiC-E08	Person	RiC-R050i known by
RiC-R042	Person	RiC-E08	is or was leader of	RiC-E09	Group	RiC-R042i has or had leader
RiC- R055i	Person	RiC-E08	is or was member of	RiC-E09	Group	RiC-R055 has or had member
RiC-R054	Person	RiC-E08	occupies or occupied	RiC-E12	Position	RiC-R054i is or was occupied by

RiC- R070i	Person	RiC-E08	has birth date	RiC-E18	Date	RiC-R070 is birth date of
RiC- R072i	Person	RiC-E08	has death date	RiC-E18	Date	RiC-R072 is death date of
RiC- R079i	Person; Group; Position	RiC-E08; RiC-E09; RiC-E012	is author of	RiC-E04	Record	RiC-R079 has author
RiC-R037	Person; Group; Position	RiC-E08; RiC-E09; RiC-E12	is or was owner of	RiC-E01	Thing	RiC-R037i has or had owner
RiC-R040	Agent	RiC-E08; RiC-E09; RiC-E12	is or was holder of intellectual property rights of	RiC-E02; RiC-E06	Record Resource; Instantiation	RiC-R040i has or had intellectual property rights holder
RiC- R042i	Group	RiC-E09	has or had leader	RiC-E08	Person	RiC-R042 is or was leader of
RiC-R055	Group	RiC-E09	has or had member	RiC-E08	Person	RiC-R055i is or was member of
RiC-R005	Group	RiC-E09	has or had subdivision	RiC-E09	Group	RiC-R005i is or was subdivision of
RiC- R005i	Group	RiC-E09	is or was subdivision of	RiC-E09	Group	RiC-R005 has or had subdivision
RiC- R056i	Group	RiC-E09	has or had position	RiC-E12	Position	RiC-R056 exists or existed in
RiC- R054i	Position	RiC-E12	is or was occupied by	RiC-E08	Person	RiC-R054 occupies or occupied
RiC-R056	Position	RiC-E12	exists or existed in	RiC-E09	Group	RiC-R056i had or has position
RiC-R059	Event	RiC-E14	affects or affected	RiC-E01	Thing	RiC-R059i is or was affected by
RiC-R058	Event	RiC-E14	has or had participant	RiC-E01	Thing	RiC-R058i is or was participant in
RiC-R057	Event	RiC-E14	is event associated with	RiC-E01	Thing	RiC-R057i is associated with event
RiC-R061	Event	RiC-E14	results or resulted in	RiC-E01	Thing	RiC-R061i results or resulted from
RiC-R006	Event	RiC-E14	has or had subevent	RiC-E14	Event	RiC-R006i is or was subevent of
RiC- R006i	Event	RiC-E14	is or was subevent of	RiC-E14	Event	RiC-R006 has or had subevent
RiC- R033i	Activity	RiC-E15	documented by	RiC-E02; RiC-E06	Record Resource; Instantiation	RiC-R033 documents
RiC-R060	Activity	RiC-E15	is or was performed by	RiC-E07	Agent	RiC-R060i performs or performed
RiC-R062	Rule	RiC-E16	is rule associated with	RiC-E01	Thing	RiC-R062i is associated with rule
RiC-R063	Rule	RiC-E16	regulates or regulated	RiC-E01	Thing	RiC-R063i is or was regulated by
RiC-R064	Rule	RiC-E16	is or was expressed by	RiC-E02	Record Resource	RiC-R064i expresses or expressed

RiC-R066	Rule	RiC-E16	is or was enforced by	RiC-E07	Agent	RiC-R066i is or was responsible for enforcing
RiC-R065	Rule	RiC-E16	issued by	RiC-E07	Agent	RiC-R065i is responsible for issuing
RiC-R067	Mandate	RiC-E17	authorizes	RiC-E07	Agent	RiC-R067i authorized by
RiC-R069	Date	RiC-E18	is beginning date of	RiC-E01	Thing	RiC-R069i has beginning date
RiC-R068	Date	RiC-E18	is date associated with	RiC-E01	Thing	RiC-R068i is associated with date
RiC-R071	Date	RiC-E18	is end date of	RiC-E01	Thing	RiC-R071i has end date
RiC-R073	Date	RiC-E18	is modification date of	RiC-E01	Thing	RiC-R073i has modification date
RiC-R070	Date	RiC-E18	is birth date of	RiC-E08	Person	RiC-R070i has birth date
RiC-R072	Date	RiC-E18	is death date of	RiC-E08	Person	RiC-R072i has death date
RiC-R075	Place	RiC-E22	is or was location of	RiC-E01	Thing	RiC-R075i has or had location
RiC-R074	Place	RiC-E22	is place associated with	RiC-E01	Thing	RiC-R074i is associated with place
RiC-R076	Place	RiC-E22	is or was jurisdiction of	RiC-E07	Agent	RiC-R076i has or had jurisdiction
RiC-R007	Place	RiC-E22	contains or contained	RiC-E22	Place	RiC-R007i is or was contained by
RiC-R077	Place	RiC-E22	is or was adjacent to	RiC-E22	Place	RiC-R077 is or was adjacent to
RiC- R007i	Place	RiC-E22	is or was contained by	RiC-E22	Place	RiC-R007 contains or contained
RiC-R078	Place	RiC-E22	overlaps or overlapped	RiC-E22	Place	RiC-R078 overlaps or overlapped

6 Documenting Description

6.1 Introduction

Descriptions of *record resources* are themselves *records*. The description *record* is created by an *agent* performing an *activity*, describing a *record resource* and related contextual entities. As a result, RiC-CM does not provide a specialized set of entities, attributes, and relations for documenting archival description. This section will give a brief description of the basic contexts for archival description and provide some simple examples of how to document description using RiC-CM.

Documenting description involves four layers of context: 1) documenting the holding *agent*; 2) documenting the *position* responsible for processing and describing *records*; 3) documenting the archival description *record* itself; and, 4) documenting the evidence for assertions made in the description *record*. These layers go from broad to specific, much like zooming in on a webbased map. You start at the archive, then zoom further into the archival *position* performing the descriptive *activities*, then zoom further to the *record* itself, then finally to the content that makes up that *record*. Each layer is part of a whole, and RiC-CM makes it possible to describe each of these layers in a detailed manner, the broader layers providing essential context for the more specific.

6.2 Holding Agent

The broadest layer describes the holding *agent*, which has custody of and responsibility for managing archival *records*, and the *activities* pursued in fulfilment of this responsibility. The holding *agent* may have authority to perform its responsibilities derived from a *mandate*, and additional internal or external *rules* may and likely do govern the *activities*. *Rules* governing the *activities* of the holding *agent* may include, among others, national laws, institutional policy decisions, professional standards, or informal community agreements. The *activities* governed by the *rules* may cover a range of interrelated *activities* including acquisition, appraisal, processing, describing, and preservation.

Using RiC-CM entities and relations, a very high-level description of a university archives could look like this:




Figure 4: University archives description.

6.3 Position

The record keeping activities of the holding agent are performed by positions or mechanisms that have been given a mandate from the holding agent to perform record keeping activities. The activities of a mechanism are governed by rules and expressed in instructions executed by it, and a position is held by a person, who has training and experience, and whose work is also governed by organizational, professional or other external or internal rules. The distinction between position and person helps to understand in which role and for which tasks a person was active in an organization at a certain time.




Figure 5: Position description for processing archivist.

6.4 Archival Resource Description

At this layer, context is provided for an instance of archival description, which can be as simple as documenting the evidence on which the description *record* is based, the describing *agent*, and the *date* of the describing. In that a description may be revised over time, the revision history may also be documented.

The following example shows basic documentation of a single archival description record:




Figure 6: Description of a single archival description record.

And a modification to an existing description record:




Figure 7: Modification of single description record.

6.5 Description Assertion Verification

The final, and most specific layer of documenting description provides context for the content of the description itself and the assertions made within. At the most general, this could include reference to *records* that provide evidence for the content of the description as a whole, for example, which sources were used to compile the description, or could be as detailed as providing evidence for each statement made in the description, for example this source provided evidence for the birth and death *dates* of this *person*, and this source provided

evidence that these two *persons* were married. It is also worth noting that the context in each of the previous layers of documenting description provide important verification of the authority and social environment that contributes to the information in archival description.

The following example shows a source cited for verifying a single statement within archival description.




Figure 8: Description of an individual statement in an archival description record.

7 Appendices

7.1 Appendix 1 – EGAD Members

7.1.1 Current Members

Monty Jacques Albert	Presidential Mail Department of the General Secretariat of the Presidency	Cameroon	2023-
	of the Republic		
Florence Clavaud	Archives nationales	France	2012-
Adrian Cunningham	Retired Archivist	Australia	2012-
Merel Q. Geerlings	City Archives Amsterdam	The Netherlands	2023-
Alex Green	National Archives, U.K.	United Kingdom	2021-
Regine Heberlein	Princeton University Library	United States	2023-
Silke Jagodzinski	Bundesarchiv (2018-2019) Geheimes Staatsarchiv Preußischer Kulturbesitz (2020-)	Germany	2018-
Jan Krause	Archives cantonales vaudoises	Switzerland	2023-
Stephanie Luke	University of Illinois Urbana- Champaign	United States	2023-
Carina McDowell	Bibliothèque et Archives Canada / Library and Archives Canada	Canada	2018-
Vitor Manoel Marques da Fonseca	Arquivo Nacional (Brasil); Universidade Federal Fluminense (2012-2015) Universidade Federal Fluminense (2016-)	Brazil	2012-
Gerhard Müller	Staatsbibliothek zu Berlin	Germany	2018-
Victoria Peters	University of Strathclyde	United Kingdom	2012-
Bonon Younous Pazimi	La Banque de Développement des États de l'Afrique Centrale (BDEAC)	Congo	2023-
Daniel Pitti (chair)	University of Virginia (retired)	United States	2012-
Bogdan-Florin Popovici	Arhivele Naționale ale României	Romania	2012-
Zdenka Semlic Rajh	Historical Archives Ljubljana	Slovenia	2023-
Javier E. Requejo Zalama	Ministerio de Educación, Cultura y Deporte	Spain	2014-
Bill Stockting	British Library (2012-2016) Royal Archives (2016-)	United Kingdom	2012-
Martin Stuerzlinger	ARCHIVERSUM	Austria	2012-
Tobias Wildi	Docuteam GmbH (2019-2021)	Switzerland	2019-

	University of Applied Sciences of the		
	Grisons (2021-)		
Siân Wynn-Jones	The Purpose Business	United Kingdom	2018-
Ivo Zandhuis	Consultant on digital access to cultural	The Netherlands	2023
	heritage and digital humanities		

7.1.2 Past Members

Dathany Andaras	University of Virginia (2010, 2010)	United States	2019-2022
Bethany Anderson	University of Virginia (2018-2019)	Onited States	2019-2022
	University of Illinois, Urbana-Champaign		
	(2019-)		
Nils Brübach	Sächsisches Staatsarchiv / Saxon State	Germany	2012-2018
	Archives		
Beatriz Franco Espiño	Ministerio de Educación, Cultura y	Spain	2012-2022
	Deporte (2012-2018)		
	Archivos Comunidad de Madrid (2018-)		
Pete Johnston	Cambridge University Library	United Kingdom	2012-2017
Miia Herrala	Kansallisarkisto	Finland	2016-2022
Jaana Kilkki	Kansallisarkisto	Finland	2013-2016
Padré Lydie Gnessougou	Direction Générale du Trésor et de la	Ivory Coast	2012-2020
Baroan-Dioumency	Comptabilité Publique		
Gavan McCarthy	University of Melbourne	Australia	2012-2022
Alice Motte	Service interministériel des Archives de	France	2013-2016
	France		
Stéphanie Roussel	Service interministériel des Archives de	France	2015-2016
	France		
Aaron Rubinstein	University of Massachusetts Amherst	United States	2012-2022
Claire Sibille	Service interministériel des Archives de	France	2012-2013
	France		
Katherine (Kat) Timms	Bibliothèque et Archives Canada /	Canada	2013-2018
	Library and Archives Canada		
Irene Van Bavel	Bibliothèque et Archives Canada /	Canada	2018-2020
	Library and Archives Canada		
Salvatore Vassallo	Archivum Romanum Societatis Iesu	Italy	2012-2022
Stefano Vitali	Archivio centrale dello Stato	Italy	2012-2022
Hélène Zettel	Service interministériel des Archives de	France	2017
	France		

7.2 Appendix 2 – Overview of RiC-CM 0.1 to 0.2 Changes

The 0.2 release of the draft of RiC-CM introduced significant changes from the 0.1 release. The changes were based on extensive feedback from the professional community as well as new reflections on the part of the EGAD.

The introduction was substantially revised, giving more emphasis to RiC-CM's changing approach to archival description, due both to new technologies and to the broader view of context with its implications for the understanding of records.

The Entities section was completely revised. In the 0.2 version, entities were grouped hierarchically, starting from the root entity, *thing*, followed by the core entities of concern when describing archives (*record resource*, *instantiation*, and *agent*) and the supporting entities (*event*, *rule*, *date*, and *place*), which were then followed by the third- and fourth-level entities including the *activity* and *mandate* entities.

Due to their shared nature, the *record set*, *record* and *record part* (formerly Record Component) entities were grouped under the new *record resource* entity. A new entity, *instantiation*, was introduced, to distinguish clearly between the intellectual content of a *record* and its representation on one or more carriers. The former Function, Function (Abstract) and Activity entities were replaced by a single entity, *activity*, which is defined as a kind of newly-introduced *event* entity. A new *agent* entity, *mechanism*, was introduced in order to allow for the description of human technological proxies. The *position* entity was redefined as a kind of *agent*, while *family* and *corporate body* were identified as a kind of *group agent*.

What were called properties in the first release were reconfigured as *attributes*; they were listed together with definitions in a consistent format and by the entity with which they may be used.

The Relations section was completely rewritten. The number of relations was significantly reduced, resulting in seventy-eight relations, most of them having an inverse relation. The relations were organized in a poly-hierarchical system. Also, each of them was defined in a consistent format. The definitions, when appropriate, cover both past relations as well as those that are ongoing. Many examples were also provided to facilitate understanding and use.