



# Normalized Difference Vegetation Index (NDVI)

Mr. Bryan Bagnall SPAWAR Systems Center, Pacific

Phone: 619-553-4061

Email: bryan.bagnall@navy.mil

Mr. Sparta Cheung SPAWAR Systems Center, Pacific

Phone: 619-553-5927

Email: sparta.cheung@navy.mil




## **Overview of Talk**


- Overview/History of NDVI
- NDVI Calculation
- NDVI Uses
- OSSIM Band Algebra



### What is NDVI?

- The Normalized Difference Vegetation Index (NDVI) is a simple graphical indicator that can be used to assess whether the target being observed contains green vegetation or not
- Determines the density of green on a patch of land
- Based on the principle that
  when light strikes an objec
  light of different wavelengtl
  are absorbed and reflected







## **NDVI** Calculation

- Plants absorb light for photosynthesis
  - Absorbs greatly in the 400nm 700nm range (VIS)
  - Reflects greatly in the 700nm 1100nm range (NIR)
- How many leaves a plant has affects the amount of absorption/reflection

$$NDVI = \frac{(NIR - VIS)}{(NIR + VIS)}$$

- Calculations for NDVI always between [-1, 1]
  - No green leaves ≈ 0
  - Highest possible density ≈ +1
  - Clouds and snow < 0</li>




## **NDVI Calculation - Sensitivities**

- Atmospheric effects specifically water vapor and aerosols
- Clouds large clouds are easy to filter, but thin clouds may affect measurements, as well as the shadow of those clouds
- Soil Effects reflectance of soil is directly related to water content; wet soil can effect measurements
- Anisotropic Effects target geometry and observation time may effect measurements
- Spectral Effects measurements will vary depending on the sensor used due to the inherent differences between each type of imaging sensor



## NDVI Used as an Indicator

- NDVI measurements allow for the quantification of absorbed radiation by vegetation
- Photosynthesis is directly related to absorbed photosynthetically active radiation
  - The more visible light absorbed, the more productive the plant
- A region's absorption and reflection of photosynthetically active radiation over a period of time can help to characterize the productivity of that region's vegetation
- When these characteristics are compared to data repositories, the health of a region for a particular time period can be compared that region's norm value





## **NDVI Example Image**

LandSat7 Image –

..\Day02\imagenes\\*\_HRF.fst

#### LandSat 7 Imagery

Band 1 Visible  $(0.45 - 0.52 \mu m)$  30 m

Band 2 Visible (0.52 – 0.60 µm) 30 m

Band 3 Visible  $(0.63 - 0.69 \mu m)$  30 m


Band 4 Near-Infrared (0.77 – 0.90 µm) 30

Band 5 Near-Infrared (1.55 – 1.75 µm) 30 m

Band 61 Low Gain Thermal (10.40 - 12.50 µm) 60 m

Band 62 High Gain Thermal (10.40 – 12.50 µm) 60 m

Band 7 Mid-Infrared (2.08 – 2.35 µm) 30 m





## **NDVI Example Code**

- ..\Day06\codigo\bandAlgebra.zip
- Need to modify the batch files
- Build the project using Cmake
- Compile the solution using Visual Studio
- Copy and modify the runProject.bat file
- Run the project



#### Resources and References

- Nasa Earth Observatory
  <a href="http://earthobservatory.nasa.gov/Features/MeasuringVegetation/measuring\_vegetation\_1.php">http://earthobservatory.nasa.gov/Features/MeasuringVegetation/measuring\_vegetation\_1.php</a>
- Tucker, C.J. 1979. Red and photographic infrared linear combinations for monitoring vegetation. Remote Sensing of the Environment, v. 8, p.127-150.
- Jackson, R.D., P.N. Slater, and P.J. Pinter, 1983. Discrimination of growth and water stress in wheat by various vegetation indices through clear and turbid atmospheres. Remote Sensing of the Environment, v. 15, p.187-208.
- Tucker, C. J., W. W. Newcomb, S. O. Los, and S. D. Prince, 1991. Mean and inter-year variation of growing-season normalized difference vegetation index for the Sahel 1981-1989. International Journal of Remote Sensing, v. 12, p.1113-1115.



## **Questions?**

# Normalized Difference Vegetation Index (NDVI)

Mr. John Stastny SPAWAR Systems Center,

**Pacific** 

Phone: 619-553-4564

Email: john.stastny@navy.mil

Mr. Bryan Bagnall SPAWAR Systems Center,

Pacific

Phone: 619-553-4061

Email: bryan.bagnall@navy.mil

Mr. Lucas Keenan

SPAWAR Systems Center,

Pacific

Phone: 619-553-3686

Email: lucas.keenan@navy.mil