

Equipamentos

name: String
id: int
vILoc: double
dateLoc: String
dateDev: String
clienteName: String
clienteld: int

Equipamentos(name: String, id: int, vlLoc: double, dateLoc: String, dateDev: String, clienteName: String, clienteld: int) getName(): String setName(name: String): void aetId(): int setId(id: int): void getVlLoc(): double setVILoc(vILoc: double): void getDateLoc(): String setDateLoc(dateLoc: String): void getDateDev(): String setDateDev(dateDev: String): void getClienteName(): String setClienteName(clienteName: String): void getClienteId(): int setClienteld(clienteld: int): void static gerarIdProduto(): int

Alugueis

name: String id: int

Aluqueis(LocName: String, LocId: int, LocVILoc: double, LoDateLoc: String, LocDateDev: String, LocClienteName: String, LocClienteId: int) getLocName(): String setLocName(LocName: String): void getLocId(): int setLocId(LocId: int): void getLocVlLoc(): double setLocVILoc(LocVILoc: double): void getLoDateLoc(): String setLoDateLoc(LoDateLoc: String): void getLocDateDev(): String setLocDateDev(LocDateDev: String): void getLocClienteName(): String setLocClienteName(LocClienteName: String): void getLocClienteld(): int setLocClienteld(LocClienteld: int): void

Locacao

scanner: Scanner

novaLocacao(nomeEquipAutentic: String, IdEquipAutentic: int, listaEquipamentos: ArrayList<Equipamentos>, clienteAutentic: Cliente, listaAluquei: ArrayList<Aluqueis>); void

Devolucao

scanner: Scanner

novaDevolucao(nomeCliDev: String, idCliDev: int, listaClientes: ArrayList<Cliente>, listaEquipamentos: ArrayList<Equipamentos>, listaAluguel: ArrayList<Alugueis>): void