DPP	DEPARTMENTAL POLICY AND PROCEDURE		
Title	**BLOOD DRAW FROM UMBILICAL CATHETER**		
Department	**Neonatology Department**		
Applies to	**All NICU Nursing Staff**		
Policy Code and Version Number	**DPP-NICU-001 (v2)**		
Last Version Approval Date	**28/1/2022**	Number of Pages	**3**

	NAME	POSITION	SIGNATURE	DATE
Prepared by:	**MS. JOICY JOY**	NICU Quality Representative		27/2/2024
	MS. AISHA ZAIBI SAAD AL-SHUMRANI	Neonatal Intensive Care Unit, Head Nurse		27/2/2024
	DR. TAYSEER HASSAN	Neonatology Resident		27/02/2024
Reviewed by:	**DRA. FAWZIA MOHAMMED FARAHAT**	Head, Neonatology and Pediatric Department		14/03/24
	MR. MANSOUR AHMED AL-ZAHRANI	Head, Quality Management and Patient Safety		14.3.24
Approved by:	**MR. SULTAN ALI AL-GAMDI**	Nursing Director		19-3-24
	DR. WAEL KAMEL ARBA	HED Assistant for Medical Affairs		19.3.24

APPROVAL DATE	EFFECTIVE DATE	TYPE OF REVISION	REVIEW DATE
19 / 3 / 2024	7 / 4 / 2024	TRIENNIAL	18 / 3 / 2027

1.0 PURPOSE

1.1. To facilitate easy access of blood extraction.

1.2. To provide important diagnostic information.

2.0 DEFINITION/ABBREVIATION

2.1. **Blood Draw from Umbilical Catheter** is a Collection of blood specimen aseptically from the umbilical catheter.

3.0 RESPONSIBILITY

3.1. Staff Nurses

4.0 POLICY

4.1. A written physician's order is required.

4.2. Aseptic technique must be observed.

4.3. Patency of the umbilical catheter must be maintained.

5.0 PROCEDURE (S)

5.1. Wash hands thoroughly, put on gloves.

5.2. Open heparinized saline. If not available, heparinized a 3 ml syringe with 0.05 ml of 1000 units per ml heparin. Eject remaining heparin from syringe.

5.3. Place sterile gauze under stopcock of umbilical catheter.

5.4. Insert non-heparinized 3ml syringe into stopcock. Turn off the stopcock connected to IV flow.

5.5. Withdraw 2 ml of blood to be placed on sterile field and turn stopcock halfway to keep the tubing clear.

5.6. Insert another syringe into the stopcock. Withdraw desired amount of blood.

5.7. Remove syringe from stopcock, turn stopcock halfway off to patient.

5.8. Put extracted blood into the desired specimen container.

5.9. Return 2 ml blood through line, clearing all air from syringe and stopcock and return stopcock to upright position, flush line, replace with new syringe.

5.10. Label sample with patient's information. Record the time and amount of blood taken and patient's response to the procedure.

6.0 EQUIPMENTS

6.1. Alcohol swabs
6.2. 1 ml syringe
6.3. Heparinized saline
6.4. 3 ml syringe
6.5. Sterile gauze
6.6. Heparin 1000 units per ml
6.7. Gloves
6.8. Specimen container

7.0 ATTACHMENT/FORMS

7.1. Nurses Progress Notes (GDOH-NUR-NPN-203)
7.2. Laboratory Requests

8.0 REFERENCES

8.1. MOH-KSA Guidelines for Neonatal Care

8.2. Clinical Guidelines for Neonatal care.

8.3. CBAHI Standards NICU 3rd version

8.4. Neonatal Nursing Handbook 2004, by Kenner and Lott

9.0 REVISION CLAUSE

9.1. Modification of policy format, lay out and policy coding

Baha_Cluster
Healthcluster-baha@moh.gov.sa
مستشفى المخواة العام
Al-Mikhwah General Hospital

KINGDOM OF SAUDI ARABIA

وزارة الصحة
Ministry of Health

Hospital: _____ مستشفى:

Region: _____ المنطقة/المحافظة:

Dept./Unit: _____ القسم/الوحدة:

MRN: | | | | | | | | | | | | رقم الملف الطبي:

Name: _____ الاسم:

Nationality: _____ الجنسية:

Age: _____ ☐ سنة Years ☐ شهر Months ☐ يوم Days العمر:

Date of Birth: ___/___/14___ H ___/___/20___ تاريخ الميلاد:

Gender: ☐ Male ☐ Female الجنس:

NURSES PROGRESS NOTES FORM

DATE &TIME	NURSES NOTES (D-data A-action R-response)	REGISTERED NURSE INITIAL WITH ID NUMBER

Note: Write the time in each entry & affix your initial at the end of each paragraph. Document your complete Name, Initial, Job number, Date & Time at the closure of your documentation. Draw a line across empty spaces.

0 000000 002035 SN

KINGDOM OF SAUDI ARABIA

وزارة الصحة
Ministry of Health

Hospital: _____ :مستشفى

Region: _____ :المنطقة/المحافظة

Dept./Unit: _____ :القسم/الوحدة

MRN: | | | | | | | | | | | :رقم الملف الطبي

Name: _____ :الاسم

Nationality: _____ :الجنسية

Age: _____ ☐ سنة Years ☐ شهر Months ☐ يوم Days :العمر

Date of Birth: ____ / ____ / 14____ H ____ / ____ / 20____ :تاريخ الميلاد

Gender: ☐ Male ☐ Female :الجنس

SEROLOGY FORM نموذج فحص التفاعلات المصلية

☐ Routine ☐ Urgent ☐ Pre-operative

Clinical Comments: .....

Requested by: ..... Stamp&Signature: ..... Date: ___/___/_____

TEST	RESULT	TEST	RESULT	TEST	RESULT
☐ Abo Titre:		☐ Weil Tel. Test:		**IHA**	
☐ Rheum Factor:		- o x - 19		☐ Bilharziasis	
☐ C. Reactive Protein:		- o x - 2		☐ Echinococcosis	
☐ A N F:		- o x K		☐ Amoebiasis	
☐ Ant. N. D N A		☐ A F P S (s a t)		☐ Leishmaniasis	
☐ V D R L		☐ Cold Aggulutination		☐ Toxoplasmosis	
☐ T P H A		**Thyroid Auto Antibodies:**			
☐ Paul Bunnel Test		☐ Anti-Miscrosomal (M)		☐ I F A	
☐ Paul Bunnel Test		☐ Anti-Thyoglobulin (M)		☐ A N A	
☐ Brucella: - Abortus				☐ Anti-n DNA	
Widal Wright: - Melitensis		**Immunodiffusion**		☐ A M A	
☐ Widal Test		☐ IgG		☐ A S M A	
- Salmonella Typh. H- O-		☐ IgM		☐ A P C A	
- Salmonella Paratyphi H- O-		☐ IgA		☐ F T A – A B S	
- Salmonella Paratyphi H- O-		☐ IgE		☐ Toxo – Ig G	
- Salmonella Paratyphi H O		☐ C3		☐ Toxo – Ig M	
		☐ C4		1 Mx (E I A)	
		☐ & 1 - Antitrypsin		☐ Total Ig E	
		☐ & 2 - Macroglobulin		☐ & 2 – Macroglobulin	
		☐ Ceruloplasmin		☐ Toxo - Ig G	
		☐ & - Fetroprotein		☐ Toxo - Ig M	

Examined by: ..... Stamp&Signature: ..... Date: ___/___/_____

Checked by: ..... Stamp&Signature: ..... Date: ___/___/_____

0 000000 002899

SN

KINGDOM OF SAUDI ARABIA

وزارة الصحة
Ministry of Health

Hospital: _____ :مستشفى

Region: _____ :المنطقة/المحافظة

Dept./Unit: _____ :القسم/الوحدة

MRN: | | | | | | | | | | | | :رقم الملف الطبي

Name: _____ :الاسم

Nationality: _____ :الجنسية

Age: _____ ☐ سنة Years ☐ شهر Months ☐ يوم Days :العمر

Date of Birth: ____ / ____ / 14____ H ____ / ____ / 20____ :تاريخ الميلاد

Gender: ☐ Male ☐ Female :الجنس

CHEMISTRY / BLOOD GAS FORM نموذج الكيمياء وغازات الدم

TEST	NORMAL RANGE	TEST	NORMAL RANGE	TEST	NORMAL RANGE
Glucose Fasting	4.2-6.1 mmol/L	AST M F	Up to 37 U/L Up to 31 U/L	IgA	0.8 – 4.6 gm/L
Glucose P. Prandiel	Up to 10 mmol/L	ALT M F	Up to 40 U/L Up to 31 U/L	IgG	6.6 – 17..8 gm/L
Urea	1.7 – 83 mmol/L	Alkaline Phosphatase	39 – 117 U/L	IgM	0.35 – 3.5 gm/L
Creat. M F	53 – 123 µmmol/L 44 – 97 µmol/L	Bilirubin Total	Up to 17 µmol/L	LD Total	230 – 460 µ/L
Uric Acid M F	202 – 416 µmol/L 142 – 236 mmol/L	Bilirubin Direct	Up to 4.5 µmol/L	LD Cardiac	72 – 182 U/L
Sodium	133 – 152 mmol/L	GGT M F	15 -85 U/L 5 – 55 U/L	CK M CK F	24 – 195 U/L 24 – 170 U/L
Potassium	3.5 – 5.6 mmol/L	Total Protein	66 -87 g /L	S. CKMB	0 -10 U/L
Chloride	98 -110 mmol/L	Albumin	38 – 50 g /L	LDL	0.38 – 88 mmol/L
Lithium	NIL	Lipasse		Cholesterol	2.5 – 6.4 mmol/L
Calcium	2.0 – 2.6 mmol/L			T. Lipids	4 -10 g/L
Inorganic Phosporous	0.87 – 1.45 mmol/L	Pseudo Cholinesterase	7 – 19 U/L	Triglycerides	Up to 2.26 mmol/L
Magnesium	0.8 – 1.1 mmol/L	Acid Phos. Prostatic	Up to 4 mµ/ml	HDL	83 -25 mmol/L
HCO_3	23 – 32 mmol/L	Acid Phos. Total	Up to 11 mµ/ml	Aldolase	UP to – 7.6 U/L
Ammonia	11 – 35 µmol/L	Amylase	Up to 220 U/L		
Iron	14 – 32 µmol/L	G6PD	80-135 mµ /10^9RBC		
Iron Binding Capacity	46 – 70 µmol/L	Osmolality	279 – 305mOsm/kg		

Comments : .....

.....

.....

Chemist: ..... Stamp&Signature: ..... Date:___/___/_____

Head of Department: ..... Stamp&Signature: ..... Date:___/___/_____

0 000000 003391

SN