DPP	DEPARTMENTAL POLICY AND PROCEDURE		
Title	**BLOOD TYPING AND CROSS MATCHING**		
Department	**Neonatology Department**		
Applies to	**All NICU Medical and Nursing Staff**		
Policy Code and Version Number	**DPP-NICU-004 (v2)**		
Last Version Approval Date	**28/1/2022**	Number of Pages	**3**

	NAME	POSITION	SIGNATURE	DATE
Prepared by:	**MS. JOICY JOY**	NICU Quality Representative		27/2/2024
	MS. AISHA ZAIBI SAAD AL-SHUMRANI	Neonatal Intensive Care Unit, Head Nurse		27/2/2024
	DR. TAYSEER HASSAN	Neonatology Resident		27/02/2024
Reviewed by:	**DRA. FAWZIA MOHAMMED FARAHAT**	Head, Neonatology and Pediatric Department		14/03/24
	MR. MANSOUR AHMED AL-ZAHRANI	Head, Quality Management and Patient Safety		14-3-24
Approved by:	**MR. SULTAN ALI AL-GAMDI**	Nursing Director		19-3-24
	DR. WAEL KAMEL ARBA	HED Assistant for Medical Affairs		19.3.24

APPROVAL DATE	EFFECTIVE DATE	TYPE OF REVISION	REVIEW DATE
19/ 3 / 2024	7/ 4 / 2024	TRIENNIAL	18 / 3 / 2027

Baha_Cluster
Healthcluster-baha@moh.gov.sa
مستشفى المخواة العام
Al-Mikhwah General Hospital

1.0 PURPOSE

1.1. To prevent blood transfusion complications.

1.2. To know the patient's blood group.

2.0 DEFINITION/ABBREVIATION

2.1. **Cross Matching of blood** - is done to establish the compatibility between the patient's blood and donor

3.0 RESPONSIBILITY

3.1. Staff Nurses

3.2. Laboratory Technician

4.0 POLICY

4.1. Laboratory technicians in blood bank should be responsible to do blood typing and cross matching.

4.2. Any qualified registered nurse is allowed to extract blood specimen.

4.3. Specimen should be properly labeled corresponding to request forms.

4.4. Specimen should be registered in the laboratory book for proper endorsement.

4.5. Treating doctor should complete the forms for cross matching with stamp and signature.

4.6. Extraction of blood must be done under aseptic technique.

4.7. Blood Samples can be withdrawn from UAC/UVC or peripheries for infants.

4.8. Proper documentation and recording is important for any amount of blood withdrawn. A total of 10 ml withdrawn in neonate requires blood replacement

5.0 PROCEDURE (S)

5.1. Observe standard precaution. Assemble things needed prior to extraction:

5.1.1. Alcohol swab or sterile cotton balls

5.1.2. Plaster

5.1.3. EDTA tube with label

5.1.4. Syringe with Gauge 21 needle or butterfly gauge 21

5.2. Locate site of extraction and disinfect the area. Collect 3 ml of blood in Edta tube. (Follow P & P of Blood Specimen Collection)

Baha_Cluster
Healthcluster-baha@moh.gov.sa
مستشفى المخواة العام
Al-Mikhwah General Hospital

5.3. Withdraw the needle gently.

5.4. Apply pressure on the site of extraction.

5.5. Disinfect site of extraction then plaster with sterile cotton ball.

5.6. If blood is withdrawn from umbilical arterial catheter (UAC) line, please refer Policy & Procedure on how to draw blood from site.

5.7. Label the specimen with the complete data of the patient.

5.8. The treating doctor will fill up the blood transfusion form with stamp, signature, diagnosis, amount of blood needed, date and time requested and blood group.

5.9. Register in the laboratory book for proper endorsement.

5.10. Document the amount of blood withdrawn and record. A total of 10cc blood extracted from infant, notify the treating doctor for replacement.

5.11. Document in the nurse's note and record the type of blood and cross match has been performed.

6.0 EQUIPMENTS

6.1. Alcohol swab or sterile cotton balls
6.2. Plaster
6.3. EDTA tube with label
6.4. Syringe with Gauge 21 needle or butterfly gauge 21

7.0 ATTACHMENT/FORMS

7.1. Nurses Progress Notes (GDOH-NUR-NPN-203)
7.2. Physician Order Form (GDOH-INP-POF-079)
7.3. Blood and Blood Products Request and Release Form (GDOH-LAB-BBPR-319)

8.0 REFERENCES

8.1. MOH-KSA Guidelines for Neonatal Care

8.2. Clinical Guidelines for Neonatal care

8.3. CBAHI Standards NICU3rd version

8.4. Lippincott Manual of Nursing Practice, 7th edition by Nettin

9.0 REVISION CLAUSE

9.1. Modification of policy format, lay out and policy coding

Baha_Cluster
Healthcluster-baha@moh.gov.sa
مستشفى المخواة العام
Al-Mikhwah General Hospital

KINGDOM OF SAUDI ARABIA

وزارة الصحة
Ministry of Health

Hospital: _____ مستشفى:

Region: _____ المنطقة/المحافظة:

Dept./Unit: _____ القسم/الوحدة:

MRN: | | | | | | | | | | | | رقم الملف الطبي:

Name: _____ الاسم:

Nationality: _____ الجنسية:

Age: _____ ☐ سنة Years ☐ شهر Months ☐ يوم Days العمر:

Date of Birth: ____ / ____ / 14____ H ____ / ____ / 20____ تاريخ الميلاد:

Gender: ☐ Male ☐ Female الجنس:

NURSES PROGRESS NOTES FORM

DATE &TIME	NURSES NOTES (D-data A-action R-response)	REGISTERED NURSE INITIAL WITH ID NUMBER

Note: Write the time in each entry & affix your initial at the end of each paragraph. Document your complete Name, Initial, Job number, Date & Time at the closure of your documentation. Draw a line across empty spaces.

0 000000 002035

SN ☐

KINGDOM OF SAUDI ARABIA

وزارة الصحة
Ministry of Health

Hospital: _____ مستشفى:

Region: _____ المنطقة/المحافظة:

Dept./Unit: _____ القسم/الوحدة:

MRN: | | | | | | | | | | | رقم الملف الطبي:

Name: _____ الاسم:

Nationality: _____ الجنسية:

Age: _____ ☐ سنة Years ☐ شهر Months ☐ يوم Days العمر:

Date of Birth: ____ / ____ / 14____ H ____ / ____ / 20____ تاريخ الميلاد:

Gender: ☐ Male ☐ Female الجنس:

PHYSICIAN ORDER FORM

ALLERGIC TO:

DATE	TIME	PHYSICIAN ORDERS	PHYSICIAN STAMP / SIGNATURE	RN INITIAL / JOB NUMBER

KINGDOM OF SAUDI ARABIA

وزارة الصحة
Ministry of Health

Hospital: _____ مستشفى:

Region: _____ المنطقة/المحافظة:

Dept./Unit: _____ القسم/الوحدة:

MRN: _____ رقم الملف الطبي:

Name: _____ الاسم:

Nationality: _____ الجنسية:

Age: _____ ☐ سنة Years ☐ شهر Months ☐ يوم Days العمر:

Date of Birth: ____/____/14____ H ____/____/20____ تاريخ الميلاد:

Gender: ☐ Male ☐ Female الجنس:

BLOOD & BLOOD PRODUCTS REQUEST & RELEASE FORM

Note: One form must be submitted for each unit ordered. Blood release copy remains on chart until blood is needed. Blood bank copy must be returned to blood bank on completion of transfusion or return of blood. **RETURN BLOOD TO CENTRAL BLOOD BANK WITH 30 MINUTES FROM RELEASE OF BLOOD FROM BLOOD BANK IF NOT TRANFUSED.**

Requisition for: ☐ Packed Red Cells ☐ Whole Blood ☐ Fresh Frozen Plasma ☐ Cryoprecipitate ☐ Platelet Concentrate

Special Instructions: ☐ Irradiated ☐ Leukocyte poor (Filtered) ☐ Volume _____ml

Requesting Physician's name: _____ Stamp&Signature: _____ Date:____/____/____

RELEASE BLOOD PRODUCTS

Unit No _____ Product _____ Blood Group _____ Expiry Date:____/____/____

Blood unit issued by: Name _____ Sign _____ Date:____/____/____ Time _____

Blood unit received by: from blood bank: Name: _____ Signature: _____

Blood unit received in the ward by: Name: _____ Signature: _____ Time: _____

TRANSFUSION RECORD

(This part must be completed when transfusion is started)

Pre transfusion

Patient's temp. _____ BP _____ Pulse _____

Date of transfusion _____ Time _____

I have verified ID, Blood Group and Rh of the recipient and donor on bag label and blood issue and compatibility testing forms. I have further verified that the recipient is same person named on all documents.

Remarks: _____

_____

Name and signature of person starting transfusion

_____

Name and signature of 2nd verifying person

(This part must be completed if blood is returned to BB)

Reason for return _____

Date ____/____/____ Time _____

Returned by: Name and signature _____

Received in blood bank :Date ____/____/____ Time ___

By Name and Sign _____

(I verify temperature and integrity of bag is acceptable)
If unacceptable for reuse, fill incident report form.

(This part must be completed when transfusion is stopped)

Post transfusion

Ending time: _____ Amount given _____

Patient's temp. _____ BP _____ Pulse _____

_____

Name and signature of person completing transfusion

Transfusion Reaction: ☐ None

☐ Yes (Specify)_____

If transfusion reaction is suspected then immediately:

1. Discontinue transfusion.
2. Treat shock, if present.
3. Notify attending physician.
4. Notify blood bank at once and send to blood bank/ lab.
   a. Unused blood, transfusion set with tubing attached (remove needle)
   b. Recipient venous blood sample 5ml EDTA tube.
   c. Completed transfusion reaction form.
   d. Next voided urine to central lab.

Other difficulties: (Equip, clots etc) ☐ None

☐ Yes (Specify)_____

0 000000 003193

SN