Mikhwah General Hospital
AL-BAHA CLUSTER

DPP	**DEPARTMENT POLICY AND PROCEDURE**		
Title	**READING CENTRAL VENOUS PRESSURE MONITORING**		
Department	**Intensive Care Unit**		
Applies to	**All ICU Medical and Nursing Staff**		
Policy Code and Version Number	**DPP-ICU-027 (v3)**		
Last Version Approval Date	**15/12/2022**	Number of Pages	5

	NAME	POSITION	SIGNATURE	DATE
Prepared by:	**MS. ANJALY MOHAN**	Quality Representative, Intensive Care Unit		30.10.25
	MR. ABDULLAH ALI AL-GHAMDI	Head Nurse, Intensive Care Unit		30/10/2025
	DRA. LILA SAID LAMRANI	Consultant, Intensive Care Unit		30/10/25
Reviewed by:	**DR. SALAH MOHD MANSOUR**	Head of Department, Intensive Care Unit		13-11-25
	MR. MANSOUR AHMED AL-ZAHRANI	Head, Quality Management and Patient Safety		13-11-25
Approved by:	**MR. ABDULMAJEED MOHD AL-SOHEIMI**	Nursing Director		14.11.25
	DR. YOUCEF SOUAYEH	HED Assistant for Medical Affairs		18.11.25

APPROVAL DATE	EFFECTIVE DATE	TYPE OF REVISION	REVIEW DATE
18 / 11 / 2025	2 / 12 / 2025	TRIENNIAL	17 / 11 / 2028

1.0 PURPOSE

1.1. To obtain a basis for fluid replacement in seriously ill patient.

1.2. To estimate blood volume deficits.

1.3. To determine pressure in the right atrium and central veins.

1.4. To evaluate circulatory failure.

2.0 DEFINITION/ABBREVIATION

2.1. **Central Venous Pressure (CVP) monitoring** is a continuous measurement of pressure within the right atrium or in the great veins of the heart

2.2. **ICU** – Intensive Care Unit

2.3. **RAP** – Right Atrial Pressure

2.4. **RN** – Registered Nurse

3.0 RESPONSIBILITY

3.1 **Staff nurse** must be knowledgeable on how to measure the CVP accurately, to document the procedure and notifying the physician of any alteration of the result for proper management.

3.2 The **ICU Head Nurse** ensures that all staff is aware of this policy and supervises its implementation.

4.0 POLICY

4.1. Reading of CVP must be performed by a qualified and competent RN.

4.2. The ICU nurse must be competent in identifying normal and abnormal reading, and must notify the physician once alteration noted.

4.3. The equipments needed for measuring the CVP must be available at all times.

4.4. Standard precaution must be observed.

5.0 PROCEDURE (S)

5.1. Perform hand hygiene.

5.2. Gather equipments.

5.3. Explain the procedure to the patient.

5.4. Locate the phlebostatic axis.

5.5. Place the patient in the supine position with the head of the bed from 0 to 45 degrees.

5.6. Measure the Central Venous Pressure:

5.6.1. CVP Measurement using WATER MANOMETER METHOD

5.6.1.1. Attach the water manometer to the CVP tubing system, and flush the tubing with normal saline solution while the system is off to the patient.

5.6.1.2. Place the zero level of the water manometer at the level of the phlebostatic axis.

5.6.1.3. Turn the water manometer stopcock open to the flush solution.

5.6.1.4. Open the IV tubing roller clamp so that fluid flows from the IV fluid solution into the water manometer.

5.6.1.5. Fill the manometer two thirds full or above the level of the expected CVP measurement.

5.6.1.6. Ensure that there are no air bubbles in the manometer.

5.6.1.7. Close the roller clamp on the IV tubing.

5.6.1.8. Turn the water manometer stopcock open to the patient and closed to the IV solution.

5.6.1.9. Observe the fluid column closely. It should fluctuate with the patient's respiratory cycle.

5.6.1.10. The fluid column should fall quickly and then fluctuate gently at the point which the fluid column equalizes with the RAP. Measure the CVP reading at end-expiration.

5.6.1.11. Turn the water manometer stopcock open to the flush solution and the patient, and re-establish the IV fluid infusion.

5.6.2. CVP Measurement using HEMODYNAMIC MONITORING SYSTEM

5.6.2.1. Validate the waveform as CVP/RAP on the bedside monitor.

5.6.2.2. Push an IV spike into Normal Saline and rotate the bag down.

5.6.2.3. Squeeze bag slightly to force solution into drip chamber, and place the solution in pressure cuff and hang on IV pole.

5.6.2.4. Open roller clamp and fill IV set by gravity. Tap IV set to free trapped bubbles, and close the roller clamp.

5.6.2.5. Connect filled IV set to monitoring system.

5.6.2.6. Pressurize the infusion bag to 300mmHg.

5.6.2.7. Connect the transducer to the IV tubing system. Release the roller clamp, fill the cassette system and close the roller clamp after.

5.6.2.8. Tap gently while squeezing clip actuator to remove any remaining air bubbles.

5.6.2.9. Replace all vented caps and tighten it on side ports of stopcocks.

5.6.2.10. Secure transducer on a holder or directly on patient's arm with transducer zeroing port phlebostatic axis.

5.6.2.11. Connect monitoring system to patient's catheter. Flush system to clear blood from catheter.

5.6.2.12. Affix appropriate label to the transducer when using multiple transducer.

5.6.2.13. Zero-balance the monitoring system to atmospheric pressure and calibrate transducer according to monitor manufacturer's instruction.

5.6.2.14. Turn zeroing stopcock handle clockwise and admit patient's pressure to transducer. Check quality of waveform.

5.6.2.15. Allow approximately one minute for the system to equilibrate to ensure that flush device is operating properly. A visual inspection for leaks should also be made as it will give inaccurate flow-rate reading.

5.6.2.16. Replace the dead-ender cap and turn stopcock closed to the side port.

5.7. If abnormal reading observed:

5.7.1. Re-check the system as leak might be present.

5.7.2. Obtain another measurement.

5.7.3. If certain, inform the physician immediately.

5.7.4. Manage according to physician's written order.

5.8. Place the patient in a comfortable position.

5.9. Perform hand hygiene.

5.10. Measure the CVP every (2) two hours and as needed if using the water manometer method.

5.11. Continue monitoring of CVP waveform if using the hemodynamic monitoring system.

5.12. Document the procedure, the result obtained and the management that was done.

6.0 EQUIPMENTS

6.1. Water Manometer

6.2. Hemodynamic Monitor

6.3. Normal Saline

7.0 ATTACHMENT/FORMS

7.1. Physician Order Form (GDOH-INP-POF-079)

7.2. Nurses Progress notes (GDOH-NUR-NPN-203)

7.3. ICU Daily Flow Sheet

8.0 REFERENCES

8.1. Weigand DL, 6th ed (2010); AACN procedure manual for critical care, Philadelphia.

8.2. MOH – Manual of Nursing Policies and Procedures 2nd edition 2011

8.3. Argon Medical Devices manufacturer's manual

9.0 REVISION CLAUSE

9.1. Used the new logo for AL-Baha Health Cluster.

9.2. Modify the policy and procedure lay out, changed the content of the Header and footer

KINGDOM OF SAUDI ARABIA

وزارة الصحة
Ministry of Health

Hospital: ____________ :مستشفى

Region: ____________ :المنطقة/المحافظة

Dept./Unit: ____________ :القسم/الوحدة

MRN: |__|__|__|__|__|__|__|__|__|__| :رقم الملف الطبي

Name:____________________ :الاسم

Nationality:____________________ :الجنسية

Age:__________ ☐ سنة Years ☐ شهر Months ☐ يوم Days :العمر

Date of Birth:____/____/ 14____ H ____/____/ 20____ :تاريخ الميلاد

Gender: ☐ Male ☐ Female :الجنس

PHYSICIAN ORDER FORM

ALLERGIC TO:

DATE	TIME	PHYSICIAN ORDERS	PHYSICIAN STAMP / SIGNATURE	RN INITIAL / JOB NUMBER

0 000000 000796

SN ☐

KINGDOM OF SAUDI ARABIA

وزارة الصحة
Ministry of Health

Hospital: ____________ :مستشفى
Region: ____________ :المنطقة/المحافظة
Dept./Unit: ____________ :القسم/الوحدة

MRN: ☐☐☐☐☐☐☐☐☐☐ :رقم الملف الطبي
Name: ____________ :الاسم
Nationality: ____________ :الجنسية
Age: ____________ ☐ سنة Years ☐ شهر Months ☐ يوم Days :العمر
Date of Birth: ____ / ____ / 14____ H ____ / ____ / 20____ :تاريخ الميلاد
Gender: ☐ Male ☐ Female :الجنس

NURSES PROGRESS NOTES FORM

DATE &TIME	NURSES NOTES (D-data A-action R-response)	REGISTERED NURSE INITIAL WITH ID NUMBER

Note: Write the time in each entry & affix your initial at the end of each paragraph. Document your complete Name, Initial, Job number, Date & Time at the closure of your documentation. Draw a line across empty spaces.

MIKHWA GENERAL HOSPITAL
AL-MIKHWA, AL- BAHA, KSA
INTENSIVE CARE UNIT

MRN ☐☐☐☐☐☐☐☐☐☐

Name:______________________________

Age: ☐☐ Yrs/Months Sex: M ☐ F ☐

Nationality: ____________________________

Consultant In charge:________________________

Dept:________________Unit: ____________

DAILY FLOW SHEET

PRIMARY PHYSICIAN	CONSULTANT ON ADMISSION		SURGICAL PROCEDURES	
			(I)	DATE
CONSULTANTS				
1			(II))	DATE
2	HOSPITAL ADMISSION DATE	ICU ADMISSION DATE		
3				
4			(III)	DATE
5				
PATIENT HISTORY	ADMITTED FROM:		(III)	DATE
DIAGNOSIS	NO. OF DAYS IN ICU		(IV)	DATE
PRECAUTIONS	ALLERGIES		(V)	DATE

DATE	INVESTIGATIONS	COMMENTS	DATE	DIAGNOSTIC PROCEDURES	COMMENTS

NURSING CARE PLAN

DATE	TIME	PROBLEMS/ NURSING DIAGNOSIS	GOAL / EXPECTED OUTCOME	INTERVENTION	EVALUATION	NAME/ID NO./ SIGNATURE

Peak Temperature/ Daily Balance (Last 5 Days)		INTAKE	0700H	0800H	0900H	1000H	1100H	1200H	1300H	1400H	8 hours
Date	°C										
		IN-TOTAL									
Patient's		**OUTPUT**									
Weight	Height										
APACHE IV Score											
P.M.R.											
		OUT-TOTAL									
L.O.S		VENTILATOR MODE									BALANCE
		FiO2									
		Machine Rate / Spon. Rate									
Diet / Tube Feeding		V_T									
		PEEP									
		Pressure Support									
		Blood Glucose / Insulin Given									TOTAL INSULIN

CODE			Resp	Pulse & BP	Temp	0700H	0800H	0900H	1000H	1100H	1200H	1300H	1400H
●	(Resp. Rate – Black)	BLOOD PRESSURE (Red)		220	43								
				200	42								
		˅		180	41								
		ARTERIAL ˄		160	40								
				140	39								
●	(Pulse – Red)	˄	60	120	38								
		CUFF ˅	50	100	37								
			40	80	36								
X	(Temp – blue)		30	60	35								
			20	40	34								
			10	20	33								

	0700H	0800H	0900H	1000H	1100H	1200H	1300H	1400H
SPO2								
SVO2								
CARDIAC RHYTHM								
MAP								
CVP								
CO / CI								
PWCP								
ICP								
ABDOMINAL ☐ / GIRTH ☐ / IAP ☐								

	INTAKE	1500H	1600H	1700H	1800H	1900H	2000H	2200H	2200H	8 hours
	IN-TOTAL									
	OUTPUT									
Diet / Tube Feeding	**OUT-TOTAL**									
	VENTILATOR MODE									BALANCE
	FiO₂									
	Machine Rate / Spon. Rate									
	V_T									
	PEEP									
	Pressure Support									
	Blood Glucose / Insulin Given									TOTAL INSULIN

CODE			Resp	Pulse & BP	Temp	1500H	1600H	1700H	1800H	1900H	2000H	2100H	2200H
●	(Resp. Rate – Black)	BLOOD PRESSURE (Red)		220	43								
				200	42								
				180	41								
		˅		160	40								
		ARTERIAL		140	39								
●	(Pulse – Red)	˄	60	120	38								
			50	100	37								
		˄	40	80	36								
X	(Temp – blue)	CUFF	30	60	35								
		˅	20	40	34								
			10	20	33								

	1500H	1600H	1700H	1800H	1900H	2000H	2100H	2200H
SPO2								
SVO2								
CARDIAC RHYTHM								
MAP								
CVP								
CO / CI								
PWCP								
ICP								
ABDOMINAL ☐ / GIRTH ☐ / IAP ☐								

INTAKE	2300H	2400H	0100H	0200H	0300H	0400H	0500H	0600H	8 hours TOTAL	24 Hrs TOTAL
IN-TOTAL										
OUTPUT										
OUT-TOTAL									BALANCE	
VENTILATOR MODE									TOTAL INTAKE 24 Hrs.	
FiO_2										
Machine Rate / Spon. Rate									TOTAL OUTPUT 24 Hrs.	
V_T										
PEEP									TOTAL BALANCE	
Pressure Support										

Blood Glucose / Insulin Given									INSULIN 8 HRS.	INSULIN 24 HRS.

CODE			Resp	Pulse & BP	Temp	2300H	2400H	0100H	0200H	0300H	0400H	0500H	0600H
	(Temp – blue) (Pulse – Red) (Resp. Rate – Black)	BLOOD PRESSURE (Red)		220	43								
				200	42								
●				180	41								
		⌄		160	40								
		ARTERIAL		140	39								
●		⌃	60	120	38								
			50	100	37								
		⌃	40	80	36								
X		CUFF ⌄	30	60	35								
			20	40	34								
			10	20	33								

SPO2								
SVO2								
CARDIAC RHYTHM								
MAP								
CVP								
CO / CI								
PWCP								
ICP								
ABDOMINAL ☐ / GIRTH ☐ / IAP ☐								

RAMSAY SEDATION SCALE
1. Anxious, agitated or restless
2. Cooperative, oriented and tranquil
3. Sedated but responds to light glabellar tap or loud auditory stimulus
4. Asleep; brisk responses to light glabellar tap or loud auditory stimulus
5. Asleep, sluggish responses to light glabellar tap or loud auditory stimulus
6. Asleep: no response to painful stimuli

Time (24 hour clock)				0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600	
GLASGOW COMA SCALE	Eyes Open	Spontaneously	4																									Eyes closed by swelling = C
		To Speech	3																									
		To Pain	2																									
		None	1																									
	Verbal Response	Oriented	5																									Endo tracheal tube or Tracheostomy = T
		Confused	4																									
		Inappropriate Words	3																									
		Incomprehensive Sounds	2																									
		None	1																									
	Best Motor Response	Obeys Commands	6																									Usually record the best arm response
		Localize Pain	5																									
		Withdraws to Pain	4																									
		Flexion to pain	3																									
		Extension to pain	2																									
		None	1																									
RAMSAY SEDATION SCALE																												
PUPIL	Right	Size																										(+) reaction (-) no reaction (C) eye closed
		Reaction																										
	Left	Size																										
		Reaction																										
LIMB MOVEMENT	ARMS	Normal Power	6																									Record right (R) and Left (L) separately if there is a difference between the two sides
		Mild Weakness	5																									
		Severe Weakness	4																									
		Spastic Flexion	3																									
		Extension	2																									
		No Response	1																									
	LEGS	Normal Power	6																									
		Mild Weakness	5																									
		Severe Weakness	4																									
		Spastic Flexion	3																									
		Extension	2																									
		No Response	1																									
PAIN ASSESSMENT TOOL	PAIN SCORE		10																									***Reassessment of Pain must be completed within 15min to 1hr post:*** Oral Analgesics in 1 hr IM Analgesics in 30 mins SCut Analgesics in 20mins IV Analgesics in 15 mins SubL Analgesics in 15mins PR analgesics in 15 mins
			9																									
			8																									
			7																									
			6																									
			5																									
			4																									
			3																									
			2																									
			1																									
			0																									
	Location																											
	Quality																											
	Pharmaceutical																											
	Alternative Intervention																											
	Therapeutic Adverse Effect																											
	Reassessment Score																											





NONVERBAL

Parameters	Pain Assessment Score 0	1	2
Face	No Smile	Grimace	Tearing
Activity	Neutral	Some movement	Restless
Guarding	Neutral	Tensed	Rigid
Physiology	Stable	Slight Change	Obvious Change
Respiratory	Baseline	Slight Change	Severe Change

Therapeutic Adverse Effect

R – Rash	D – Dizziness
V – Vomiting	C – Confusion
Co – Constipation	A – Allergic reaction
H – Hemodynamic Change	R – Respiratory Depression
N - Nausea	H – Hemodynamic Change

VERBAL

Location

1 – Head	4 – Chest	7 – UE or LE	10 - Flank
2 – Neck	5 - Abdomen	8 – Oper. Site	11 - Generalized
3 – Shoulder	6 – Back	9 – Genital area	

Quality

A - Aching	H - Heavy	S – Stabbing
B - Burning	E - Electrical	Sh – Sharp
C - Cramping	R - Radiating	T - Throbbing

Date: **MORNING**

NEUROLOGICAL

I. Level of Consciousness
( ) Alert ( ) Disoriented
( ) Lethargic ( ) Coma ( ) Sedated

II. Reflex
( ) Gag ( ) Cough
( ) Babinski ( ) Corneal

III. Motor
( ) Normal ( ) Decorticate
( ) Decerebate ( ) Other

CARDIOVASCULAR

I. Rhythm: ( ) Regular ( ) Irregular
II. Heart Sound: ( ) S1/S2 ( ) Other
III. Edema: 0 1 2 3 4
Site: ____________________
IV. Capillary Refill: <3 Sec >3 Sec
V. Extremity Coolness: ARM **R / L**
HAND **R / L** LEG **R / L** FOOT **R / L**
VI. Other :

RESPIRATORY

I. Breathing : ( ) Spontaneous
( ) Tracheostomy ( ) Ventilator ______
II. Cough:
( ) No Cough ( ) Productive
( ) Non Productive ( ) Weak ( ) Strong
III. Intubation: Date : Size:
Extubation: **Reintubation:**
IV. Secretions:
Amount: ________________
Consistency: ______________
V. Breath Sound: R/L Clear **R/L** Other
VI. Cyanosis: Location : ______________
VII. Chest Tube
Location: ________ **Level:** ________
Suction: ____________________

GASTROINTESTINAL

I. LBM : Date: _______ Time : ______
II. Diet: ( ) Oral ( ) NGT ( ) OGT ( ) TPN
NPO Other: ________________
III. Abdomen: ( ) Soft ( ) Tender
( ) Flat ( ) Distended ( ) Ascites
IV. Bowel Sound:
( ) Present ( ) Absent
( ) Hypoactive ( ) Hyperactive
V. Drainage Tube: ________________
____

GENITO-URINARY

I. Urine: ( ) Clear ( ) Cloudy
Color: ________________
II. ( ) Void freely ( ) Incontinence
( ) Condom Cath ( ) Foley Catheter
III. Urinary Catheter Size: ________
Date inserted : ________________

INTEGUMENTARY

I. ( ) Intact ( ) Dry ( ) Moist ( ) Moist
( ) Cool
II. Bed Sores: ____________________
____
III. Oral Membrane ( ) Intact ( ) Dry
Color : ____________________

Date: **EVENING**

NEUROLOGICAL

I. Level of Consciousness
( ) Alert ( ) Disoriented
( ) Lethargic ( ) Coma ( ) Sedated

II. Reflex
( ) Gag ( ) Cough
( ) Babinski ( ) Corneal

III. Motor
( ) Normal ( ) Decorticate
( ) Decerebate ( ) Other

CARDIOVASCULAR

I. Rhythm: ( ) Regular ( ) Irregular
II. Heart Sound: ( ) S1/S2 ( ) Other
III. Edema: 0 1 2 3 4
Site: ____________________
IV. Capillary Refill: <3 Sec >3 Sec
V. Extremity Coolness: ARM **R / L**
HAND **R / L** LEG **R / L** FOOT **R / L**
VI. Other :

RESPIRATORY

I. Breathing : ( ) Spontaneous
( ) Tracheostomy ( ) Ventilator ______
II. Cough:
( ) No Cough ( ) Productive
( ) Non Productive ( ) Weak ( ) Strong
III. Intubation: Date : Size:
Extubation: **Reintubation:**
IV. Secretions:
Amount: ________________
Consistency: ______________
V. Breath Sound: R/L Clear **R/L** Other
VI. Cyanosis: Location : ______________
VII. Chest Tube
Location: ________ **Level:** ________
Suction: ____________________

GASTROINTESTINAL

I. LBM : Date: _______ Time : ______
II. Diet: ( ) Oral ( ) NGT ( ) OGT ( ) TPN
NPO Other: ________________
III. Abdomen: ( ) Soft ( ) Tender
( ) Flat ( ) Distended ( ) Ascites
IV. Bowel Sound:
( ) Present ( ) Absent
( ) Hypoactive ( ) Hyperactive
V. Drainage Tube: ________________
____

GENITO-URINARY

I. Urine: ( ) Clear ( ) Cloudy
Color: ________________
II. ( ) Void freely ( ) Incontinence
( ) Condom Cath ( ) Foley Catheter
III. Urinary Catheter Size: ________
Date inserted : ________________

INTEGUMENTARY

I. ( ) Intact ( ) Dry ( ) Moist ( ) Moist
( ) Cool
II. Bed Sores: ____________________
____
III. Oral Membrane ( ) Intact ( ) Dry
Color : ____________________

Date: **NIGHT**

NEUROLOGICAL

I. Level of Consciousness
( ) Alert ( ) Disoriented
( ) Lethargic ( ) Coma ( ) Sedated

II. Reflex
( ) Gag ( ) Cough
( ) Babinski ( ) Corneal

III. Motor
( ) Normal ( ) Decorticate
( ) Decerebate ( ) Other

CARDIOVASCULAR

I. Rhythm: ( ) Regular ( ) Irregular
II. Heart Sound: ( ) S1/S2 ( ) Other
III. Edema: 0 1 2 3 4
Site: ____________________
IV. Capillary Refill: <3 Sec >3 Sec
V. Extremity Coolness: ARM **R / L**
HAND **R / L** LEG **R / L** FOOT **R / L**
VI. Other :

RESPIRATORY

I. Breathing : ( ) Spontaneous
( ) Tracheostomy ( ) Ventilator ______
II. Cough:
( ) No Cough ( ) Productive
( ) Non Productive ( ) Weak ( ) Strong
III. Intubation: Date : Size:
Extubation: **Reintubation:**
IV. Secretions:
Amount: ________________
Consistency: ______________
V. Breath Sound: R/L Clear **R/L** Other
VI. Cyanosis: Location : ______________
VII. Chest Tube
Location: ________ **Level:** ________
Suction: ____________________

GASTROINTESTINAL

I. LBM : Date: _______ Time : ______
II. Diet: ( ) Oral ( ) NGT ( ) OGT ( ) TPN
NPO Other: ________________
III. Abdomen: ( ) Soft ( ) Tender
( ) Flat ( ) Distended ( ) Ascites
IV. Bowel Sound:
( ) Present ( ) Absent
( ) Hypoactive ( ) Hyperactive
V. Drainage Tube: ________________
____

GENITO-URINARY

I. Urine: ( ) Clear ( ) Cloudy
Color: ________________
II. ( ) Void freely ( ) Incontinence
( ) Condom Cath ( ) Foley Catheter
III. Urinary Catheter Size: ________
Date inserted : ________________

INTEGUMENTARY

I. ( ) Intact ( ) Dry ( ) Moist ( ) Moist
( ) Cool
II. Bed Sores: ____________________
____
III. Oral Membrane ( ) Intact ( ) Dry
Color : ____________________

		0700	0900	1100	1300	1500	1700	1900	2100	2300	0100	0300	0500
HYGIENE	Bath: Complete Partial												
	Mouth Care												
	Skin Care												
	Eye Care												
	Ear Care												
	Perineal / Foley Care												
	ETT/Trach Care												
ACTIVITY	Awake Sleeping Resting Sedated Coma												
	Ambulation: Self Assist Chair Dangle												
	Turned : Left Right Back Supine												
	Incentive Spirometer												
	Range of Motion (ROM) / Physio Therapist In												
	Suctioned: Oral Trach ET Nasopharynx												
ROUTINE CHECKS	Restraint: Wrist Ankle Vest												
	Reason: Agitated Confused *Other												
	Restrained Removed and Skin Assessed												
	NGT Placement Verified												
	Residual Amount												
	Bowel Motion: Soft Hard Loose Watery Melena												
	Splints: On Off												
	Elastic Stockings On Off Pneumatic Compressor												
	Bed Air Mattress: On Off												
	Thermo Regulator Cool Warm												

WOUND CONDITION

WOUND TYPE / LOCATION	APPEARANCE	DATE OF DRESSING	REMARKS

INVASIVE LINES AND TUBES

TYPE / LOCATION	FIXATION LEVEL	APPEARANCE	DATE OF INSERTION	DATE OF DRESSING	INSERTED BY	REMARKS

0700-1500	1500-2300	2300-0700	ITEMS CHECKED
☐	☐	☐	ID Band
☐	☐	☐	Ambubag
☐	☐	☐	Suction Set
☐	☐	☐	O_2 Flow Meter
☐	☐	☐	Equipment Alarms
☐	☐	☐	Cardiac Electrodes
☐	☐	☐	Stethoscope
☐	☐	☐	Side Rails Up
☐	☐	☐	Pulse Oximetry
☐	☐	☐	Lines Zeroed

SHIFT	0700-1500	1500-2300	2300-0700
STAFF NAME			
LEGIBLE SIGNATURE			

NURSES NOTES

Date	Time	Notes	Signature

NURSES NOTES

Date	Time	Notes	Signature

NURSES NOTES

Date	Time	Notes	Signature

BLOOD AND BLOOD PRODUCTS TRANSFUSION

Date/ Time	Blood Type	Quantity	Started At	Finished At	Any Reaction	Ordered by	Transfused by	Lab Result	
								Pre	Post

COMMENTS AND MEDICATIONS
