DPP	DEPARTMENT POLICY AND PROCEDURE		
Title	**RECOGNIZING ARRHYTHMIAS**		
Department	**Intensive Care Unit**		
Applies to	**All ICU Medical and Nursing Staff**		
Policy Code and Version Number	**DPP-ICU-028 (v3)**		
Last Version Approval Date	**15/12/2022**	Number of Pages	5

	NAME	POSITION	SIGNATURE	DATE
Prepared by:	**MS. ANJALY MOHAN**	Quality Representative, Intensive Care Unit		30/10/25
	MR. ABDULLAH ALI AL-GHAMDI	Head Nurse, Intensive Care Unit		30/10/2025
	DRA. LILA SAID LAMRANI	Consultant, Intensive Care Unit		30/10/25
Reviewed by:	**DR. SALAH MOHD MANSOUR**	Head of Department, Intensive Care Unit		13-11-25
	MR. MANSOUR AHMED AL-ZAHRANI	Head, Quality Management and Patient Safety		13-11-25
Approved by:	**MR. ABDULMAJEED MOHD AL-SOHEIMI**	Nursing Director		18.11.25
	DR. YOUCEF SOUAYEH	HED Assistant for Medical Affairs		19.11.25

APPROVAL DATE	EFFECTIVE DATE	TYPE OF REVISION	REVIEW DATE
18 / 11 / 2025	2 / 12 / 2025	TRIENNIAL	17 / 11 / 2028

Baha_Cluster
Healthcluster-baha@moh.gov.sa
مستشفى المخواة العام
Al-Mikhwah General Hospital

1.0 PURPOSE

1.1. To identify common cardiac rhythm.

1.2. To monitor the severity and progression of the arrhythmias noted.

2.0 DEFINITION/ABBREVIATION

2.1. **Arrhythmias-** are variations in the normal pattern of electrical stimulation of the heart.

2.2. **ICU –** Intensive Care Unit

2.3. **Carotid Sinus Massage** - involves rubbing the large part of the arterial wall at the point where the common carotid artery, located in the neck, divides into its two main branches

3.0 RESPONSIBILITY

3.1 Nurse must be knowledgeable about cardiac arrhythmias, notify physician once observed and document the arrhythmia and the treatment administered.

4.0 POLICY

4.1. Patients admitted in ICU must be on continuous cardiac monitoring.

4.2. The ICU nurse must be competent in identifying abnormal rhythms and reporting it promptly.

4.3. The nurse must be knowledgeable concerning the proper placement of the monitor leads including that of the defibrillator.

4.4. ECG should be taken when doubtful cardiac rhythm noted in the cardiac monitor and if reverted to sinus rhythm.

4.5. Proper Maintenance of the machine must be employed to avoid malfunction.

4.6. In case of malfunction, the Biomedical Engineer must be called immediately for repair

5.0 PROCEDURE (S)

5.1. Place Electrode on the Chest.

5.1.1. Cardiac monitor

5.1.1.1. Red on the right upper chest wall just below the clavicle

5.1.1.2. Yellow on the left upper chest wall just below the clavicle

5.1.1.3. White on the fourth intercostal space immediately right of sternum

5.1.1.4. Black on the right lower edge of the rib cage

5.1.1.5. Green on the left lower edge of the rib cage

Baha_Cluster
Healthcluster-baha@moh.gov.sa
مستشفى المخواة العام
Al-Mikhwah General Hospital

5.1.2. Defibrillator (LifePak)

5.1.2.1. White on the right upper chest wall just below the clavicle

5.1.2.2. Black on the left upper chest wall just below the clavicle

5.1.2.3. Red on the left lower edge of the rib cage

5.1.3. Defibrillator (Zoll)

5.1.3.1. Red on the right upper chest wall just below the clavicle

5.1.3.2. Yellow on the left upper chest wall just below the clavicle

5.1.3.3. Green on the left lower edge of the rib cage

5.2. Sinus tachycardia

5.2.1. Rate = greater than 100 per minute (usually up to 160)

5.2.2. Rhythm = regular

5.2.3. P waves = normal and upright; one P wave before each QRS and maybe buried in the T wave

5.2.4. P-R interval = normal (0.12 to 0.20 second) and constant

5.2.5. QRS Complex = normal (less than 0.12 second)

5.3. Sinus Bradycardia

5.3.1. Rate = less than 60 per minute

5.3.2. Rhythm = regular

5.3.3. P waves = normal and upright; one P wave before each QRS

5.3.4. P-R interval = normal (0.12 to 0.20 second) and constant

5.3.5. QRS Complex = normal (less than 0.12 second)

5.4. Atrial Flutter

5.4.1. Rate = atrial; 250 to 350 per minute, ventricular; 140 to 160 if untreated and 100 in treated patients

5.4.2. Rhythm = atrial; regular, ventricular; usually regular but maybe irregular

5.4.3. P waves = no true P waves, flutter waves resemble 'saw-tooth" pattern

5.4.4. P-R interval = usually constant but may vary

Baha_Cluster
Healthcluster-baha@moh.gov.sa
مستشفى المخواة العام
Al-Mikhwah General Hospital

5.4.5. QRS Complex = usually normal

5.5. Atrial Fibrillation

5.5.1. Rate = atrial; 400 to 700 per minute, ventricular; 160 to 180 if untreated and 100 in digitalized patients

5.5.2. Rhythm = irregularly irregular

5.5.3. P waves = no P waves, fibrillatory waves instead

5.5.4. P-R interval = none

5.5.5. QRS Complex = normal unless aberrant conduction occurs

5.6. Ventricular Tachycardia

5.6.1. Rate = 100 to 220 per minute

5.6.2. Rhythm = usually regular

5.6.3. P waves = none associated with QRS complex

5.6.4. P-R interval = none

5.6.5. QRS Complex = width is 0.12 second or greater, bizarre in shape, ST segment and T wave are commonly opposite to the QRS

5.7. Ventricular Fibrillation (VF or VFib)

5.7.1. Rate = 150 to 300 uncoordinated waves per minute

5.7.2. Rhythm = totally irregular

5.7.3. P waves = absent

5.7.4. P-R interval = none

5.7.5. QRS Complex = QRS complexes are absent, instead fibrillary waves

5.8. If an abnormal rhythm is observed:

5.8.1. Re-check placement of the electrodes.

5.8.2. Do ECG for proper identification of the arrhythmia.

5.8.3. When certain about the arrhythmia, notify the physician immediately.

5.8.4. Manage pharmacologically according to abnormal rhythm detected. Please refer to policy on Treatment of Arrhythmias.

5.9. Document findings, the treatment given and patient response.

6.0 EQUIPMENTS

6.1. Cardiac monitor

6.2. Electrodes

7.0 ATTACHMENT/FORMS

7.1. Physician Order Form (GDOH-INP-POF-079)

7.2. Nurses Progress Notes (GDOH-NUR-NPN-203)

7.3. ICU Daily Flow Sheet

8.0 REFERENCES

8.1. Advance Cardiac Life Support, Saudi Heart Association Book 2012

9.0 REVISION CLAUSE

9.1. Used the new logo for AL-Baha Health Cluster.

9.2. Modify the policy and procedure lay out, changed the content of the Header and footer

Baha_Cluster
Healthcluster-baha@moh.gov.sa
مستشفى المخواة العام
Al-Mikhwah General Hospital

KINGDOM OF SAUDI ARABIA

وزارة الصحة
Ministry of Health

Hospital: ____________ :مستشفى

Region: ____________ :المنطقة/المحافظة

Dept./Unit: ____________ :القسم/الوحدة

MRN: | | | | | | | | | | :رقم الملف الطبي

Name: ____________ :الاسم

Nationality: ____________ :الجنسية

Age: ____________ [ ] سنة Years [ ] شهر Months [ ] يوم Days :العمر

Date of Birth: ____ / ____ / 14 ____ H ____ / ____ / 20 ____ :تاريخ الميلاد

Gender: [ ] Male [ ] Female :الجنس

PHYSICIAN ORDER FORM

ALLERGIC TO:

DATE	TIME	PHYSICIAN ORDERS	PHYSICIAN STAMP / SIGNATURE	RN INITIAL / JOB NUMBER

KINGDOM OF SAUDI ARABIA

وزارة الصحة
Ministry of Health

Hospital: _____ مستشفى:

Region: _____ المنطقة/المحافظة:

Dept./Unit: _____ القسم/الوحدة:

MRN: | | | | | | | | | | رقم الملف الطبي:

Name: _____ الاسم:

Nationality: _____ الجنسية:

Age: _____ ☐ سنة Years ☐ شهر Months ☐ يوم Days العمر:

Date of Birth: ____ / ____ / 14____ H ____ / ____ / 20____ تاريخ الميلاد:

Gender: ☐ Male ☐ Female الجنس:

NURSES PROGRESS NOTES FORM

DATE &TIME	NURSES NOTES (D-data A-action R-response)	REGISTERED NURSE INITIAL WITH ID NUMBER

Note: Write the time in each entry & affix your initial at the end of each paragraph. Document your complete Name, Initial, Job number, Date & Time at the closure of your documentation. Draw a line across empty spaces.

0 000000 002035

SN ☐

MIKHWA GENERAL HOSPITAL
AL-MIKHWA, AL- BAHA, KSA
INTENSIVE CARE UNIT

MRN | | | | | | | | | | |

Name: _____

Age: ☐☐ Yrs/Months Sex: M ☐ F ☐

Nationality: _____

Consultant In charge: _____

Dept: _____ Unit: _____

DAILY FLOW SHEET

PRIMARY PHYSICIAN	CONSULTANT ON ADMISSION		SURGICAL PROCEDURES	
			(I)	DATE
CONSULTANTS			(II))	DATE
1				
2	HOSPITAL ADMISSION DATE	ICU ADMISSION DATE	(III)	DATE
3				
4				
5				
PATIENT HISTORY	ADMITTED FROM:		(III)	DATE
DIAGNOSIS	NO. OF DAYS IN ICU		(IV)	DATE
PRECAUTIONS	ALLERGIES		(V)	DATE

DATE	INVESTIGATIONS	COMMENTS	DATE	DIAGNOSTIC PROCEDURES	COMMENTS

NURSING CARE PLAN

DATE	TIME	PROBLEMS/ NURSING DIAGNOSIS	GOAL / EXPECTED OUTCOME	INTERVENTION	EVALUATION	NAME/ID NO./ SIGNATURE

Peak Temperature/ Daily Balance (Last 5 Days)		INTAKE	0700H	0800H	0900H	1000H	1100H	1200H	1300H	1400H	8 hours
Date	°C										
		IN-TOTAL									
Patient's Weight	Height	OUTPUT									
APACHE IV Score											
P.M.R.											
		OUT-TOTAL									
L.O.S		VENTILATOR MODE									BALANCE
		FiO_2									
		Machine Rate / Spon. Rate									
Diet / Tube Feeding		V_T									
		PEEP									
		Pressure Support									
		Blood Glucose / Insulin Given									TOTAL INSULIN

CODE			Resp	Pulse & BP	Temp	0700H	0800H	0900H	1000H	1100H	1200H	1300H	1400H
●	(Resp. Rate – Black)	BLOOD PRESSURE (Red) ˅ ARTERIAL ˄		220	43								
				200	42								
				180	41								
				160	40								
				140	39								
●	(Pulse – Red)	˄ CUFF ˅	60	120	38								
			50	100	37								
			40	80	36								
X	(Temp – blue)		30	60	35								
			20	40	34								
			10	20	33								
SPO2													
SVO2													
CARDIAC RHYTHM													
MAP													
CVP													
CO / CI													
PWCP													
ICP													
ABDOMINAL □ / GIRTH □ / IAP □													

INTAKE	1500H	1600H	1700H	1800H	1900H	2000H	2100H	2200H	8 hours
IN-TOTAL									
OUTPUT									
OUT-TOTAL									
VENTILATOR MODE									BALANCE
FiO_2									
Machine Rate / Spon. Rate									
V_T									
PEEP									
Pressure Support									
Blood Glucose / Insulin Given									TOTAL INSULIN

Diet / Tube Feeding

CODE	Resp	Pulse & BP	Temp	1500H	1600H	1700H	1800H	1900H	2000H	2100H	2200H
● (Temp – blue) (Pulse – Red) (Resp. Rate – Black)		220	43								
BLOOD PRESSURE (Red)		200	42								
		180	41								
˅		160	40								
ARTERIAL		140	39								
˄	60	120	38								
	50	100	37								
˄	40	80	36								
X CUFF	30	60	35								
˅	20	40	34								
	10	20	33								
SPO2											
SVO2											
CARDIAC RHYTHM											
MAP											
CVP											
CO / CI											
PWCP											
ICP											
ABDOMINAL □ / GIRTH □ / IAP □											

INTAKE	2300H	2400H	0100H	0200H	0300H	0400H	0500H	0600H	8 hours TOTAL	24 Hrs TOTAL
IN-TOTAL										
OUTPUT										
OUT-TOTAL									BALANCE	
VENTILATOR MODE									TOTAL INTAKE 24 Hrs.	
FiO_2										
Machine Rate / Spon. Rate									TOTAL OUTPUT 24 Hrs.	
V_T										
PEEP									TOTAL BALANCE	
Pressure Support										
Blood Glucose / Insulin Given									INSULIN 8 HRS.	INSULIN 24 HRS.

CODE			Resp	Pulse & BP	Temp	2300H	2400H	0100H	0200H	0300H	0400H	0500H	0600H
		BLOOD PRESSURE (Red)		220	43								
				200	42								
				180	41								
				160	40								
		˅ ARTERIAL		140	39								
●	(Resp. Rate – Black)	˄											
			60	120	38								
			50	100	37								
			40	80	36								
	(Pulse – Red)	˄											
X		CUFF	30	60	35								
		˅											
			20	40	34								
	(Temp – blue)		10	20	33								
SPO2													
SVO2													
CARDIAC RHYTHM													
MAP													
CVP													
CO / CI													
PWCP													
ICP													
ABDOMINAL □ / GIRTH □ / IAP □													

RAMSAY SEDATION SCALE
1. Anxious, agitated or restless
2. Cooperative, oriented and tranquil
3. Sedated but responds to light glabellar tap or loud auditory stimulus
4. Asleep; brisk responses to light glabellar tap or loud auditory stimulus
5. Asleep; sluggish responses to light glabellar tap or loud auditory stimulus
6. Asleep; no response to painful stimuli

Time (24 hour clock)				0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	0100	0200	0300	0400	0500	0600
GLASGOW COMA SCALE	Eyes Open	Spontaneously	4																								
		To Speech	3																								
		To Pain	2																								
		None	1																								
	Verbal Response	Oriented	5																								
		Confused	4																								
		Inappropriate Words	3																								
		Incomprehensive Sounds	2																								
		None	1																								
	Best Motor Response	Obeys Commands	6																								
		Localize Pain	5																								
		Withdraws to Pain	4																								
		Flexion to pain	3																								
		Extension to pain	2																								
		None	1																								
RAMSAY SEDATION SCALE																											
PUPIL		Right Size																									
		Right Reaction																									
		Left Size																									
		Left Reaction																									
LIMB MOVEMENT	ARMS	Normal Power	6																								
		Mild Weakness	5																								
		Severe Weakness	4																								
		Spastic Flexion	3																								
		Extension	2																								
		No Response	1																								
	LEGS	Normal Power	6																								
		Mild Weakness	5																								
		Severe Weakness	4																								
		Spastic Flexion	3																								
		Extension	2																								
		No Response	1																								
PAIN ASSESSMENT TOOL	PAIN SCORE		10																								
			9																								
			8																								
			7																								
			6																								
			5																								
			4																								
			3																								
			2																								
			1																								
			0																								
	Location																										
	Quality																										
	Pharmaceutical																										
	Alternative Intervention																										
	Therapeutic Adverse Effect																										
	Reassessment Score																										

Eyes closed by swelling = C

Endo tracheal tube or Trache ostomy = T

Usually record the best arm response

Pupil size in mm

(+) reaction
(-) no reaction
(C) eye closed

Record right (R) and Left (L) separately if there is a difference between the two sides

Reassessment of Pain must be completed within 15min to 1hr post:

Oral Analgesics in 1 hr
IM Analgesics in 30 mins
SCut Analgesics in 20mins
IV Analgesics in 15 mins
SubL Analgesics in 15mins
PR analgesics in 15 mins

Pain Rating Scales



PAIN ASSESSMENT TOOL	Parameters	Pain Assessment Score 0	1	2	Therapeutic Adverse Effect	
NONVERBAL	Face	No Smile	Grimace	Tearing	R – Rash	D – Dizziness
	Activity	Neutral	Some movement	Restless	V – Vomiting	C – Confusion
	Guarding	Neutral	Tensed	Rigid	Co – Constipation	A – Allergic reaction
	Physiology	Stable	Slight Change	Obvious Change	H – Hemodynamic Change	R – Respiratory Depression
	Respiratory	Baseline	Slight Change	Severe Change	N - Nausea	H – Hemodynamic Change

VERBAL	Location				Quality		
	1 – Head	4 – Chest	7 – UE or LE	10 - Flank	A - Aching	H - Heavy	S – Stabbing
	2 – Neck	5 - Abdomen	8 – Oper. Site	11 - Generalized	B - Burning	E - Electrical	Sh – Sharp
	3 – Shoulder	6 – Back	9 – Genital area		C - Cramping	R - Radiating	T - Throbbing

Date: MORNING	Date: EVENING	Date: NIGHT
NEUROLOGICAL **I. Level of Consciousness** ( ) Alert ( ) Disoriented ( ) Lethargic ( ) Coma ( ) Sedated **II. Reflex** ( ) Gag ( ) Cough ( ) Babinski ( ) Corneal **III. Motor** ( ) Normal ( ) Decorticate ( ) Decerebate ( ) Other	**NEUROLOGICAL** **I. Level of Consciousness** ( ) Alert ( ) Disoriented ( ) Lethargic ( ) Coma ( ) Sedated **II. Reflex** ( ) Gag ( ) Cough ( ) Babinski ( ) Corneal **III. Motor** ( ) Normal ( ) Decorticate ( ) Decerebate ( ) Other	**NEUROLOGICAL** **I. Level of Consciousness** ( ) Alert ( ) Disoriented ( ) Lethargic ( ) Coma ( ) Sedated **II. Reflex** ( ) Gag ( ) Cough ( ) Babinski ( ) Corneal **III. Motor** ( ) Normal ( ) Decorticate ( ) Decerebate ( ) Other
CARDIOVASCULAR **I. Rhythm:** ( ) Regular ( ) Irregular **II. Heart Sound:** ( ) S1/S2 ( ) Other **III. Edema:** 0 1 2 3 4 Site: _____ **IV. Capillary Refill:** <3 Sec >3 Sec **V. Extremity Coolness:** ARM **R / L** HAND **R / L** LEG **R / L** FOOT **R / L** **VI. Other :**	**CARDIOVASCULAR** **I. Rhythm:** ( ) Regular ( ) Irregular **II. Heart Sound:** ( ) S1/S2 ( ) Other **III. Edema:** 0 1 2 3 4 Site: _____ **IV. Capillary Refill:** <3 Sec >3 Sec **V. Extremity Coolness:** ARM **R / L** HAND **R / L** LEG **R / L** FOOT **R / L** **VI. Other :**	**CARDIOVASCULAR** **I. Rhythm:** ( ) Regular ( ) Irregular **II. Heart Sound:** ( ) S1/S2 ( ) Other **III. Edema:** 0 1 2 3 4 Site: _____ **IV. Capillary Refill:** <3 Sec >3 Sec **V. Extremity Coolness:** ARM **R / L** HAND **R / L** LEG **R / L** FOOT **R / L** **VI. Other :**
RESPIRATORY **I. Breathing :** ( ) Spontaneous ( ) Tracheostomy ( ) Ventilator _____ **II. Cough:** ( ) No Cough ( ) Productive ( ) Non Productive ( ) Weak ( ) Strong **III. Intubation:** Date : Size: **Extubation:** **Reintubation:** **IV. Secretions:** Amount: _____ Consistency: _____ **V. Breath Sound: R/L** Clear **R/L** Other **VI. Cyanosis:** Location : _____ **VII. Chest Tube** Location: _____ Level: _____ Suction: _____	**RESPIRATORY** **I. Breathing :** ( ) Spontaneous ( ) Tracheostomy ( ) Ventilator _____ **II. Cough:** ( ) No Cough ( ) Productive ( ) Non Productive ( ) Weak ( ) Strong **III. Intubation:** Date : Size: **Extubation:** **Reintubation:** **IV. Secretions:** Amount: _____ Consistency: _____ **V. Breath Sound: R/L** Clear **R/L** Other **VI. Cyanosis:** Location : _____ **VII. Chest Tube** Location: _____ Level: _____ Suction: _____	**RESPIRATORY** **I. Breathing :** ( ) Spontaneous ( ) Tracheostomy ( ) Ventilator _____ **II. Cough:** ( ) No Cough ( ) Productive ( ) Non Productive ( ) Weak ( ) Strong **III. Intubation:** Date : Size: **Extubation:** **Reintubation:** **IV. Secretions:** Amount: _____ Consistency: _____ **V. Breath Sound: R/L** Clear **R/L** Other **VI. Cyanosis:** Location : _____ **VII. Chest Tube** Location: _____ Level: _____ Suction: _____
GASTROINTESTINAL **I. LBM :** Date: _____ Time : _____ **II. Diet:** ( ) Oral ( ) NGT ( ) OGT ( ) TPN NPO Other: _____ **III. Abdomen:** ( ) Soft ( ) Tender ( ) Flat ( ) Distended ( ) Ascites **IV. Bowel Sound:** ( ) Present ( ) Absent ( ) Hypoactive ( ) Hyperactive **V. Drainage Tube:** _____ _____	**GASTROINTESTINAL** **I. LBM :** Date: _____ Time : _____ **II. Diet:** ( ) Oral ( ) NGT ( ) OGT ( ) TPN NPO Other: _____ **III. Abdomen:** ( ) Soft ( ) Tender ( ) Flat ( ) Distended ( ) Ascites **IV. Bowel Sound:** ( ) Present ( ) Absent ( ) Hypoactive ( ) Hyperactive **V. Drainage Tube:** _____ _____	**GASTROINTESTINAL** **I. LBM :** Date: _____ Time : _____ **II. Diet:** ( ) Oral ( ) NGT ( ) OGT ( ) TPN NPO Other: _____ **III. Abdomen:** ( ) Soft ( ) Tender ( ) Flat ( ) Distended ( ) Ascites **IV. Bowel Sound:** ( ) Present ( ) Absent ( ) Hypoactive ( ) Hyperactive **V. Drainage Tube:** _____ _____
GENITO-URINARY **I. Urine:** ( ) Clear ( ) Cloudy **Color:** _____ **II.** ( ) Void freely ( ) Incontinence ( ) Condom Cath ( ) Foley Catheter **III. Urinary Catheter Size:** _____ Date inserted : _____	**GENITO-URINARY** **I. Urine:** ( ) Clear ( ) Cloudy **Color:** _____ **II.** ( ) Void freely ( ) Incontinence ( ) Condom Cath ( ) Foley Catheter **III. Urinary Catheter Size:** _____ Date inserted : _____	**GENITO-URINARY** **I. Urine:** ( ) Clear ( ) Cloudy **Color:** _____ **II.** ( ) Void freely ( ) Incontinence ( ) Condom Cath ( ) Foley Catheter **III. Urinary Catheter Size:** _____ Date inserted : _____
INTEGUMENTARY **I.** ( ) Intact ( ) Dry ( ) Moist ( ) Moist ( ) Cool **II.** Bed Sores: _____ _____ **III. Oral Membrane** ( ) Intact ( ) Dry **Color :** _____	**INTEGUMENTARY** **I.** ( ) Intact ( ) Dry ( ) Moist ( ) Moist ( ) Cool **II.** Bed Sores: _____ _____ **III. Oral Membrane** ( ) Intact ( ) Dry **Color :** _____	**INTEGUMENTARY** **I.** ( ) Intact ( ) Dry ( ) Moist ( ) Moist ( ) Cool **II.** Bed Sores: _____ _____ **III. Oral Membrane** ( ) Intact ( ) Dry **Color :** _____

		0700	0900	1100	1300	1500	1700	1900	2100	2300	0100	0300	0500
HYGIENE	Bath: Complete Partial												
	Mouth Care												
	Skin Care												
	Eye Care												
	Ear Care												
	Perineal / Foley Care												
	ETT/Trach Care												
ACTIVITY	Awake Sleeping Resting Sedated Coma												
	Ambulation: Self Assist Chair Dangle												
	Turned : Left Right Back Supine												
	Incentive Spirometer												
	Range of Motion (ROM) / Physio Therapist In												
	Suctioned: Oral Trach ET Nasopharynx												
ROUTINE CHECKS	Restraint: Wrist Ankle Vest												
	Reason: Agitated Confused *Other												
	Restrained Removed and Skin Assessed												
	NGT Placement Verified												
	Residual Amount												
	Bowel Motion: Soft Hard Loose Watery Melena												
	Splints: On Off												
	Elastic Stockings On Off Pneumatic Compressor												
	Bed Air Mattress: On Off												
	Thermo Regulator Cool Warm												

WOUND CONDITION

WOUND TYPE / LOCATION	APPEARANCE	DATE OF DRESSING	REMARKS

INVASIVE LINES AND TUBES

TYPE / LOCATION	FIXATION LEVEL	APPEARANCE	DATE OF INSERTION	DATE OF DRESSING	INSERTED BY	REMARKS

0700-1500	1500-2300	2300-0700	ITEMS CHECKED	SHIFT	0700-1500	1500-2300	2300-0700
☐	☐	☐	ID Band				
☐	☐	☐	Ambubag				
☐	☐	☐	Suction Set	STAFF NAME			
☐	☐	☐	O_2 Flow Meter				
☐	☐	☐	Equipment Alarms				
☐	☐	☐	Cardiac Electrodes				
☐	☐	☐	Stethoscope				
☐	☐	☐	Side Rails Up	LEGIBLE SIGNATURE			
☐	☐	☐	Pulse Oximetry				
☐	☐	☐	Lines Zeroed				

NURSES NOTES

Date	Time	Notes	Signature

NURSES NOTES

Date	Time	Notes	Signature

NURSES NOTES

Date	Time	Notes	Signature

BLOOD AND BLOOD PRODUCTS TRANSFUSION

Date/ Time	Blood Type	Quantity	Started At	Finished At	Any Reaction	Ordered by	Transfused by	Lab Result	
								Pre	Post

COMMENTS AND MEDICATIONS