

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="1v037eeqCG1ry8SZ88wyiMtor1WvyffD6xEgW7HH">

    <title>ATG0</title>

    <!-- Styles -->
    <link href="http://127.0.0.1:8000/css/bootstrap.css" rel="stylesheet">
    <link href="http://127.0.0.1:8000/css/style.css" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** The `charset` attribute on the `script` element is obsolete.
[From line 17, column 5; to line 17, column 234](#)
ous">↵ <script type="text/javascript" src="http://ff.kis.v2.scr.kaspersky-labs.com/FD126C42-EBFA-4E12-B309-...5DJJ298Vdrvct7pSYbEFTaAv9CXip1a-WvvTSGr0yg4sRFL33IdympvALGqUTkeiFv6axuTF5aTLD7J3LQ" charset="UTF-8"></scri
- Warning** The `type` attribute is unnecessary for JavaScript resources.
[From line 17, column 5; to line 17, column 234](#)
ous">↵ <script type="text/javascript" src="http://ff.kis.v2.scr.kaspersky-labs.com/FD126C42-EBFA-4E12-B309-...5DJJ298Vdrvct7pSYbEFTaAv9CXip1a-WvvTSGr0yg4sRFL33IdympvALGqUTkeiFv6axuTF5aTLD7J3LQ" charset="UTF-8"></scri
- Error** Attribute `href` not allowed on element `p` at this point.
[From line 87, column 7; to line 87, column 97](#)
"> ↵ <p class="text-uppercase text-muted brand text-inline text-truncate" href="/products/1994">adfsas

Attributes for element [p](#):

[Global attributes](#)

4. **Error** Element [h4](#) not allowed as child of element [span](#) in this context.
(Suppressing further errors from this subtree.)

[From line 90, column 11; to line 90, column 49](#)

```
<h4 href="/products/6" class="fw-bold">10 €</
```

Content model for element [span](#):

[Phrasing content](#).

5. **Error** Element [div](#) not allowed as child of element [span](#) in this context.
(Suppressing further errors from this subtree.)

[From line 91, column 11; to line 91, column 42](#)

```
<div class="align-items-center">↵
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [d1](#) element.

Content model for element [span](#):

[Phrasing content](#).

Document checking completed.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3.   <head>↵
4.     <meta charset="utf-8">↵
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
7.   ↵
8.     <!-- CSRF Token -->↵
9.     <meta name="csrf-token"
content="1v037eeqCG1ry8SZ88wyiMtor1WvyffD6xEgW7HH">↵
10.   ↵
11.     <title>ATGO</title>↵
12.   ↵
13.     <!-- Styles -->↵
14.     <link href="http://127.0.0.1:8000/css/bootstrap.css" rel="stylesheet">↵
15.     <link href="http://127.0.0.1:8000/css/style.css" rel="stylesheet">↵
16.     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css
/bootstrap.min.css" rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
crossorigin="anonymous">↵
17.     <script type="text/javascript" src="http://ff.kis.v2.scr.kaspersky-labs.com
/FD126C42-EBFA-4E12-B309-BB3FDD723AC1
/main.js?attr=fV9Z5DJJ298Vdrvct7pSYbEFTaAv9CXip1a-
WvvTSGr0yg4sRFL33IdympvALGqUTkeiFv6axuTF5aTLD7J3LQ" charset="UTF-8"></script>
<script>↵
18.     // Fix for Firefox autofocus CSS bug↵
```

```

19.      // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
      messes-up-css-loading/18945951#18945951↵
20.    </script>↵
21.    <script src=http://127.0.0.1:8000/js/app.js defer>↵
22.    </script>↵
23.    <script src=http://127.0.0.1:8000/js/cart.js defer>↵
24.    </script>↵
25.    <script src="https://kit.fontawesome.com/42e31a210b.js"
      crossorigin="anonymous">↵
26.    </script>↵
27.    <script src=http://127.0.0.1:8000/js/prodPage.js defer>↵
28.    </script>↵
29.  </head>↵
30.  <body class="d-flex flex-column min-vh-100" style="background-color:
      rgba(219, 217, 211, 1);">↵
31.    <main>↵
32.      <header>↵
33.        <nav class="navbar navbar-expand-lg">↵
34.          <div class="container-fluid text-warning">↵
35.            <a class="navbar-brand text-warning "
      href="http://127.0.0.1:8000">ATGO</a>↵
36.            <button class="navbar-toggler border-1 btn-outline-warning text-
      warning" type="button" data-bs-toggle="collapse" data-bs-
      target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
      expanded="false" aria-label="Toggle navigation">↵
37.              <span class="navbar-toggler-icon"></span>↵
38.            </button>↵
39.            <div class="collapse navbar-collapse" id="navbarSupportedContent">↵
40.              <ul class="navbar-nav me-auto mb-2 mb-lg-0">↵
41.                <li class="nav-item">↵
42.                  <a class="nav-link active text-warning"
      href="http://127.0.0.1:8000/user"><span>Asuka</span></a>↵
43.                </li>↵
44.                <li class="nav-item dropdown">↵
45.                  <a class="nav-link dropdown-toggle dropdown-outline-warning
      text-warning" href="#" role="button" data-bs-toggle="dropdown" aria-
      expanded="false">↵
46.                    Products↵
47.                  </a>↵
48.                  <ul class="dropdown-menu" style="background-color:
      #f8f9fa;">↵
49.                    <li><a class="dropdown-item text-warning"
      href="http://127.0.0.1:8000/products/shoes">Shoes</a></li>↵
50.                    <li><a class="dropdown-item text-warning"
      href="http://127.0.0.1:8000/products/books">Books</a></li>↵
51.                    <li><a class="dropdown-item text-warning"
      href="http://127.0.0.1:8000/products/funkoPops">FunkoPops</a></li>↵
52.                  </ul>↵
53.                </li>↵
54.                <li class="nav-item">↵
55.                  <a class="nav-link active text-warning"
      href="http://127.0.0.1:8000/cart">Cart</a>↵
56.                </li>↵
57.                <li class="nav-item">↵
58.                  <a class="nav-link active text-warning"
      href="http://127.0.0.1:8000/wishlist">Wishlist</a>↵
59.                </li>↵
60.                <li class="nav-item">↵
61.                  <a class="nav-link active text-warning"
      href="http://127.0.0.1:8000/logout">Logout</a>↵
62.                </li>↵
63.              </ul>↵
64.            <form class="d-flex" role="search" action="/search"
      method="get">↵
65.              <input name="search" id="search" class="form-control me-2"
      type="search" placeholder="Search" aria-label="Search">↵
66.              <button class=" search btn btn-outline-warning text-white"
      type="submit">Search</button>↵
67.            </form>↵

```

```

68.         </div>↵
69.     </div>↵
70. </nav>↵
71. </header>↵
72.     <section id="content">↵
73.         <div class="d-flex flex-wrap flex-row p-2 ms-2">↵
74.             <div class="card mx-auto mb-3" style="width: 18rem;" id="product_6" data-
id="6">↵
75.                 <div class="d-flex mx-auto align-items-center"> ↵
76.                     <a href="/products/6" class="card-link"></a>↵
77.                 </div>↵
78.                 <div class="d-flex card-body align-items-center">↵
79.                     <h3 class="card-title">↵
80.                         <a href="/products/6" class="card-link text-decoration-none">↵
81.                             Hamlet↵
82.                         </a>↵
83.                     </h3>↵
84.                 </div>↵
85.                 <div class="product p-4 pt-1">↵
86.                     <div class=""> ↵
87.                         <p class="text-uppercase text-muted brand text-inline text-truncate"
href="/products/1994">adfsasfdsafadfasfasfas</p>↵
88.                     <div class="price d-flex flex-row align-items-center"> ↵
89.                         <span class="act-price text-warning fw-bold">↵
90.                             <h4 href="/products/6" class="fw-bold">10 €</h4>↵
91.                             <div class="align-items-center">↵
92.                                 <h4 href="/products/6">2 <i class="fa-solid fa-star"></i></h4>↵
93.                             </div>↵
94.                         </span>↵
95.                     </div>↵
96.                 </div>↵
97.             </div>↵
98.             <div class="cart mx-auto mb-3 align-items-center">↵
99.                 <!--<a href="/products/6" class="card-link">More details</a>-->↵
100.                 <div class="popup">↵
101.                     <input class="btn btn-danger text-uppercase mr-2 px-4" type="button"
value="Add to Cart" onclick="return addToCart( 6,1 )">↵
102.                     <span class="popuptext" id="cartAdded_6">Added to cart!</span>↵
103.                     <span id="cart_login_6" class="popuptext">Please Login to use this
feature</span>↵
104.                 </div>↵
105.                 ↵
106.                 <div class="popup">↵
107.                     <button class="btn ms-3" type="button" value="Add to Wishlist"
onclick="return addToWishlist( 6 )">↵
108.                         <i class="fa-regular fa-heart fa-xl text-danger ml-5"></i>↵
109.                     </button>↵
110.                     <span class="popuptext" id="watchMSG_6">Added to wishlist!</span>↵
111.                     <span id="unwatchMSG_6" class="popuptext">Removed from Wishlist!</span>↵
112.                     <span id="wish_login_6" class="popuptext">Please Login to use this
feature</span>↵
113.                 </div>↵
114.                 <!--↵
115.                 <div class=""> ↵
116.                     <input class="btn btn-danger text-uppercase mr-2 px-4" type="button"
value="Add to Cart" onclick="return addToCart( 6,getQuantity() )">↵
117.                     <button class="btn ms-3" type="button" value="Add to Wishlist"
onclick="return addToWishlist( 6 )">↵
118.                         <i class="fa fa-heart text-warning ml-5"></i>↵
119.                     </button>↵
120.                 </div>↵
121.                 -->↵
122.                 <!--<span id="unwatchMSG_6" class="text-danger"
style="display:none">Removed from Wishlist!</span>↵
123.                 <span id="watchMSG_6" class="text-danger" style="display:none">Added to
Wishlist!</span>↵
124.                 <span id="cartAdded_6" class="text-danger" style="display:none">Added to

```

```

125.     <span id="login_6" class="text-danger" style="display:none">Please Login to
126.     use this feature</span>-->↵
127. </div>↵
128. ↵
129.     </section>↵
130. </main>↵
131.     <footer class="text-center text-lg-start text-muted mt-auto"
132.     style="background-color: rgba(0, 0, 0, 0.05);">↵
133.         <section class="">↵
134.             <div class="container text-center ">↵
135.                 <div class="d-flex flex-row justify-content-between align-items-
136.                 center">↵
137.                     <div class="col-md-2 col-lg-2 col-xl-2 mx-auto ">↵
138.                         <h6 class="text-uppercase fw-bold " style="margin:auto">↵
139.                             <a href="http://127.0.0.1:8000/faq"
140.                             style="margin:auto">FAQ</a>↵
141.                         </h6>↵
142.                     </div>↵
143.                     <div class="col-md-2 col-lg-2 col-xl-2 mx-auto ">↵
144.                         <h6 class="text-uppercase fw-bold ">↵
145.                             <a href="http://127.0.0.1:8000/about">About</a>↵
146.                         </h6>↵
147.                     </div>↵
148.                     <div class="col-md-2 col-lg-2 col-xl-2 mx-auto mb-md-0">↵
149.                         <h6 class="text-uppercase fw-bold ">↵
150.                             <a href="http://127.0.0.1:8000/contact">Contact Us</a>↵
151.                         </h6>↵
152.                     </div>↵
153.                 </div>↵
154.             </div>↵
155.         </section>↵
156.         <div class="text-center p-4" style="background-color: rgba(0, 0, 0,
157.         0.05);">↵
158.             © 2022-2023 Copyright:↵
159.             <a class="text-reset fw-bold">LBAW2292</a>↵
160.         </div>↵
161.     </footer>↵
162.     <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.6/dist/umd
163.     /popper.min.js" integrity="sha384-
164.     oBqDVmMz9ATKxIep9tiCxS/Z9fNfEXiDAYTujMAeBAsjFuCZSmKbSSUnQlhm/jp3"
165.     crossorigin="anonymous"></script>↵
166.     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js
167.     /bootstrap.min.js" integrity="sha384-
168.     cuYeSxntonz0PPNlHhBs68uyIAVpII0ZZ5JqeqvYYIcEL727kskC66kF92t6X12V"
169.     crossorigin="anonymous"></script>↵
170. </body>↵
171. </html>

```

Used the HTML parser.

Total execution time 22 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5