

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="1v037eeqCG1ry8SZ88wyiMtor1WvyffD6xEgW7HH">

    <title>ATG0</title>

    <!-- Styles -->
    <link href="http://127.0.0.1:8000/css/bootstrap.css" rel="stylesheet">
    <link href="http://127.0.0.1:8000/css/style.css" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning

 The `charset` attribute on the `script` element is obsolete.
[From line 17, column 5; to line 17, column 234](#)

```
ous"><script type="text/javascript" src="http://ff.kis.v2.scr.kaspersky-
labs.com/FD126C42-EBFA-4E12-B309-...
Cb5_DugbWmN5JQ_Pq1_UODf_s63d3udunp4Rg00ES5Rx1P0y-BN9Yw6Ng-
```
- Warning

 The `type` attribute is unnecessary for JavaScript resources.
[From line 17, column 5; to line 17, column 234](#)

```
ous"><script type="text/javascript" src="http://ff.kis.v2.scr.kaspersky-
labs.com/FD126C42-EBFA-4E12-B309-...
Cb5_DugbWmN5JQ_Pq1_UODf_s63d3udunp4Rg00ES5Rx1P0y-BN9Yw6Ng-
```
- Error

 Attribute `href` not allowed on element `h5` at this point.
[From line 92, column 21; to line 92, column 66](#)

```
<h5 class="text-uppercase" href="/products/2">Madame
```

4. **Error** Element `h4` not allowed as child of element `span` in this context.

(Suppressing further errors from this subtree.)

[From line 95, column 25; to line 95, column 63](#)

```
<h4 href="/products/2" class="fw-bold">186.75
```

Content model for element `span`:

[Phrasing content](#).

5. **Error** Element `div` not allowed as child of element `span` in this context.

(Suppressing further errors from this subtree.)

[From line 96, column 25; to line 96, column 56](#)

```
<div class="align-items-center">↵
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `d1` element.

Content model for element `span`:

[Phrasing content](#).

6. **Error** End tag `h2` seen, but there were open elements.

[From line 97, column 85; to line 97, column 89](#)

```
star"></i></h2>↵
```

7. **Error** Duplicate attribute `value`.

[At line 122, column 176](#)

```
mr-2 px4" value="1" max="41">↵
```

8. **Error** Attribute `min` not allowed on element `input` at this point.

[From line 122, column 21; to line 122, column 189](#)

```
<input size="6" style="border-radius: 4px;" type="text"
```

```
id="quantity" name="quantity" value="1" min="1" class="btn btn-primary input-  
number mr-2 px4" value="1" max="41">↵
```

Attributes for element `input`:

[Global attributes](#)

[accept](#) when type is [file](#)

[alt](#) when type is [image](#)

[autocomplete](#) when type is [text](#), [search](#), [url](#), [tel](#), [email](#), [password](#), [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), [range](#), or [color](#)

[autofocus](#)

[checked](#) when type is [checkbox](#) or [radio](#)

dirname	when type is text or search
disabled	
form	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image
height	when type is image
list	when type is text , search , url , tel , email , date , month , week , time , datetime-local , number , range , or color
max	when type is date , month , week , time , datetime-local , number , or range
maxlength	when type is text , search , url , tel , email , or password
min	when type is date , month , week , time , datetime-local , number , or range
multiple	when type is email or file
name	
pattern	when type is text , search , url , tel , email , or password
placeholder	when type is text , search , url , tel , email , password , or number
readonly	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , or number
required	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , checkbox , radio , or file
size	when type is text , search , url , tel , email , or password
src	when type is image
step	when type is date , month , week , time , datetime-local , number , or range
type	
value	when type is not file or image
width	when type is image

9. **Error** **Attribute** `max` **not allowed on element** `input` **at this point.**

[From line 122, column 21; to line 122, column 189](#)

```
<input size="6" style="border-radius: 4px;" type="text"
id="quantity" name="quantity" value="1" min="1" class="btn btn-primary input-
number mr-2 px4" value="1" max="41">
```

Attributes for element `input`:

[Global attributes](#)

accept	when type is file
alt	when type is image
autocomplete	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , range , or color
autofocus	
checked	when type is checkbox or radio
dirname	when type is text or search
disabled	
form	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image
height	when type is image
list	when type is text , search , url , tel , email , date , month , week , time , datetime-local , number , range , or color
max	when type is date , month , week , time , datetime-local , number , or range
maxlength	when type is text , search , url , tel , email , or password
min	when type is date , month , week , time , datetime-local , number , or range
multiple	when type is email or file
name	
pattern	when type is text , search , url , tel , email , or password
placeholder	when type is text , search , url , tel , email , password , or number
readonly	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , or number
required	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , checkbox , radio , or file
size	when type is text , search , url , tel , email , or password
src	when type is image
step	when type is date , month , week , time , datetime-local , number , or range
type	
value	when type is not file or image
width	when type is image

10. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with](#)

unquoted attribute values.[From line 145, column 23; to line 145, column 88](#)

```
<input id="id_product" name="id_product" value=2 required
hidden/><␣␣␣
```

11. **Error** Duplicate ID `id_product`.

[From line 153, column 23; to line 153, column 88](#)

```
<input id="id_product" name="id_product" value=2 required hidden/><␣␣␣
```

12. **Warning** The first occurrence of ID `id_product` was here.

[From line 145, column 23; to line 145, column 88](#)

```
<input id="id_product" name="id_product" value=2 required
hidden/><␣␣␣
```

13. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values.](#)

[From line 153, column 23; to line 153, column 88](#)

```
<input id="id_product" name="id_product" value=2 required hidden/><␣␣␣
```

14. **Error** End tag `section` seen, but there were open elements.

[From line 212, column 3; to line 212, column 12](#)

```
</div><␣␣␣ </section><␣␣␣ </art
```

15. **Error** Unclosed element `div`.

[From line 75, column 5; to line 75, column 38](#)

```
m-2"><␣␣␣ <div class="container py-5 h-100"><␣␣␣
```

16. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles.](#)

[From line 73, column 13; to line 73, column 33](#)

```
<article data-id="2"><␣␣␣ <se
```

17. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 72, column 9; to line 72, column 30](#)

```
><␣␣␣ <section id="content"><␣␣␣
```

Document checking completed.

Source

```

1. <!DOCTYPE html><↵
2. <html lang="en">↵
3.   <head>↵
4.     <meta charset="utf-8">↵
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
7.   ↵
8.     <!-- CSRF Token -->↵
9.     <meta name="csrf-token"
content="1v037eeqCG1ry8SZ88wyiMtor1WvyffD6xEgW7HH">↵
10.   ↵
11.     <title>ATGO</title>↵
12.   ↵
13.     <!-- Styles -->↵
14.     <link href="http://127.0.0.1:8000/css/bootstrap.css" rel="stylesheet">↵
15.     <link href="http://127.0.0.1:8000/css/style.css" rel="stylesheet">↵
16.     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css
/bootstrap.min.css" rel="stylesheet" integrity="sha384-
rbsAZ2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLWZJEdK2Kadq2F9CUG65"
crossorigin="anonymous">↵
17.     <script type="text/javascript" src="http://ff.kis.v2.scr.kaspersky-labs.com
/FD126C42-EBFA-4E12-B309-BB3FDD723AC1
/main.js?attr=2JkDCb5 DugbWmN5JQ Pq1 UODf s63d3udunp4Rg00ES5Rx1P0y-BN9Yw6Ng-
aZp20lgmwGaGTmMFLUYZ3Y5g" charset="UTF-8"></script><script>↵
18.       // Fix for Firefox autofocus CSS bug↵
19.       // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
messes-up-css-loading/18945951#18945951↵
20.     </script>↵
21.     <script src=http://127.0.0.1:8000/js/app.js defer>↵
22.     </script>↵
23.     <script src=http://127.0.0.1:8000/js/cart.js defer>↵
24.     </script>↵
25.     <script src="https://kit.fontawesome.com/42e31a210b.js"
crossorigin="anonymous">↵
26.     </script>↵
27.     <script src=http://127.0.0.1:8000/js/prodPage.js defer>↵
28.     </script>↵
29.   </head>↵
30.   <body class="d-flex flex-column min-vh-100" style="background-color:
rgba(219, 217, 211, 1);">↵
31.     <main>↵
32.       <header>↵
33.         <nav class="navbar navbar-expand-lg">↵
34.           <div class="container-fluid text-warningZ">↵
35.             <a class="navbar-brand text-warning "
href="http://127.0.0.1:8000">ATGO</a>↵
36.             <button class="navbar-toggler border-1 btn-outline-warning text-
warning" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">↵
37.               <span class="navbar-toggler-icon"></span>↵
38.             </button>↵
39.             <div class="collapse navbar-collapse" id="navbarSupportedContent">↵
40.               <ul class="navbar-nav me-auto mb-2 mb-lg-0">↵
41.                 <li class="nav-item">↵
42.                   <a class="nav-link active text-warning"
href="http://127.0.0.1:8000/user"><span>Asuka</span></a>↵
43.                 </li>↵
44.                 <li class="nav-item dropdown">↵
45.                   <a class="nav-link dropdown-toggle dropdown-outline-warning
text-warning" href="#" role="button" data-bs-toggle="dropdown" aria-
expanded="false">↵

```

```

46.         Products<↵
47.     </a><↵
48.     <ul class="dropdown-menu" style="background-color:
#f8f9fa;">↵
49.         <li><a class="dropdown-item text-warning"
href="http://127.0.0.1:8000/products/shoes">Shoes</a></li><↵
50.         <li><a class="dropdown-item text-warning"
href="http://127.0.0.1:8000/products/books">Books</a></li><↵
51.         <li><a class="dropdown-item text-warning"
href="http://127.0.0.1:8000/products/funkoPops">FunkoPops</a></li><↵
52.     </ul><↵
53. </li><↵
54.         <li class="nav-item"><↵
55.         <a class="nav-link active text-warning"
href="http://127.0.0.1:8000/cart">Cart</a><↵
56.     </li><↵
57.         <li class="nav-item"><↵
58.         <a class="nav-link active text-warning"
href="http://127.0.0.1:8000/wishlist">Wishlist</a><↵
59.     </li><↵
60.         <li class="nav-item"><↵
61.         <a class="nav-link active text-warning"
href="http://127.0.0.1:8000/logout">Logout</a><↵
62.     </li><↵
63. </ul><↵
64. <form class="d-flex" role="search" action="/search"
method="get"><↵
65.     <input name="search" id="search" class="form-control me-2"
type="search" placeholder="Search" aria-label="Search"><↵
66.     <button class=" search btn btn-outline-warning text-white"
type="submit">Search</button><↵
67. </form><↵
68. </div><↵
69. </div><↵
70. </nav><↵
71. </header><↵
72.     <section id="content"><↵
73.         <article data-id="2"><↵
74.         <section class="h-100 gradient-custom-2"><↵
75.         <div class="container py-5 h-100"><↵
76.             <div class="row d-flex justify-content-center align-items-center h-100"><↵
77.                 <div class="col col-lg-9 col-xl-7"><↵
78.                 <↵
79.                 <div class="card py-5 rounded-top"><↵
80.                     <div class="row"><↵
81.                         <div class="col-md-6"><↵
82.                             <div class="images p-3"><↵
83.                                 <div class="text-center p-4">↵
84.                                     <↵
85.                                     </div><↵
86.                                 </div><↵
87.                             </div><↵
88.                         <div class="col-md-6"><↵
89.                             <div class="product p-4"><↵
90.                                 <div class="mt-4 mb-3">↵
91.                                     <span class="text-uppercase text-muted
brand">SKU:750</span><↵
92.                                     <h5 class="text-uppercase" href="/products/2">Madame
Bovary</h5><↵
93.                                     <div class="price d-flex flex-row align-items-center">↵
94.                                         <span class="act-price text-warning fw-bold"><↵
95.                                         <h4 href="/products/2" class="fw-bold">186.75€</h4><↵
96.                                         <div class="align-items-center"><↵
97.                                             <h3 href="/products/2">5 <i class="fa-solid fa-
star"></i></h2><↵
98.                                     </div><↵
99.                                         </span><↵

```

```

100.         </div>↵
101.     </div>↵
102.     <p class="about">↵
103.         ↵
104.     </p>↵
105.     <span id="unwatchMSG_2" class="text-danger"
style="display:none">Removed from Wishlist!</span>↵
106.     <span id="watchMSG_2" class="text-danger"
style="display:none">Added to Wishlist!</span>↵
107.     <span id="cartAdded_2" class="text-danger"
style="display:none">Added to cart!</span>↵
108.     <span id="login_2" class="text-danger"
style="display:none">Please Login to use this feature</span>↵
109.         <script>↵
110.             function getQuantity(){↵
111.                 return document.getElementById('quantity').value;↵
112.             }↵
113.         </script>↵
114.         <div class="d-flex flex-row align-items-center">↵
115.             <label for="quantity">Quantity:</label>↵
116.             <div class="input-group d-flex flex-row mt-2 justify-
content-center">↵
117.                 <div class="input-group-btn">↵
118.                     <button id="down" class="btn btn-default" onclick="
down('1')">↵
119.                         <span class="fa-solid fa-minus text-warning"></span>↵
120.                     </button>↵
121.                 </div>↵
122.                 <input size="6" style="border-radius: 4px;" type="text"
id="quantity" name="quantity" value="1" min="1" class="btn btn-primary input-
number mr-2 px4" value="1" max="41">↵
123.                 <div class="input-group-btn align-items-center">↵
124.                     <button id="up" class="btn btn-default"
onclick="up('41')">↵
125.                         <span class="fa-solid fa-plus text-warning"></span>↵
126.                     </button>↵
127.                 </div>↵
128.             </div>↵
129.         </div>↵
130.         <div class="cart mt-4 align-items-center"> ↵
131.             <input class="btn btn-danger text-uppercase mr-2 px-4"
type="button" value="Add to Cart" onclick="return addToCart( 2,getQuantity()
)">↵
132.             <button class="btn ms-3" type="button" value="Add to
Wishlist" onclick="return addToWishlist( 2 )">↵
133.                 <i class="fa-regular fa-heart fa-xl text-danger ml-5"></i>↵
134.             </button>↵
135.         </div>↵
136.     </div>↵
137. </div>↵
138. ↵
139. <div class="">↵
140.     <div class="p-4" style="background-color: #f8f9fa;"> ↵
141.         <div class="mx-auto">↵
142.             <p class="lead fw-normal
mb-3">Administrative Actions</p>↵
143.             <div class="d-grid">↵
144.                 <form method="GET" style="margin-bottom:1.5em"
action="http://127.0.0.1:8000/updateProduct">↵
145.                     <input id="id_product" name="id_product" value=2 required
hidden/>↵
146.                     ↵
147.                     <input class="btn btn-primary" type="submit"
value="Update Product">↵
148.                 </form>↵
149.             </div>↵
150.             <div class="d-grid">↵
151.                 <form method="POST" action="http://127.0.0.1:8000
/deleteProduct">↵

```



```
152.         <input type="hidden" name="_token"
value="1v037eeqCG1ry8SZ88wyiMtor1WvyffD6xEgW7HH">↵
153.         <input id="id_product" name="id_product" value=2 required
hidden/>↵
154.         <input class="btn btn-danger" type="submit" value="Delete
Product">↵
155.     </form>↵
156. </div>↵
157.         </div>↵
158.     </div>↵
159. </div>↵
160. ↵
161.     <div class="">↵
162.         <div class="p-4" style="background-color: #ffffff;">↵
163.             <p class="lead fw-normal mb-3">Some Reviews</p>↵
164.             <div class="mx-auto">↵
165.                 <ul class="" style="list-style-type: none; padding-left:
0px;">↵
166.                     <li class="mb-3">↵
167.                         <div class="d-grid p-2 rounded-top rounded-bottom"
style="background-color: #f8f9fa;">↵
168.                             <div class="d-flex flex-row flex-wrap">↵
169.                                 <p class="d-inline fw-bold"> Lesly </p>↵
170.                                 <p class="d-inline"> 2022-07-18 00:00:00 </p>↵
171.                             </div>↵
172.                             <div>↵
173.                                 <p> Phased 5th generation workforce</p>↵
174.                             </div>↵
175.                                 <p> 5 <i class="fa-regular fa-star"></i></p>↵
176.                             </div>↵
177.                         </li>↵
178.                     </ul>↵
179.                 </div>↵
180.             </div>↵
181.         </div>↵
182.     </div>↵
183. ↵
184.     <div class="">↵
185.         <div class="p-4" style="background-color: #ffffff;">↵
186.             <p class="lead fw-normal mb-3">Post a Review</p>↵
187.             <div class="mx-auto">↵
188.                 <ul class="" style="list-style-type: none; padding-left:
0px;">↵
189.                     <li class="mb-3">↵
190.                         <div class="d-grid p-2 rounded-top rounded-bottom"
style="background-color: #f8f9fa;">↵
191.                             <textarea id="confirmationText" class="text form-
control mb-3" cols="86" rows="3" name="reviewText" form="reviewForm">
</textarea>↵
192.                             <form method="POST" class="add_review align-items-
center" id="reviewForm" name="reviewForm" action="http://127.0.0.1:8000
/addReview">↵
193.                                 <input type="hidden" name="_token"
value="1v037eeqCG1ry8SZ88wyiMtor1WvyffD6xEgW7HH">↵
194.                                 <label for="rating">Rating (between 1 and
5):</label>↵
195.                                 <input style="margin-right: 2em;" type="number"
id="rating" name="rating" min="1" max="5">↵
196.                                 <input name="id_product" value="2" hidden
required>↵
197.                                 <input class="btn btn-primary" type="submit"
name="submitReview" value="Submit Review">↵
198.                             </form>↵
199.                         </div>↵
200.                     </li>↵
201.                 </ul>↵
202.             </div>↵
203.         </div>↵
204.     </div>↵
```

```

205.         </div><br>
206.         <br>
207.         <br>
208.         </div><br>
209.     </div><br>
210. </div><br>
211. </div><br>
212. </section><br>
213. </article>         </section><br>
214. </main><br>
215.     <footer class="text-center text-lg-start text-muted mt-auto"
style="background-color: rgba(0, 0, 0, 0.05);"><br>
216.         <section class=""><br>
217.             <div class="container text-center "><br>
218.                 <div class="d-flex flex-row justify-content-between align-items-
center"><br>
219.                     <div class="col-md-2 col-lg-2 col-xl-2 mx-auto "><br>
220.                         <h6 class="text-uppercase fw-bold " style="margin:auto"><br>
221.                             <a href="http://127.0.0.1:8000/faq"
style="margin:auto">FAQ</a><br>
222.                         </h6><br>
223.                     </div><br>
224.                     <div class="col-md-2 col-lg-2 col-xl-2 mx-auto "><br>
225.                         <h6 class="text-uppercase fw-bold "><br>
226.                             <a href="http://127.0.0.1:8000/about">About</a><br>
227.                         </h6><br>
228.                     </div><br>
229.                     <div class="col-md-2 col-lg-2 col-xl-2 mx-auto mb-md-0"><br>
230.                         <h6 class="text-uppercase fw-bold "><br>
231.                             <a href="http://127.0.0.1:8000/contact">Contact Us</a><br>
232.                         </h6><br>
233.                     </div><br>
234.                 </div><br>
235.             </div><br>
236.         </section><br>
237.     <div class="text-center p-4" style="background-color: rgba(0, 0, 0,
0.05);"><br>
238.         © 2022-2023 Copyright:<br>
239.         <a class="text-reset fw-bold">LBAW2292</a><br>
240.     </div><br>
241. </footer><br>
242.     <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.6/dist/umd
/popper.min.js" integrity="sha384-
oBqDVmMz9ATKxIep9tiCxS/Z9fNfEXiDAYTujMAeBAsjFuCZSmKbSSUnQlhm/jp3"
crossorigin="anonymous"></script><br>
243.     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js
/bootstrap.min.js" integrity="sha384-
cuYeSxntonz0PPNlHhBs68uyIAVpII0ZZ5JqeqvYYIcEL727kskC66kF92t6X12V"
crossorigin="anonymous"></script><br>
244. </body><br>
245. </html>

```

Used the HTML parser.

Total execution time 82 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5