

```
import { useState } from "react";
```

```
/* — TOKENS — */
```

```
const C = {  
  bg:"#F9F6F2", surface:"#FFFFFF", card:"#FFFFFF", warm:"#F2EBE3",  
  border:"#E8DDD4", borderLight:"#EDE4DC",  
  rose:"#C4526E", roseDim:"#C4526E12",  
  gold:"#B8893A", goldDim:"#B8893A12",  
  ink:"#1C1410", muted:"#8C7B72", dim:"#C5B8AF",  
  green:"#3A9E6A", greenDim:"#3A9E6A12",  
  blue:"#4A7AB8", blueDim:"#4A7AB812",  
  purple:"#7A5AB8", purpleDim:"#7A5AB812",  
  amber:"#E8A030", amberDim:"#E8A03012",  
};
```

```
/* — DATA — */
```

```
const ARTISTS = [  
  { id:"a1", name:"Amanda Makhathini", handle:"@amanda.mua", type:"artist", role:"L",  
    settings:{ houseCallsEnabled:true, callOutFee:true, callOutRate:4, callOutBas  
      verification:{ identity:true, portfolio:true, firstAppointment:true, skillAss  
    },  
  },  
  { id:"a2", name:"Thandi Mokoena", handle:"@thandi_nails", type:"artist", role:"L",  
    settings:{ houseCallsEnabled:false, callOutFee:false, callOutRate:0, callOutBas  
      verification:{ identity:true, portfolio:true, firstAppointment:true, skillAss  
    },  
  },  
  { id:"a3", name:"Palesa Sithole", handle:"@palesa_lash", type:"artist", role:"L",  
    settings:{ houseCallsEnabled:true, callOutFee:true, callOutRate:5, callOutBas  
      verification:{ identity:true, portfolio:true, firstAppointment:true, skillAss  
    },  
  },  
  { id:"a4", name:"Zintle Xaba", handle:"@zintle_hair", type:"artist", role:"Natu",  
    settings:{ houseCallsEnabled:true, callOutFee:true, callOutRate:6, callOutBas  
      verification:{ identity:true, portfolio:true, firstAppointment:false, skillAs  
    },  
  },  
  { id:"a5", name:"Nomsa Khumalo", handle:"@nomsa_glam", type:"artist", role:"Gla",  
    settings:{ houseCallsEnabled:true, callOutFee:true, callOutRate:4, callOutBas  
      verification:{ identity:true, portfolio:true, firstAppointment:false, skillAs  
    },  
  },  
];
```

```
const PROVINCES = ["All Provinces","GP – Gauteng","WC – Western Cape","KZN – KwaZ  
const CATEGORIES = ["All Categories","Makeup Artist","Nail Technician","Hair Styl  
const SCREENS = ["Discover","Book","Artist Profile","My Dashboard","Settings","Ho
```

```
export default function GlamNet() {
```

```

const [screen, setScreen] = useState("Discover");
const [selectedArtist, setSelectedArtist] = useState(ARTISTS[0]);
const [province, setProvince] = useState("All Provinces");
const [category, setCategory] = useState("All Categories");
const [houseCallsOnly, setHouseCallsOnly] = useState(false);
const [bookStep, setBookStep] = useState(0);
const [dashTab, setDashTab] = useState("overview");
const [settingsTab, setSettingsTab] = useState("profile");

const filtered = ARTISTS.filter(a => {
  if (province !== "All Provinces" && !province.includes(a.province)) return false;
  if (houseCallsOnly && !a.settings.houseCallsEnabled) return false;
  return true;
});

return (
  <div style={{ background:C.bg, minHeight:"100vh", color:C.ink, fontFamily:"'P
    <style>{`
      @import url('https://fonts.googleapis.com/css2?family=Playfair+Display:it
      *{box-sizing:border-box;margin:0;padding:0}
      @keyframes fadeUp{from{opacity:0;transform:translateY(14px)}to{opacity:1;
      @keyframes float{0%,100%{transform:translateY(0)}50%{transform:translateY
      @keyframes pulse{0%,100%{opacity:1}50%{opacity:0.4}}
      ::-webkit-scrollbar{width:3px;height:3px}
      ::-webkit-scrollbar-thumb{background:${C.border};border-radius:2px}
      .art-card:hover{border-color:${C.rose}55!important;box-shadow:0 4px 20px
      input,select,textarea{outline:none;font-family:'Montserrat',sans-serif}
      button{font-family:inherit}
    `}</style>

    /* — NAV — */
    <div style={{ background:C.surface, borderBottom:`1px solid ${C.border}`, p
      <div style={{ maxWidth:1060, margin:"0 auto" }}>
        <div style={{ display:"flex", alignItems:"center", justifyContent:"spac
          <div style={{ display:"flex", alignItems:"center", gap:"0.65rem" }}>
            <div style={{ width:32, height:32, borderRadius:"50%", background:`
              <span style={{ fontFamily:"'Playfair Display',serif", fontWeight:70
                <span style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.52
              </div>
            <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.6rem"
          </div>
        <div style={{ display:"flex", overflowX:"auto", padding:"0 1.5rem" }}>
          {SCREENS.map(s => (
            <button key={s} onClick={()=>setScreen(s)} style={{ padding:"0.65re
              {s}
            </button>
          )}}

```

```

        </div>
    </div>
</div>

{/* — CONTENT — */}
<div style={{ maxWidth:1060, margin:"0 auto", padding:"1.75rem 1.5rem 4rem"
    {screen==="Discover"      && <DiscoverScreen filtered={filtered} provinc
    {screen==="Book"          && <BookScreen artist={selectedArtist} step={b
    {screen==="Artist Profile" && <ArtistProfileScreen artist={selectedArtist
    {screen==="My Dashboard"   && <DashboardScreen artist={ARTISTS[0]} tab={d
    {screen==="Settings"       && <SettingsScreen artist={ARTISTS[0]} tab={se
    {screen==="How It Works"   && <HowItWorksScreen/>}
    </div>
</div>
);
}

/* — SHARED — */
function Pill({ children, color=C.rose, small }) {
    return <span style={{ display:"inline-flex", alignItems:"center", padding:small
}

function SectionHeader({ tag, title, sub, accent=C.rose }) {
    return (
        <div style={{ marginBottom:"1.75rem" }}>
            {tag && <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.58r
            <h1 style={{ fontFamily:"'Playfair Display',serif", fontWeight:700, fontSiz
            {sub && <p style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.8rem"
            <div style={{ height:2, background:`linear-gradient(90deg,${{accent}},${{C.gol
            </div>
        );
    }

function Card({ children, style={}, accent, title, tag }) {
    return (
        <div style={{ background:C.card, border:`1px solid ${{accent?accent+"33":C.bor
            {(title||tag) && (
                <div style={{ marginBottom:"0.85rem" }}>
                    {tag && <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0
                    {title && <div style={{ fontFamily:"'Playfair Display',serif", fontWeig
                </div>
            )}
            {children}
        </div>
    );
}

```



```

    <div key={1}>
      <div style={{ fontFamily:'Playfair Display', serif, fontWeight:700
        <div style={{ fontFamily:'Montserrat', sans-serif, fontSize:"0.55r
        </div>
      </div>
    </div>
  </div>

```

```

{/* Search filters */}

```

```

<Card style={{ marginBottom:"1.25rem" }}>

```

```

  <div style={{ display:"grid", gridTemplateColumns:"1fr 1fr auto auto", ga
  <div>

```

```

    <div style={{ fontFamily:'Montserrat', sans-serif, fontSize:"0.58rem
    <select value={province} onChange={e=>setProvince(e.target.value)} st
      {PROVINCES.map(p=><option key={p}>{p}</option>)}
    </select>
  </div>

```

```

</div>

```

```

<div>

```

```

  <div style={{ fontFamily:'Montserrat', sans-serif, fontSize:"0.58rem
  <select value={category} onChange={e=>setCategory(e.target.value)} st
    {CATEGORIES.map(c=><option key={c}>{c}</option>)}
  </select>
</div>

```

```

</div>

```

```

<div style={{ display:"flex", flexDirection:"column", gap:"0.35rem" }}>

```

```

  <div style={{ fontFamily:'Montserrat', sans-serif, fontSize:"0.58rem
  <div onClick={()=>setHouseCallsOnly(!houseCallsOnly)} style={{ displa
    <div style={{ width:16, height:16, borderRadius:4, border:`1.5px so
      <span style={{ fontFamily:'Montserrat', sans-serif, fontSize:"0.72
    </div>
  </div>

```

```

</div>

```

```

<div style={{ paddingTop:"1.4rem" }}>

```

```

  <div style={{ fontFamily:'Montserrat', sans-serif, fontSize:"0.62rem
  </div>
</div>

```

```

</Card>

```

```


```

```

{/* Artist grid */}

```

```

<div style={{ display:"grid", gridTemplateColumns:"repeat(auto-fill,minmax(
  {filtered.map(artist => (

```

```

    <div key={artist.id} className="art-card" onClick={()=>{setSelected(art
      <div style={{ display:"flex", gap:"0.75rem", alignItems:"flex-start"
        <div style={{ position:"relative", flexShrink:0 }}>

```

```

          <div style={{ width:52, height:52, borderRadius:13, background:`1
            {artist.verified && <div style={{ position:"absolute", bottom:-3,
          </div>
        </div>

```

```

      <div style={{ flex:1, minWidth:0 }}>

```

```

        <div style={{ display:"flex", justifyContent:"space-between", ali

```

```

    <div>
      <div style={{ fontFamily:"'Playfair Display',serif", fontWeig
        <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:
      </div>
      <div style={{ textAlign:"right" }}>
        <div style={{ fontFamily:"'Montserrat',sans-serif", fontWeigh
          {artist.settings.callOutFee && (
            <div style={{ fontFamily:"'Montserrat',sans-serif", fontSiz
              )}
            </div>
          </div>
        </div>
      </div>
      <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.6
      <div style={{ display:"flex", gap:"0.35rem", marginTop:"0.45rem",
        <span style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"
        <span style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"
          {artist.settings.studioOnly ? (
            <Pill color={C.blue} small>Studio Only</Pill>
          ) : (
            <Pill color={C.green} small>House Calls ✓</Pill>
          )}
          <Pill color={artist.available?C.green:C.muted} small>{artist.av
        </div>
      </div>
    </div>
  </div>
</div>
  )})
</div>
</div>
);
}

/* =====
ARTIST PROFILE — Public view
NOTE: Earnings NOT shown here
===== */
function ArtistProfileScreen({ artist: a, setScreen, setStep }) {
  const [tab, setTab] = useState("about");

  return (
    <div>
      <button onClick={()=>setScreen("Discover")} style={{ background:"none", bor

      {/* Hero */}
      <div style={{ height:190, background:`linear-gradient(135deg,${a.portfolio[
        <div style={{ position:"absolute", bottom:-38, left:"1.5rem", width:76, h
        <div style={{ position:"absolute", top:14, right:14, display:"flex", gap:
          {a.verified && <Pill color={C.green}>✓ Verified</Pill>}

```

```

    <Pill color={C.rose}>{a.tier}</Pill>
    {a.settings.studioOnly ? <Pill color={C.blue} small>Studio Only</Pill>
  </div>
  { /* REP SCORE - public */}
  <div style={{ position:"absolute", bottom:-22, right:"1.5rem", background
    <div style={{ textAlign:"center" }}>
      <div style={{ fontFamily:"'Playfair Display',serif", fontWeight:700,
        <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.5rem"
      </div>
    </div>
  </div>
</div>

{ /* Name + meta */}
<div style={{ display:"flex", justifyContent:"space-between", alignItems:"f
  <div>
    <div style={{ fontFamily:"'Playfair Display',serif", fontWeight:700, fo
    <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.72rem",
    <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.65rem",
  </div>
  <div style={{ fontFamily:"'Montserrat',sans-serif", fontWeight:700, color
    R{a.rate}<span style={{fontSize:"0.65rem",color:C.muted,fontWeight:400}
    {a.settings.callOutFee && <div style={{ fontSize:"0.6rem", color:C.mute
  </div>
</div>

{ /* Public stats - NO EARNINGS */}
<div style={{ display:"grid", gridTemplateColumns:"repeat(4,1fr)", gap:"0.5
  [[`★${a.rating}`, "Rating", C.rose], [a.appointments, "Appointments", C.gold]
  <div key={1} style={{ background:C.card, border:`1px solid ${C.border}`
    <div style={{ fontFamily:"'Playfair Display',serif", fontWeight:700,
    <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.55rem
  </div>
  )}}
</div>

{ /* House calls + call-out info */}
{a.settings.houseCallsEnabled && (
  <div style={{ background:C.greenDim, border:`1px solid ${C.green}33`, bor
    <span style={{ fontSize:"1.1rem", flexShrink:0 }}><img alt="ambulance icon" data-bbox="688 778 712 792"/></span>
    <div>
      <div style={{ fontFamily:"'Montserrat',sans-serif", fontWeight:600, f
      <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.72rem
        Call-out fee: R{a.settings.callOutBase} base + R{a.settings.callOut
      </div>
    </div>
  </div>
</div>
)}

```

```

{a.settings.studioOnly && (
  <div style={{ background:C.blueDim, border:`1px solid ${C.blue}33`, borde
    <span style={{ fontSize:"1.1rem", flexShrink:0 }}>🏠</span>
    <div>
      <div style={{ fontFamily:"'Montserrat',sans-serif", fontWeight:600, f
        <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.72rem
          </div>
        </div>
      </div>
    </div>
  )}

  /* Cancellation policy — public */
  <div style={{ background:C.amberDim, border:`1px solid ${C.amber}33`, borde
    <span style={{ fontSize:"1.1rem", flexShrink:0 }}>⚠️</span>
    <div>
      <div style={{ fontFamily:"'Montserrat',sans-serif", fontWeight:600, fon
        <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.72rem",
          Bookings are non-refundable if cancelled within {a.settings.cancellat
        </div>
      </div>
    </div>
  </div>

  /* Tabs */
  <div style={{ display:"flex", borderBottom:`1px solid ${C.border}`, marginB
    [{"about","skills","portfolio","badges"].map(t => (
      <button key={t} onClick={()=>setTab(t)} style={{ padding:"0.6rem 0.85re
    )})
  </div>

  {tab==="about" && (
    <p style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.84rem", col
  )}
  {tab==="skills" && (
    <div style={{ display:"flex", flexWrap:"wrap", gap:"0.5rem" }}>
      {a.skills.map(s=><span key={s} style={{ padding:"0.4rem 0.9rem", border
    </div>
  )}
  {tab==="portfolio" && (
    <div style={{ display:"grid", gridTemplateColumns:"repeat(3,1fr)", gap:"0
      [...a.portfolio,...a.portfolio].map((col,i)=>(
        <div key={i} style={{ aspectRatio:"4/5", borderRadius:10, background:
      )})
    </div>
  )}
  {tab==="badges" && (
    <div style={{ display:"flex", flexWrap:"wrap", gap:"0.5rem" }}>
      {a.badges.map(b=><Pill key={b} color={C.gold}>{b}</Pill>)}
    </div>

```



```

    })

    { /* CTAs */
    <div style={{ marginTop:"1.5rem", display:"flex", gap:"0.65rem" }}>
      <button onClick={()=>{setScreen("Book");setStep(0);}} style={{ flex:2, padding:10px }}>
        Book {a.name.split(" ")[0]} →
      </button>
      <button style={{ flex:1, padding:"0.85rem", borderRadius:10, border:`1px solid #ccc` }}>
        Message
      </button>
    </div>
  </div>
);
}

/* =====
BOOK - With call-out fee + policy
===== */
function BookScreen({ artist: a, step, setStep, setScreen }) {
  const [service, setService] = useState(null);
  const [locType, setLocType] = useState("studio");
  const [distance, setDistance] = useState(10);
  const [date, setDate] = useState(null);
  const [time, setTime] = useState(null);
  const [agreed, setAgreed] = useState(false);

  const svcs = [
    { id:1, name:"Standard Appointment", dur:"1-2 hrs", price:a.rate },
    { id:2, name:"Bridal / Event", dur:"2-3 hrs", price:Math.round(a.rate*1.4) },
    { id:3, name:"Touch-up", dur:"30-45 min", price:Math.round(a.rate*0.45) },
  ];

  const selSvc = svcs.find(s=>s.id===service)||svcs[0];
  const callOutFee = locType==="house" && a.settings.houseCallsEnabled ? (a.settings.houseCallFee || 0) : 0;
  const total = selSvc.price + callOutFee;
  const artistEarns = Math.round(total * 0.82);
  const platformFee = total - artistEarns;

  const steps = ["Service","Location","Date & Time","Review & Pay"];
  const dates = ["Mon 9","Tue 10","Wed 11","Thu 12","Fri 13","Sat 14"];
  const times = ["08:00","09:30","11:00","12:30","14:00","15:30","17:00"];

  return (
    <div>
      <button onClick={()=>setScreen("Artist Profile")} style={{ background:"none", border:"none", padding:0, margin:0 }}>
        <div style={{ display:"flex", alignItems:"center", gap:"0.75rem", marginBot:10px }}>
          <div style={{ width:44, height:44, borderRadius:12, background:`linear-gradient(to top right, transparent 49%, #ccc 49%, #ccc 51%, transparent 51%)`, backgroundSize:12px 12px, backgroundRepeat:repeat-y }}>

```

```

    <div>
      <div style={{ fontFamily:'Playfair Display', serif, fontWeight:700, fo
        <div style={{ fontFamily:'Montserrat', sans-serif, fontSize:"0.65rem",
        </div>
      </div>
    </div>

    {/ * Progress */}
    <div style={{ display:"flex", gap:"0.3rem", marginBottom:"1.75rem" }}>
      {steps.map((s,i)=>(
        <div key={s} style={{ flex:1 }}>
          <div style={{ height:3, borderRadius:2, background:i<=step?`linear-gr
            <div style={{ fontFamily:'Montserrat', sans-serif, fontSize:"0.55rem
            </div>
          </div>
        )}}
      </div>

    {/ * STEP 0 - Service */}
    {step===0 && (
      <div>
        <div style={{ fontFamily:'Montserrat', sans-serif, fontSize:"0.6rem",
        <div style={{ display:"flex", flexDirection:"column", gap:"0.6rem" }}>
          {svcs.map(s => {
            const on = service===s.id;
            return (
              <div key={s.id} onClick={()=>setService(s.id)} style={{ padding:"
                <div>
                  <div style={{ fontFamily:'Montserrat', sans-serif, fontWeigh
                    <div style={{ fontFamily:'Montserrat', sans-serif, fontSize:
                    </div>
                  <div style={{ fontFamily:'Montserrat', sans-serif, fontWeight:
                  </div>
                </div>
              );
            )}}
          </div>
        </div>
      )}

    {/ * STEP 1 - Location + call-out fee */}
    {step===1 && (
      <div>
        <div style={{ fontFamily:'Montserrat', sans-serif, fontSize:"0.6rem",
        <div style={{ display:"flex", flexDirection:"column", gap:"0.6rem", mar
          {a.settings.studioOnly ? (
            <div style={{ padding:"1rem", borderRadius:12, border:`1px solid ${
              <div style={{ fontFamily:'Montserrat', sans-serif, fontWeight:60
                <div style={{ fontFamily:'Montserrat', sans-serif, fontSize:"0.7
                </div>
              </div>
            </div>
          )}
        </div>
      )}
    </div>
  </div>

```

```

    ) : (
      <>
        {["studio","At artist's studio","No call-out fee"],["house","At
          const on=locType===type;
          return (
            <div key={type} onClick={()=>setLocType(type)} style={{ paddi
              <div style={{ fontFamily:"'Montserrat',sans-serif", fontWei
                <div style={{ fontFamily:"'Montserrat',sans-serif", fontSiz
              </div>
            </div>
          );
        }}}
        {locType==="house" && (
          <div style={{ background:C.warm, border:`1px solid ${C.border}`
            <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:
              <div style={{ display:"flex", justifyContent:"space-between",
                <span style={{color:C.muted}}>Distance from artist</span>
                <span style={{fontWeight:700, color:C.rose}}>{distance} km<
              </div>
              <input type="range" min="1" max="60" value={distance} onChange
              <div style={{ background:C.card, border:`1px solid ${C.border}
                {["Base call-out fee",`R${a.settings.callOutBase}`],[`Trav
                  <div key={k} style={{ display:"flex", justifyContent:"spa
                    <span style={{color:i===2?C.rose:C.muted}}>{k}</span>
                    <span style={{fontWeight:i===2?700:400,color:i===2?C.ro
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    )}
  </div>
</div>
)}

{ /* STEP 2 - Date & Time */}
{step===2 && (
  <div>
    <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.6rem",
    <div style={{ display:"flex", gap:"0.4rem", overflowX:"auto", marginBot
      {dates.map(d=>{const on=date===d; return(
        <div key={d} onClick={()=>setDate(d)} style={{ padding:"0.55rem 0.9
        </div>
      </div>
    <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.6rem",
    <div style={{ display:"grid", gridTemplateColumns:"repeat(4,1fr)", gap:
      {times.map(t=>{const on=time===t; return(

```

```

        <div key={t} onClick={()=>setTime(t)} style={{ padding:"0.6rem", bo
        );}}
    </div>
</div>
))

{/* STEP 3 – Review & Pay */}
{step===3 && (
    <div>
        <Card style={{ marginBottom:"1rem" }}>
            <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.6rem"
            {[
                ["Artist",a.name],
                ["Service",selSvc.name],
                ["Location",locType==="house"?`Your location (${distance}km away)`:
                ["Date",date||"Mon 9 Jun"],
                ["Time",time||"09:30"],
                ["Duration",selSvc.dur],
            ]}.map(([k,v])=>(
                <div key={k} style={{ display:"flex", justifyContent:"space-between
                <span style={{color:C.muted}}>{k}</span><span style={{fontWeight:
                </div>
            )))
            <div style={{ borderTop:`1px solid ${C.border}`, marginTop:"0.5rem",
            {[
                ["Service fee",`R${selSvc.price}`,C.muted],
                ...(callOutFee>0?[["Call-out fee",`R${callOutFee}`,C.muted]]:[]),
                ["Total",`R${total}`,C.gold],
            ]}.map(([k,v,c])=>(
                <div key={k} style={{ display:"flex", justifyContent:"space-betwe
                <span style={{color:C.muted}}>{k}</span><span style={{fontWeigh
                </div>
            )))
            </div>
        </Card>

        {/* Payment method */}
        <Card accent={C.blue} title="How payment works" tag="Payment & Escrow"
        <div style={{ display:"flex", flexDirection:"column", gap:"0.5rem" }}
        {[
            ["You pay now","R"+total+" secured via PayFast. Card, EFT, or Sna
            ["Funds held in escrow","GlamNet holds payment until your appoint
            ["Artist paid within 24hrs","Once you confirm completion, the art
            ["Platform fee","GlamNet retains R"+platformFee+" (18%) to cover
        ]}.map(([k,v])=>(
            <div key={k} style={{ display:"flex", gap:"0.65rem", fontSize:"0.
            <span style={{ color:C.green, flexShrink:0 }}>✓</span>

```

```

        <span><strong style={{color:C.ink}}><k></strong> - <span style=
      </div>
    )))
  </div>
</Card>

  /* Cancellation policy agreement */
  <div style={{ background:C.amberDim, border:`1px solid ${C.amber}33`, b
    <div style={{ fontFamily:"'Montserrat',sans-serif", fontWeight:600, f
    <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.7rem"
      This booking is non-refundable if cancelled within {a.settings.canc
    </div>
    <div onClick={()=>setAgreed(!agreed)} style={{ display:"flex", gap:"0
      <div style={{ width:18, height:18, borderRadius:4, border:`1.5px so
        <span style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.72
      </div>
    </div>

    <button disabled={!agreed} style={{ width:"100%", padding:"0.9rem", bor
      {agreed?"Confirm & Pay →":"Agree to policy to continue"}
    </button>
  </div>
))

  /* Navigation */
  <div style={{ display:"flex", gap:"0.65rem", marginTop:"1.25rem" }}>
    {step>0 && <button onClick={()=>setStep(step-1)} style={{ padding:"0.75re
    {step<3 && (
      <button onClick={()=>setStep(step+1)} style={{ flex:1, padding:"0.75rem
        {step===0?"Choose Location →":step===1?"Select Date & Time →":"Review
      </button>
    )}
  </div>
</div>
);
}

/* =====
  DASHBOARD - Private earnings shown here
  ===== */
function DashboardScreen({ artist: a, tab, setTab }) {
  const verSteps = [
    { label:"Identity verified", done:a.verification.identity },
    { label:"Portfolio uploaded (min. 3 images)", done:a.verification.portfolio }
    { label:"First appointment completed", done:a.verification.firstAppointment }
    { label:"Skill assessment passed", done:a.verification.skillAssessment },
    { label:"Verified badge issued", done:a.verification.badge },

```

```
];
const verPct = Math.round((verSteps.filter(s=>s.done).length/verSteps.length)*100);

return (
  <div>
    <div style={{ display:"flex", alignItems:"center", gap:"1rem", marginBottom:"1rem" }}>
      <div style={{ width:52, height:52, borderRadius:14, background:`linear-gradient(to top right, transparent 49%, #ccc 49% 51%, #ccc 51%)` }}>
        <div>
          <div style={{ fontFamily:'Playfair Display', serif, fontWeight:700, fontSize:1.2em }}>TIER</div>
          <div style={{ display:"flex", gap:"0.35rem", marginTop:"0.25rem" }}>
            <Pill color={C.rose} small>{a.tier}</Pill>
            <Pill color={C.gold} small>REP {a.repScore}</Pill>
            {a.verified ? <Pill color={C.green} small>✓ Verified</Pill> : <Pill color={C.rose} small>Not Verified</Pill>}
          </div>
        </div>
      </div>
    </div>

    <div style={{ display:"flex", borderBottom:`1px solid ${C.border}`, marginBott
      om:"1rem" }}>
      {[["overview", "Overview"], ["earnings", "My Earnings"], ["verification", "Verifi
        cation Progress"]].map(([tab, label]) => (
          <button key={id} onClick={() => setTab(id)} style={{ padding:"0.6rem 0.9rem", borderRight:`1px solid ${C.border}`, textDecorat
          ion:none }}>{label}</button>
        ))}
    </div>

    {tab==="overview" && (
      <div>
        <div style={{ display:"grid", gridTemplateColumns:"repeat(4,1fr)", gap:"1rem" }}>
          {[[a.appointments, "Appointments", C.rose], [a.repeatClients, "Repeat Clients", C.rose]].map(([item, title, accent]) => (
            <div key={1} style={{ background:C.card, border:`1px solid ${C.border}`, padding:"1rem" }}>
              <div style={{ display:"flex", justify-content:"space-between", align-items:"center" }}>
                <div style={{ fontFamily:'Playfair Display', serif, fontWeight:700, fontSize:1.2em }}>{title}</div>
                <div style={{ fontFami
                  ly:'Montserrat', sans-serif, fontSize:"0.8em" }}>{item.count}</div>
              </div>
              <div style={{ height:100px, position:"relative" }}>
                <div style={{ position:"absolute", bottom:-20px, left:0, right:0, background:`linear-gradient(to top right, transparent 49%, #ccc 49% 51%, #ccc 51%)` }}>
                </div>
              </div>
            </div>
          ))}
        </div>

        <div style={{ display:"grid", gridTemplateColumns:"1fr 1fr", gap:"1rem" }}>
          <Card accent={C.rose} tag="Reputation">
            <RepBar label="Completion Rate" value={a.completionRate} color={C.gro
              green}></RepBar>
            <RepBar label="Response Rate" value={a.responseRate} color={C.rose}></RepBar>
            <RepBar label="Repeat Client Rate" value={Math.round((a.repeatClients/a.appointments)*100)} color={C.rose}></RepBar>
          </Card>

          <Card accent={C.gold} tag="Verification Progress">
            <div style={{ display:"flex", justify-content:"space-between", align-items:"center" }}>
              <span style={{ fontFami
                ly:'Montserrat', sans-serif, fontSize:"0.8em" }}>Verified</span>
              <span style={{ fontFami
                ly:'Montserrat', sans-serif, fontSize:"0.8em" }}>{a.verified}</span>
            </div>
            <div style={{ height:50px, background:C.border, borderRadius:3, marginTop:"10px" }}>
              <div style={{ height:"100%", width:`${verPct}%`, background:`linear-gradient(to top right, transparent 49%, #ccc 49% 51%, #ccc 51%)` }}>
              </div>
            </div>
          </Card>
        </div>
      </div>
    )}
  </div>
)

```

```

        {verSteps.map(s=>{
            <div key={s.label} style={{ display:"flex", gap:"0.5rem", alignIt
                <div style={{ width:14, height:14, borderRadius:"50%", backgrou
                    <span style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"
                </div>
            }}}
        </Card>
    </div>
</div>
})

```

```

{tab==="earnings" && (
    <div>
        {/* PRIVATE - earnings only visible to the artist */}
        <div style={{ background:C.ink, borderRadius:12, padding:"0.75rem 1rem"
            <span style={{ fontSize:"0.9rem" }}><img alt="lock icon" data-bbox="580 335 595 350"/></span>
            <span style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.68re
        </div>
        <div style={{ display:"grid", gridTemplateColumns:"repeat(3,1fr)", gap:
            {[["R14,200","This Month",C.rose],[["R11,800","Last Month",C.gold],[["R
                <div key={1} style={{ background:C.card, border:`1px solid ${C.bord
                    <div style={{ fontFamily:"'Playfair Display',serif", fontWeight:7
                        <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.5
                    </div>
                </div>
            </div>
        <Card accent={C.gold} tag="Payment Method">
            <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.72rem
            <div style={{ display:"flex", flexDirection:"column", gap:"0.5rem" }}
                {[["PayFast","Instant payment processing on bookings","Active"],["E
                    <div key={method} style={{ display:"flex", justifyContent:"space-
                        <div>
                            <div style={{ fontFamily:"'Montserrat',sans-serif", fontWeigh
                                <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:
                            </div>
                        </div>
                        <Pill color={status==="Active"?C.green:C.muted} small>{status}<
                    </div>
                </div>
            </div>
        </Card>
    </div>
})

```

```

{tab==="verification" && (
    <div>
        <Card accent={C.rose} title="Your Verification Status" style={{ marginB
            <div style={{ display:"flex", alignItems:"center", gap:"1rem", margin

```

```

        <div style={{ width:64, height:64, borderRadius:"50%", background:`
        <div>
            <div style={{ fontFamily:"'Playfair Display',serif", fontWeight:7
            <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.7
            </div>
        </div>
        <div style={{ display:"flex", flexDirection:"column", gap:"0.65rem" }
        {verSteps.map((s,i)=>(
            <div key={s.label} style={{ display:"flex", gap:"0.75rem", alignI
            <div style={{ width:22, height:22, borderRadius:"50%", backgrou
            <div>
                <div style={{ fontFamily:"'Montserrat',sans-serif", fontWeigh
                {!s.done && <div style={{ fontFamily:"'Montserrat',sans-serif
                </div>
            </div>
        </div>
        )))
        </div>
    </Card>
</div>
)}

{tab==="appointments" && (
    <div>
        <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.6rem",
        [{client:"Priya K.",service:"Bridal Appointment",date:"Wed 11 Jun",tim
        <div key={b.client} style={{ background:C.card, border:`1px solid ${C
        <div>
            <div style={{ fontFamily:"'Montserrat',sans-serif", fontWeight:70
            <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.7
            <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.6
            </div>
            <div style={{ textAlign:"right" }}>
                <div style={{ fontFamily:"'Montserrat',sans-serif", fontWeight:70
                < Pill color={b.status==="confirmed"?C.green:C.amber} small>{b.sta
                </div>
            </div>
        </div>
        )))
    </div>
    )}
</div>
)}
</div>
);
}

/* =====
    SETTINGS - Call-out, house calls, policy
    ===== */
function SettingsScreen({ artist: a, tab, setTab }) {

```



```

const [houseCallsOn, setHouseCallsOn] = useState(a.settings.houseCallsEnabled);
const [callOutFeeOn, setCallOutFeeOn] = useState(a.settings.callOutFee);
const [baseRate, setBaseRate] = useState(a.settings.callOutBase);
const [kmRate, setKmRate] = useState(a.settings.callOutRate);
const [cancelHours, setCancelHours] = useState(a.settings.cancellationHours);
const [saved, setSaved] = useState(false);

const save = () => { setSaved(true); setTimeout(()=>setSaved(false),2500); };

return (
  <div>
    <SectionHeader tag="Artist Settings" title="Manage Your Profile" sub="Contr

    <div style={{ display:"flex", borderBottom:`1px solid ${C.border}`, marginB
      {[["profile","Profile"],["callout","Call-Out & Location"],["policy","Book
        <button key={id} onClick={()=>setTab(id)} style={{ padding:"0.6rem 0.9r
          )}}
      </div>

      {tab==="callout" && (
        <div>
          <Card accent={C.rose} title="Call-Out & Location Settings" style={{ mar
            <Toggle on={houseCallsOn} onChange={()=>setHouseCallsOn(!houseCallsOn
            <Toggle on={!houseCallsOn} onChange={()=>setHouseCallsOn(!houseCallsO

          {houseCallsOn && (
            <div style={{ marginTop:"1rem", paddingTop:"1rem", borderTop:`1px s
              <Toggle on={callOutFeeOn} onChange={()=>setCallOutFeeOn(!callOutF

            {callOutFeeOn && (
              <div style={{ marginTop:"1rem" }}>
                <div style={{ display:"grid", gridTemplateColumns:"1fr 1fr",
                  <div>
                    <div style={{ fontFamily:"'Montserrat',sans-serif", fontS
                      <input type="number" value={baseRate} onChange={e=>setBas
                      <div style={{ fontFamily:"'Montserrat',sans-serif", fontS
                    </div>
                  </div>
                    <div style={{ fontFamily:"'Montserrat',sans-serif", fontS
                      <input type="number" value={kmRate} onChange={e=>setKmRat
                      <div style={{ fontFamily:"'Montserrat',sans-serif", fontS
                    </div>
                  </div>
                <div style={{ background:C.roseDim, border:`1px solid ${C.ros
                  <div style={{ fontFamily:"'Montserrat',sans-serif", fontSiz
                    Example: 15km away → R{baseRate} + (15 × R{kmRate}) = <st
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

        </div>
      </div>
    )}
  </div>
)}
</Card>
</div>
)}

```

```

{tab==="policy" && (
  <div>
    <Card accent={C.amber} title="Cancellation Policy" style={{ marginBotto
      <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.72rem
        GlamNet uses a non-refundable booking model to protect artists from
      </div>
      <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.6rem"
      <div style={{ display:"flex", gap:"0.4rem", flexWrap:"wrap", marginBo
        {[12,24,48,72].map(h=>(
          <button key={h} onClick={()=>setCancelHours(h)} style={{ padding:
            {h}hrs
          </button>
        )}}
      </div>
      <div style={{ background:C.amberDim, border:`1px solid ${C.amber}33`,
        <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.7re
          Clients who cancel within <strong>{cancelHours} hours</strong> of
        </div>
      </div>
    </Card>
  </div>
)}

```

```

{tab==="payment" && (
  <div>
    <Card accent={C.gold} title="How You Get Paid" style={{ marginBottom:"1
      <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.72rem
        Payments are processed through PayFast. After each appointment, the
      </div>
      {[["PayFast Gateway","Booking payments are collected via PayFast. Car
        <div key={m} style={{ display:"flex", justifyContent:"space-between
          <div>
            <div style={{ fontFamily:"'Montserrat',sans-serif", fontWeight:
              <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0
            </div>
            <Pill color={s==="Active"?C.green:C.muted} small>{s}</Pill>
          </div>
        )}}

```

```

        </Card>
      </div>
    )}

    {tab==="profile" && (
      <Card accent={C.rose} title="Profile Settings">
        <div style={{ display:"flex", flexDirection:"column", gap:"0.65rem" }}>
          {[["Display Name",a.name],["Handle",a.handle],["City",a.city],["Provi
            <div key={l}>
              <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.5
                {l==="Bio"?<textarea defaultValue={v} style={{ width:"100%", padd
              </div>
            )}}
          </div>
        </Card>
      )}

    <div style={{ marginTop:"1.25rem" }}>
      <button onClick={save} style={{ padding:"0.85rem 2rem", borderRadius:10,
        {saved?"✓ Saved":"Save Changes"}
      </button>
    </div>
  </div>
);
}

/* =====
   HOW IT WORKS – Answers all artist questions
   ===== */
function HowItWorksScreen() {
  const [open, setOpen] = useState(null);
  const faqs = [
    { q:"How does the call-out fee work?", a:"You set your own call-out fee in Se
    { q:"What if I don't do house calls?", a:"Turn on 'Studio appointments only'
    { q:"What is the cancellation and non-refundable policy?", a:"All bookings on
    { q:"How and when do I get paid?", a:"After each appointment, the client conf
    { q:"What payment methods do clients use?", a:"Clients pay through PayFast at
    { q:"What does the verification process involve?", a:"Five steps: (1) Identit
    { q:"Are my earnings shown publicly on my profile?", a:"No. Your earnings are
    { q:"What if a client disputes the appointment?", a:"Clients have 24 hours af
    { q:"What is GlamNet's commission?", a:"GlamNet takes 18% of every booking as
    { q:"How do clients find me locally?", a:"GlamNet's discovery filters by prov
  ];

  return (
    <div>
      <SectionHeader tag="Artist Questions Answered" title="How GlamNet Works" su

```

```

<div style={{ display:"flex", flexDirection:"column", gap:"0.5rem" }}>
  {faqs.map((faq,i)=>(
    <div key={i} style={{ background:C.card, border:`1px solid ${open===i?C
      <div onClick={()=>setOpen(open===i?null:i)} style={{ padding:"1rem 1.
        <div style={{ fontFamily:"'Montserrat',sans-serif", fontWeight:600,
          <div style={{ color:open===i?C.rose:C.dim, fontWeight:700, fontSize
        </div>
      </div>
      {open===i && (
        <div style={{ padding:"0 1.1rem 1rem", fontFamily:"'Montserrat',san
          {faq.a}
        </div>
      )}
    </div>
  )}}
</div>

<div style={{ background:C.ink, borderRadius:12, padding:"1.25rem", marginT
  <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.6rem", co
  <div style={{ fontFamily:"'Playfair Display',serif", fontStyle:"italic",
  <div style={{ fontFamily:"'Montserrat',sans-serif", fontSize:"0.72rem", c
  </div>
</div>

);
}

```